

Index

- Absolute humidity, 80
- Absorber, 62
- Absorptance, 60
- AC coupling, 102
- Active infrared thermography, 291
- Active target, 176
- Advanced Very High Resolution Radiometer, 271
- Adverse weather, 171
- Aerodynamic heating, 132, 178
- Aerosols, 79, 81
- Air leakage, 201
- Aircraft, 174, 179, 293
- Airy disk, 117
- Aluminum, 204, 296, 302, 316
- Aluminum processing plant, 232
- Aluminum wire, 227
- Ambient temperature, 74, 133
- American Society for Nondestructive Testing, 148
- American Society for Testing and Materials, 224
- American Wire Gauge, 228
- Animal counting, 273
- Annealing furnace, 194
- Anomaly, 157
- Apparent emissivity, 67
- Apparent temperature, 64, 183, 191
- Applications, 151
- Art forgery, 72
- Ash plume, 272
- ASNT, 148
- Asphalt shingle, 163
- ASTM, 224
- Atmospheric correction, 197
- Atmospheric transmittance, 13, 74
- Attenuation coefficient, 75
- Automobile, 311
- Automobile fan, 313
- Average weather conditions, 86
- AVHRR, 271
- AWG, 228
- Back surface mirror, 181
- Background, 49, 58
- Ball mill, 246
- Bandgap engineered photodetectors, 98
- Banding, 280
- Baseline thermogram, 185, 240
- Battlefield, 274
- Bearings, 244
- Beaufort scale, 168
- Beer-Lambert law, 75
- Belt, 248
- Beverage container, 316
- Black hot, 90
- Black paint, 194
- Black tape, 194
- Blackbody, 52, 66
- Blow molding, 313
- Bolometer, 98
- Boost, 105
- Border crossing, 268
- Boxcar integration, 307
- Brake rotor, 41
- Brakes, 177
- Bridge deck, 171, 256
- British thermal unit, 21
- BTU, 21
- Building construction, 201
- Building envelope, 200
- Building/structure inspection, 154
- Buried objects, 256, 291
- Bus bar, 232
- Cadillac, 266
- Calibration, 145, 185
- Calibration points, 106

- Calibration source, 66
- Calorie, 22
- Camera formula, 92
- Cannabis, 269
- Cannon, 275
- Car, 163
- Car thief, 267
- Carbon fiber reinforced plastics, 293
- Ceiling insulation, 209
- Celsius, 10
- Cemetery, 256
- Center-to-center spacing, 119
- Centigrade, 10
- Certification, 148, 320
- CFCC, 293
- CFRP, 293
- Church, 202
- Circuit breaker, 43, 131, 234, 243
- Circular mil, 227
- Classical semiconductors, 98
- Clouds, 168, 219
- Clutter, 259, 274
- Coating thickness, 299
- Coke, 311
- Cold spike, 132
- Color, 8, 43, 52
- Color temperature, 52
- Combustion, 36
- Common module, 93, 95
- Comparison, 157
- Compressor, 42
- Concrete block, 203, 204
- Condensation, 201, 207
- Condition monitoring, 151
- Conduction, 27
- Conductor, 226
- Cone angle, 66
- Consistent observer, 150
- Contacts, 254
- Continuous fiber ceramic matrix composites, 293
- Continuous sheet, 194
- Continuous strip annealing furnace, 194
- Contrast, 296
- Convection, 32, 233
- Convective cooling, 230
- Cooled detectors, 97
- Cooling fins, 237
- Copper loss, 229
- Copper wire, 227
- Corrosion, 302
- Counterfeiting, 72
- Coupling, 246
- Cracks, 293
- Crimp connection., 44
- Crude oil, 311
- Customer, 319
- Dampness, 201
- DAS, 118
- Data analysis, 326
- Data storage, 327
- DC restoration, 102
- Dee-star, 100, 115
- Defect, 291
- Deficiency, 152
- Defroster, 311
- Delta-T, 50
- Depressurization, 211
- Detection, 283
- Detectivity, 100
- Detector, 48
- Detector-angular-subtense, 118
- Dewar, 34
- Differential infrared thermography, 144
- Diffuse surface, 174
- Digitization, 104
- Dirac pulse, 296
- Dirty battlefield, 274
- Disbonding, 299
- Discrimination, 283
- Distribution panel, 240
- Diurnal cycle, 165, 217
- Double-glazed window, 30

372 *Common sense approach to thermal imaging*

- Drug interdiction, 269
- Dual band measurement, 197
- Dynamic range, 44, 139
- Dynamic thermal tomography, 293

- Earthshine, 174
- Ecosystem, 271
- Effusivity, 298
- Electrical connection, 44, 225, 236, 240
- Electrical inspection, 153
- Electrical insulation, 227
- Electrical power, 239
- Electrical repair priority, 252
- Electromagnetic radiation, 11
- Electromotive force, 7
- Emissivity, 60, 173, 187, 250, 301
- Emissivity correction, 187
- Emissivity improver, 194
- Emissivity uncertainty, 190
- EMUX, 93
- Energy conversion, 157
- Engine, 39
- Engine compartment, 177
- Engineering practices, 327
- Environment, 63, 132, 159, 216
- EOMUX, 93
- Equivalent bar pattern, 283
- Error analysis, 190
- Evaporation, 209
- Evaporative cooling, 25, 210
- Exception, 152
- Exfiltrate, 210
- Exhaust gas, 40, 276
- Exit conference, 328
- Exterior walls, 200
- Extinction, 75

- Fahrenheit, 10
- False color, 8
- Fan, 249, 313
- Far infrared, 14
- Fatigue, 293

- Fault, 152
- Filament, 69
- Fill factor, 103, 119
- Final report, 328
- FIR, 14
- Fire, 37, 82, 270
- Firefighters, 270
- Fixed pattern noise, 102, 105
- Flame filter, 71
- Flash pulse, 296
- Flexible coupling, 246
- FLIR, 93
- FLIR92, 276
- F-number, 92
- Footprint, 134
- Forced convection, 233
- Forensics, 72
- Forest fire, 37
- Forgery, 72
- Forward looking infrared, 93
- Frame rate, 143
- Freeze-thaw cycle, 201, 213
- Friction, 4
- Frictional heat, 40, 177
- Front surface mirror, 181
- Fugitive, 268

- Gain/level normalization, 102, 106
- Gearbox, 249
- General Motors, 266
- Geometric factors, 65
- Geostationary Operational Environmental Satellite, 271
- Germanium, 68, 94
- Glass, 31, 69, 174
- Glass building, 175
- Glass fiber composite, 307
- Glass-reinforced plastics, 293
- GOES, 271
- Gold cup, 195
- Golden thermogram, 185, 240
- Good engineering practices, 327

- Goose down, 29
- Gram-calorie, 21
- Graves, 256
- Gray body, 68
- GRP, 293
- Guidelines, 251, 323
- Gulf stream, 273
- Gun, 269

- Harrah's Casino, 138
- Harsh environment, 132
- Haze, 82
- Heat, 3, 21
- Heat capacity, 23
- Heat injection, 291
- Heat leakage, 207
- Heater tubes, 311
- Historic buildings, 201
- Household bulb, 69
- Humidity, 79

- Identification., 283
- IFOV, 118
- Illegal aliens, 268
- Image processing, 105, 144
- Image quality, 105, 110, 127
- Image transfer, 195
- Imaging resolution, 120
- Impulse pulse, 296
- Incandescence, 53
- Incandescent bulb, 54
- Inclusions, 293
- Indium antimonide, 99
- Induced current, 44
- Inductive loop, 243
- Industry, 156
- Infiltrate, 210
- Infiltration, 45
- Injection molding, 313
- Inspection procedures, 319
- Instantaneous-field-of-view, 118
- Insulation, 29, 213

- Integration time, 143

- Jaggies, 104
- Jet engine, 40, 72
- Johnson criteria, 283
- Joule-Thompson effect, 40

- Kelvin, 10
- Keystone footprint, 134
- Knife switch, 241
- Kodak, 317

- Land mine, 259
- Lap joints, 293
- Law enforcement, 72, 267
- Legs, 38
- Level I, II, and III certification, 148
- Light bulb, 69
- Limited Access, 181
- Line scanner, 93
- Line source, 304
- Liquid nitrogen, 97
- Liquid-in-glass, 5
- Liquid-in-glass thermometer, 5
- LN₂, 97
- Lobby entrance, 206
- Long wavelength infrared, 14
- LOWTRAN, 84
- LWIR, 14

- Magnesium, 94
- Maintenance industry, 2
- Masonry-cladded building, 211
- Mass transport, 45, 157, 211
- MDT, 127
- Measurement resolution, 120
- Measuring IFOV, 121
- Mechanical, 97
- Mechanical inspection, 154
- Mechanical power, 239
- Mechanical repair priority, 255
- Mercury cadmium telluride, 99

374 *Common sense approach to thermal imaging*

- Metals, 315
- Meteorite, 273
- Meteorological range, 79, 81, 85
- Mid-wavelength infrared, 14
- MIFOV, 121
- Mildew, 201
- Military signature, 162
- Military tank, 165
- Military users, 149
- Mine, 259
- Minimum detectable temperature, 127
- Minimum resolvable temperature, 127, 276
- Mirror, 181
- MODTRAN, 84
- Modulated irradiation, 300
- Modulated thermography, 293
- MoirÉ pattern, 104
- Moisture, 213
- Monitor, 108
- Mosaic, 137
- Motion, 177
- Motion sensor, 7
- Motorcycle, 37
- MRT, 127, 276
- MRT observers, 149
- Multi-belt pulley, 249
- Multiflex, 194
- MWIR, 14
- MWIR versus LWIR, 76, 79, 82, 93, 108
- Mylar, 70

- Narcissus, 132
- National Electrical Code, 227
- National Oceanic and Atmospheric Administration, 271
- NDE, 293
- NDI, 293
- NDT, 291
- NEDT, 59, 111, 114
- NET, 111
- NETD, 111
- Nitrogen, 97
- NOAA, 271
- Noise equivalent differential temperature, 111
- Noise equivalent power, 100
- Noise equivalent temperature, 111
- Noise equivalent temperature difference, 59, 111
- Nondestructive evaluation, 293
- Nondestructive inspection, 293
- Nondestructive testing, 291
- Nonuniformity correction, 106
- NUC, 106
- Nuclear power plant, 38
- NVL model, 276
- Nyquist frequency, 122

- Oblique viewing, 134
- Observer response, 125
- Observer training, 147
- Oil pipeline, 262
- Oil spills, 271
- Oil-filled circuit breaker, 234
- Oil-filled transformer, 237
- Optical pyrometer, 8, 53
- Overloaded wires, 241

- Paint, 163, 194
- Paper, 317
- PAS, 119
- Passive target, 163
- Path radiance, 74, 83
- PCMCIA card, 145
- Peat, 271
- Petrochemical, 311
- Phase change, 24, 203, 221
- Phosphorus, 274
- Photoconductive, 98
- Photoconductive detector, 98
- Photoemissive device, 98
- Photovoltaic, 98

- Photovoltaic detector, 98
Physical attributes, 139
Pickup truck, 268
PII, 293
Pinion gear shaft, 246
Pipeline, 257, 260
Pitch, 119
Pixel-angular-subtense, 119
Planck's blackbody law, 52
Plastics, 313
Platinum silicide, 99
Pollution, 271
Polyester film, 70
Polyethylene, 70
Power distribution, 225
Power line, 161
Power loss, 229
Predictive maintenance, 2, 151
Pressurization, 211
Preventive maintenance, 2
Printed circuit board, 313
Process control/quality control, 156
Pseudo color, 8, 43
Pulley, 248
Pulse phase thermography, 293
Pulsed infrared imaging, 293
Pyroelectric, 98
Pyroelectric detector, 98
Pyrometer, 8, 53

Qualified observer, 150
Qualitative, 151
Qualitative measurement, 2
Quantitative, 151
Quantitative measurement, 2
Quantum well, 98
Quantum well detector, 98
Quartz, 94

Radiation, 34, 48
Rain, 169
Range prediction, 87, 281, 286

Rankine, 10
Raster scan, 95
Razor blades, 67
Recognition, 283
Reconstruction, 107
Refinery, 311
Reflectance, 60, 221
Reflection, 297
Reflection-mode imaging, 302
Refractory, 312
Relative humidity, 220
Repair priority, 252, 255
Resistance, 6, 226
Resistance thermometer, 6
Resolution, 111, 117
Responsivity, 48, 100
Rivets, 293
Rock wool, 30
Roller, 194
Roof, 36, 163, 213
Roof construction, 215
Rotating shaft, 244
R-value, 30, 216

Safety, 323, 326
Safety shroud, 247
Salt Lake City, 263
Salts, 203
Sampling, 104
Sapphire, 94
Scanner, 95
Scanning window, 169, 178
Scene based correction, 107
Schottky barrier photodiode, 98
Second generation, 94
Seeing, 147
Selective radiator, 68
Self-emission, 83
Sensitivity, 111, 114
Short wavelength infrared, 14
Sick-house syndrome, 204
Signal averaging, 198

376 *Common sense approach to thermal imaging*

- Signal processing in the element, 99
- Signal transfer function, 114
- Signal-to-noise ratio, 276
- Silicon, 94
- Site survey, 325
- SiTF, 114
- Sky, 162
- Skyshine, 174
- Slit response function, 119, 120
- Sluice gate, 39
- Smoke, 82, 270
- Smoke pencil, 211
- Snow, 169
- Solar absorption, 163
- Solar glint, 175, 176
- Solar heated, 161
- Solar loading, 216, 260
- Solder joint, 315
- Spatial frequency, 113
- Spatial resolution, 117
- Specific heat capacity, 23
- Specular surface, 174
- SPRITE, 95, 99
- Square pulse, 298
- SRF, 119
- St. Louis Gateway Arch, 83
- Stack effect, 211
- Standards, 323
- Standing water, 220
- Steady state, 159
- Steam line, 260
- Steel, 296, 317
- Stefan-Boltzmann law, 48, 63, 183
- Step pulse, 298
- Stop-action, 143
- Storage tank, 164, 258
- Strip annealing furnace, 194
- Strobe light, 323
- Studs, 205
- Styrofoam, 29
- Sun, 35
- Sun filter, 108
- Sun glint, 94
- Sunshine, 174
- Surface moisture, 220
- Surface temperature, 292
- Surveillance, 265
- Survey, 325
- Sweat glands, 27
- SWIR, 14
- Symmetry, 157
- Synchronization, 143
- T/I NDT, 293
- Tactical screening smoke, 82, 274
- Tank, 165, 275
- Tape player, 145
- Target, 49, 58
- Target signature, 157
- Target transfer probability function, 284
- Target visibility, 126
- TDI, 95
- Temperature, 230
- Temperature calibration, 186
- Temperature guidelines, 251
- Temperature references, 106
- Test plan, 324
- Test procedure, 324
- Thermal, 98
- Thermal anomaly, 152, 157
- Thermal bridge, 201
- Thermal capacity, 157
- Thermal clutter, 259, 274
- Thermal conductivity, 28, 216, 231
- Thermal contrast, 296
- Thermal crossover, 165
- Thermal derivative, 58, 115
- Thermal detector, 98
- Thermal equilibrium, 61, 159
- Thermal imaging band, 14
- Thermal imaging system, 8
- Thermal inertia, 164
- Thermal nondestructive testing, 293
- Thermal reflection, 297

- Thermal wave, 300
- Thermal wave imaging, 293
- Thermal/infrared nondestructive testing, 293
- Thermocouple, 7
- Thermoelectric, 97
- Thermoelectric cooler, 97
- Thermometer, 5
- Thermos, 34
- Thief, 267
- Three-dimensional noise model, 278
- Threshold, 147
- Time-resolved radiometry, 293
- TNDT, 293
- T-number, 92
- Tomogram, 305
- Tracer gas, 211
- Training program, 148
- Transformer, 44
- Transformer bushing, 236
- Transmission lines, 235
- Transmission-mode imaging, 303
- Transmittance, 60
- TRR, 293
- Truck, 268
- TTPF, 284
- TWI, 293
- Two-dimensional, 280
- Two-dimensional MRT, 280

- Uncertainty, 114, 198
- Uncertainty analysis, 190
- Uncooled detectors, 97
- Underground storage tank, 258
- Units, 19
- Universal joint, 246
- UST, 258
- Utility pole, 161

- Vapor barrier, 215
- Varicose veins, 38
- Vehicle, 177
- Verification, 327
- Very long wave infrared, 14
- Video standards, 145
- VLWIR, 14
- Voids, 259, 293
- Volcano, 272

- Washed out, 169
- Water, 216
- Water ingress, 201
- Water vapor, 76, 79, 80, 272
- Weather, 86, 171
- Wedge method, 194
- Welding, 311
- White hot, 90
- Wien's law, 52
- Wind, 168, 220, 233, 261
- Window, 30, 132, 138, 204
- Windshield defroster, 311
- Wire, 227
- Wood, 26
- Wood pulp, 317
- Wool, 29

- Xenon flashlamp, 304

- Zinc selenide, 94
- Zinc sulfide, 94
- Zoom, 123

