## PROCEEDINGS OF SPIE

## Low-Dimensional Materials and Devices 2020

Nobuhiko P. Kobayashi A. Alec Talin Albert V. Davydov M. Saif Islam Editors

24 August – 4 September 2020 Online Only, United States

Sponsored and Published by SPIE

**Volume 11465** 

Proceedings of SPIE 0277-786X, V. 11465

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Low-Dimensional Materials and Devices 2020, edited by Nobuhiko P. Kobayashi, A. Alec Talin, Albert V. Davydov, M. Saif Islam, Proc. of SPIE Vol. 11465, 1146501 © 2020 SPIE · CCC code: 0277-786X/20/\$21 · doi: 10.1117/12.2576435

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in Low-Dimensional Materials and Devices 2020, edited by Nobuhiko P. Kobayashi, A. Alec Talin, Albert V. Davydov, M. Saif Islam, Proceedings of SPIE Vol. 11465 (SPIE, Bellingham, WA, 2020) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510637368

ISBN: 9781510637375 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIF ora

Copyright © 2020, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$21.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/20/\$21.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

## **Contents**

	ELECTRONIC AND OPTICAL PROPERTIES OF 2D MATERIALS I
11465 08	Study on electronic and optical properties of GaN nanostructure arrays [11465-55]
	LOW-DIMENSIONAL DEVICES
11465 0G	Doping graphene with carbon-based cage molecules for optoelectronic devices (Invited Paper) [11465-12]
	MICROSCOPY AND SPECTROSCOPY OF 2D MATERIALS
11465 OI	Electron spectro-microscopy of 2D materials (Invited Paper) [11465-14]
11465 OJ	Observation of moiré superlattices on twisted bilayer graphene by scanning microwave impedance microscopy (Invited Paper) [11465-15]
	LOW-DIMENSIONAL MATERIALS FOR PHOTONICS AND OPTOELECTRONICS
11465 OQ	Ultra high luminous efficacy of $Zn_xCd_{1-x}S$ white quantum dots-based white light-emitting diodes [11465-22]
11465 OR	Gate-tunable diodes with negative transconductance based on inkjet printed heterojunctions [11465-23]
	POSTER SESSION
	POSTER SESSION
11465 OZ	Material properties mapping using complementary methods in titanium alloys TiMoSi used in medical application [11465-31]
11465 12	Magnetic properties of single-walled carbon nanotube with mixed spins: Monte Carlo study [11465-34]
11465 13	High color rendering index of ZCIS quantum dots-based white light-emitting diodes [11465-35]
11465 14	Comparative study of van der Waals interaction in monolayer MoS <sub>2</sub> /Blue Phosphorene and monolayer WS <sub>2</sub> /Blue Phosphorene based heterostructures: first principle investigations [11465-36]

11465 1A	Bilayer self-assembled InAs QD using digital alloy capping layer approach: experiment and theory $[11465-42]$
11465 1B	A comparative study of analog and digital alloy technique of $ln_xGa_{1-x}As$ well material on $lnAs/lnGaAs$ DWELL heterostructures [11465-43]
11465 1C	Effect of vertical induced strain on growth kinetics of self-assembled epitaxially grown InAs surface quantum dots [11465-44]
11465 1D	Towards optimal light-matter coupling of colloidal quantum dots in optical fibers [11465-45]
11465 1E	Effect of ex-situ annealing on coupled hybrid InAs Stranski-Krastanov (SK) on submonolayer (SML) quantum dot heterostructures with different spacer layer thickness [11465-46]
11465 1F	Effect of seed layer thickness on the growth of ZnO nanorods [11465-47]
11465 1G	Effect of UV-ozone annealing on the transient characteristics of ZnMgO thin film UV-Vis photodetector [11465-48]
11465 1H	A novel heterostructure with multilayer Stranski-Krastanov QDs heterogeneously coupled to submonolayer QDs for enhanced optical and material characteristics [11465-49]
11465 11	Enhanced performance of InAs/InGaAs dot-in-well heterostructure through varying capping thickness [11465-50]