

# International Conference on Space Optics—ICSO 2020

Virtual Conference

30 March–2 April 2021

*Edited by Bruno Cugny, Zoran Sodnik, and Nikos Karafolas*



## *Table of Contents*



# Contents

---

## PLENARY SESSION

---

- 11852 02 **Ongoing CNES space optics developments (Plenary Presentation)** [11852-1]
- 11852 04 **IASI-NG: when improving our understanding of the Earth atmosphere requires to multiply innovations in an operational meteorological programme (Plenary Presentation)** [11852-3]
- 11852 05 **LISA: Observing Universe with Gravitational Waves from space (Plenary Presentation)** [11852-4]

---

## TELESCOPES

---

- 11852 06 **Optimization and additive manufacturing of a three-mirror-anastigmatic telescope** [11852-5]
- 11852 07 **Progress in ultra-lightweight glass ceramic space optics** [11852-6]
- 11852 08 **Optical design of six-mirror Anastigmat(6MA) off-axis freeform system** [11852-7]
- 11852 09 **Overview of PLATO's cameras on-ground and in-orbit calibration and characterisation** [11852-8]

---

## IMAGER & RADIOMETER I

---

- 11852 0A **FCI PFM optical test results** [11852-9]
- 11852 0B **FCI instrument on-board MeteoSat Third Generation satellite: design and development status** [11852-10]
- 11852 0C **Design strategies of an unobscured three mirror telescope with freeform surfaces for infrared nanosatellite imagery** [11852-11]
- 11852 0D **CarbonHIGS** [11852-12]

---

## INFRARED DETECTORS & MISCELLANEOUS TECHNOLOGIES

---

- 11852 0E **Meteosat Third Generation: presentation of the video detection chains** [11852-13]

11852 OF **HgCdTe APDs detector developments for high speed, low photon number and large dynamic range photo-detection** [11852-15]

---

#### SATELLITES QUANTUM COMMUNICATION I

---

11852 OG **Modular FSO optical system design for classical and quantum optical communication systems** [11852-16]

11852 OH **QKD terminal for Canada's Quantum Encryption and Science Satellite (QEYSSat)** [11852-17]

11852 OI **High performance optical free-space links for quantum communications** [11852-18]

11852 OJ **GEOQKD: quantum key distribution from a geostationary satellite** [11852-19]

---

#### SPECTROMETER COMPONENT I

---

11852 OK **The high precision double slit device of the slit assembly for the FLEX instrument** [11852-20]

11852 OL **Experimental validation of a 2D-slit homogenizer for space based imaging spectrometers** [11852-21]

11852 ON **Blazed gratings on convex substrates for high throughput spectrographs for Earth and Universe observation** [11852-23]

---

#### IMAGER & RADIOMETER II

---

11852 OO **Towards a next-generation Earth Radiation Budget radiometer by optimization of the cavity geometry and coating** [11852-24]

11852 OP **Optical design, challenges, and development of the METimage instrument** [11852-25]

11852 OQ **The TIR instrument on TRISHNA satellite: a precursor of high resolution observation missions in the thermal infrared domain** [11852-26]

11852 OR **The Multi Angle Polarimeter (MAP) on board ESA's Copernicus Carbon Dioxide Monitoring mission (CO2M)** [11852-27]

---

#### VISIBLE DETECTORS

---

11852 OS **Capella: CIS120 general purpose CMOS sensor for space applications** [11852-28]

- 11852 OT **Improved stability of black silicon detectors using aluminum oxide surface passivation** [11852-29]
- 11852 OV **High performance and high resolution CMOS camera for space applications (3DCM800)** [11852-31]
- 11852 OW **PolarCam micropolarizer cameras characterization and usage** [11852-32]

---

#### SATELLITES QUANTUM COMMUNICATION II

---

- 11852 OX **Modular adaptive optics solution for a QKD receiver on a fork mount telescope system** [11852-33]
- 11852 OY **QKD optical ground terminal developments** [11852-34]
- 11852 OZ **How to choose the best QKD network technology: three different satellite based scenarios compared** [11852-35]

---

#### IMAGER & RADIOMETER III

---

- 11852 10 **In-flight optical performance assessment for the Metis solar coronagraph** [11852-36]
- 11852 11 **First-light Science Observations of the Metis Solar Coronagraph** [11852-37]
- 11852 12 **First flight model optical performance test on the Flexible Combined Imager telescope assembly of Meteosat Third Generation** [11852-38]

---

#### VISIBLE & XRAY DETECTORS

---

- 11852 13 **Characterization and video chain development of the CMOS detector applied in the multi-angle spectro-polarimeter SPEXone** [11852-39]
- 11852 14 **The environmental test campaign of GMOD: a novel gamma-ray detector** [11852-40]
- 11852 15 **Design of a true HDR backside illuminated image sensor with charge domain binning** [11852-41]

---

#### OPTICAL FEEDER LINK TECHNOLOGY

---

- 11852 16 **System design of terabit-per-second capacity low earth orbit optical feeder links** [11852-42]
- 11852 17 **The H2020 VERTIGO project towards tbit/s optical feeder links** [11852-43]

- 11852 18 **Optical feeder-link between ESA's optical ground station and Alphasat** [11852-44]
- 11852 19 **Performance analysis of an adaptive optics based optical feeder link ground station** [11852-45]
- 11852 1A **CaNaPy: SatComm LGS-AO experimental platform with laser uplink pre-compensation** [11852-46]

---

#### **COATING I**

---

- 11852 1B **Non-linearly variable filters for spectro-imaging systems** [11852-47]
- 11852 1C **A breakthrough instrument for wide-range wavelength and angle resolved light scattering measurements of high performances optical coatings** [11852-48]
- 11852 1D **Mitigating damage precursors to improve the laser resistance of ion beam sputtered antireflective coatings** [11852-49]

---

#### **SPECTROMETER I**

---

- 11852 1E **The challenges of broadband performances within a compact imaging spectrometer: the ELOIS solution** [11852-50]
- 11852 1F **Meteosat third generation infrared sounder (MTG-IRS), interferometer and spectrometer test outcomes, demonstration of the new 3D metrology system efficiency** [11852-51]
- 11852 1G **Optimization of a compact static interferometer based on ImSPOC technology for a wide field polar lights monitoring** [11852-52]

---

#### **ATM & LIBS LIDAR**

---

- 11852 1H **Optical design and performance of the SuperCam instrument for the Perseverance rover** [11852-53]
- 11852 1I **Development of the VOILA LIBS instrument for volatiles scouting in polar regions of the Moon** [11852-54]
- 11852 1J **ESA Atmospheric LIDAR (ATLID) testing, qualification, and calibration** [11852-55]

---

#### **LASER COMMUNICATION TECHNOLOGIES FOR CONSTELLATIONS**

---

- 11852 1K **Miniaturized optical communications modules for space applications** [11852-56]

11852 1L **The H2020-SPACE-ORIONAS project: “Lasercom-on-chip” for high-speed satellite constellation interconnectivity [11852-57]**

---

**OPTICAL AND QUANTUM COMMUNICATIONS**

---

11852 1M **Adaptive optical satellite network architecture [11852-58]**

---

**COATING II & BONDING**

---

11852 1N **Improvement of molecular adhesion for spatial applications at Thales SESO over the past 20 years [11852-59]**

11852 1O **Sophisticated band pass filters by PARMS technology for the 3MI project [11852-60]**

11852 1P **UV bandpass filters based on Ta<sub>2</sub>O<sub>5</sub> and ZrO<sub>2</sub> for solar observation [11852-61]**

11852 1Q **Au coatings for spaced based reflectors [11852-62]**

---

**SPECTROMETER COMPONENT II**

---

11852 1R **Manufacturing of microCarb critical optical components and their impact on the instrument's performances [11852-63]**

---

**SPECTROMETER II**

---

11852 1S **Progress in freeform mirror design for space applications [11852-64]**

11852 1T **Design, manufacturing, alignment, and testing of the Back Telescope assembly of the MeteoSat Third Generation InfraRed Sounder (MTG-IRS) [11852-65]**

---

**GHG LIDAR**

---

11852 1U **Design and pre-development of an airborne multi-species differential absorption Lidar system for water vapor and HDO isotope, carbon dioxide, and methane observation [11852-66]**

11852 1V **Recent advances on fiber-based laser and Lidar systems for future space-borne monitoring of greenhouse gas [11852-67]**

11852 1W **2- $\mu$ m hybrid laser emitter for future carbon dioxide space-borne lidar measurement [11852-68]**

---

## DEEP SPACE & HP LASER TECHNOLOGY

---

- 11852 1X **A trade-off study of lunar-earth optical communication links** [11852-69]
- 11852 1Y **Space qualification of a 10W single-mode PM optical amplifiers in the 1.5- $\mu$ m region** [11852-70]

---

## ATHENA

---

- 11852 1Z **X-ray mirror development and production for the Athena telescope** [11852-71]
- 11852 20 **The Athena x-ray optics development and accommodation** [11852-72]
- 11852 21 **Assembly integration and testing facility for the x-ray telescope of ATHENA** [11852-73]
- 11852 22 **X-ray facility for the characterization of the Athena mirror modules at the ALBA synchrotron** [11852-74]
- 11852 23 **Testing ATHENA optics: a new measurement standard at the PANTER x-ray test facility** [11852-163]

---

## SPECTROMETER III

---

- 11852 24 **Far infrared Fourier transform spectrometer breadboard activities for the FORUM mission, ESA's 9th Earth Explorer** [11852-75]
- 11852 25 **FORUM payload study for phase A/B1 by a consortium led by OHB System AG and TAS-UK** [11852-76]
- 11852 26 **The JUICE ultraviolet spectrograph: a next-generation compact UVS for ESA's JUICE mission** [11852-77]
- 11852 27 **IASI NG instrument performance status** [11852-140]

---

## WIND LIDAR

---

- 11852 28 **Correlation wind Lidar with an array detector and photon counting** [11852-78]
- 11852 29 **Ground-based general purpose Doppler-lidar: a technology for Doppler-aerosol measurements and beyond** [11852-79]

---

## OPTICAL GROUND STATION

---

- 11852 2A **Adaptive optics upgrades for laser communications to the ESA optical ground station**  
[11852-80]
- 11852 2B **Optical bench development for laser communication OSIRIS mission at Grasse (France) station**  
[11852-81]
- 11852 2C **Accuracy of satellite orbit prediction and optical design of optical ground station beacons for satellite-to-ground optical communication** [11852-82]
- 11852 2D **CATS: continuous turbulence characterization station for both optical link and astronomical support** [11852-83]

---

## MISCELLANEOUS OPTICAL TECHNOLOGY

---

- 11852 2E **Making compact and innovative dual-band thermal imagers using hybrid optical elements**  
[11852-84]
- 11852 2F **Cryogenic optics for space applications** [11852-85]
- 11852 2G **Experimental study of 3.6-meter segmented-aperture telescope for geostationary Earth observation satellite** [11852-86]
- 11852 2H **Active optics in deployable systems for future earth observation and science missions**  
[11852-87]
- 11852 2I **Correlation of subsurface damage and surface roughness on ZERODUR ground surfaces by using rotation table peripheral grinding process** [11852-88]

---

## SPECTROMETER IV

---

- 11852 2J **Development of a space spectropolarimeter for full stokes parameters retrieval** [11852-89]
- 11852 2K **CHIME's hyperspectral imaging spectrometer design result from phase A/B1** [11852-90]
- 11852 2L **NanoCarb spaceborne miniaturized GHG sensor: first experimental results** [11852-91]
- 11852 2M **Sentinel 5 instrument and UV1 spectrometer subsystem optical design and development**  
[11852-92]

---

## LASER TECHNOLOGY

---

- 11852 2N **Successful space qualification of DFB laser diodes at 1542 nm wavelength for METOP-SG IASI-NG LASE** [11852-93]



- 11852 2O **Design and space qualification of laser for laser altimeter** [11852-94]
- 11852 2P **New development for SuperCam Laser: UV conversion for spectroscopy and downsizing for compact LIBS instrument** [11852-95]
- 11852 2Q **Optical and optomechanical design of the MERLIN laser optical bench** [11852-96]
- 11852 2R **Flight laser module monitoring during ExoMars Raman laser spectrometer environmental testing** [11852-97]

---

#### SCIENTIFIC PAYLOAD & STV

- 11852 2S **Monitoring of JUICE optical fibers during thermal cycles keeping the optical connectors at different stable temperatures in 3-chambers setup** [11852-98]
- 11852 2T **Optical harness and receiver for future L-band radiometer** [11852-99]
- 11852 2U **Carbon epoxy composite curing process monitoring using high resolution optical fiber sensors** [11852-100]
- 11852 2V **High performance chirped microwave generator for space applications** [11852-101]
- 11852 2W **Advancement of photonic integration technology for space applications: a x-band scan-on-receive synthetic aperture radar receiver with electro-photonic beamforming and frequency down-conversion capability** [11852-302]

---

#### ACTIVE & ADAPTIVE OPTICS/AIT

- 11852 2X **Alignment turning and assembly of the Sentinel 4 optical modules** [11852-103]
- 11852 2Y **Full scale active telescope engineering model** [11852-104]
- 11852 2Z **EUCLID's very large telescope ALIGNMENT** [11852-105]
- 11852 30 **Alignment and integration off-axis mirrors for space applications** [11852-106]
- 11852 31 **Space-qualified Piezo Based Deformable Mirror for future Instruments with Active Optics** [11852-107]

---

#### SPECTROMETER V

- 11852 32 **Polarimetric calibration of a spectro-polarimeter for remote sensing and characterization of aerosols** [11852-108]

- 11852 33     **SENTINEL-4 combined optical assemblies** [11852-109]
- 11852 34     **Optical and system performance of SPEXone, a multi-angle channeled spectropolarimeter for the NASA PACE mission** [11852-110]
- 11852 35     **A stray light correction analysis framework for the calibration of Sentinel-4/UVN** [11852-111]

---

#### **CALIBRATION & LASER TECHNOLOGY**

---

- 11852 36     **Speckle reduction system by using spatial and temporal scrambler in integrating sphere** [11852-112]
- 11852 37     **Advanced laser sources for Sentinel-5/UVNS instrument calibration** [11852-113]
- 11852 39     **Novel optical frequency comb technology demonstrator for space** [11852-115]
- 11852 3A     **Evaluation of the reliability of pump combiners** [11852-116]

---

#### **CUBESAT TECHNOLOGY**

---

- 11852 3B     **Modeling of piezoelectric actuator's hysteresis and its effect on the control accuracy of a LEO-to-GEO laser-communication for a small satellite** [11852-117]
- 11852 3C     **Optical front-end for a quantum key distribution cubesat** [11852-118]
- 11852 3D     **CubeSat laser infrared crosslink mission status** [11852-119]

---

#### **METROLOGY**

---

- 11852 3E     **Analysis of temperature-induced drift rate error in interferometric multi-core fiber optic gyroscope** [11852-120]
- 11852 3F     **Digital Sun sensors, where there is no ease, in adding ten degrees** [11852-121]
- 11852 3G     **Optical fiber sensor for atmospheric reentry experiments** [11852-122]
- 11852 3H     **The fine guidance system of the PLATO mission** [11852-123]
- 11852 3I     **Proof-of-concept demonstrator for the off-axis retroreflector interferometer configuration for NGGM** [11852-124]

---

## SPECTROMETER VI

---

- 11852 3J **Compact hyperspectral instruments** [11852-125]
- 11852 3K **Instrumental design of the Solar Observing Satellite: solar-C\_EUVST** [11852-126]
- 11852 3L **In-orbit characterization of the ISRF** [11852-127]
- 11852 3M **The Copernicus CO2M mission for monitoring anthropogenic carbon dioxide emissions from space** [11852-128]
- 11852 3N **MOEMS-based spectro-imagers for Earth and Universe Observation** [11852-129]

---

## LISA I

---

- 11852 3O **Development of an all PM mode lock fiber laser for space borne frequency reference** [11852-130]
- 11852 3P **Towards the development of a compact-monolithic optical assembly for Telecom laser frequency stabilization for LISA ground tests and other applications** [11852-131]
- 11852 3Q **Effective cross sections for stray light calculations in laser interferometry: application to LISA science interferometer** [11852-132]

---

## SATCOM I

---

- 11852 3R **Photonic integrated technology for space applications** [11852-133]
- 11852 3S **A photonic beamformer based on complex-valued filtering of wavelength-division multiplexed signals** [11852-134]
- 11852 3T **Final demonstration results of OPTIMA, photonic payload for telecommunication satellites** [11852-135]

---

## SCIENTIFIC & FP I

---

- 11852 3U **Feasibility study of an interferometric Small-Sat to study exoplanets** [11852-136]
- 11852 3W **Design, performance, and potential scientific applications of the evanescent wave coronagraph with an adjustable inner working angle** [11852-138]
- 11852 3X **UV-BIOMarker Mapper Raman optical instrument for Venus atmosphere (UV-BIOMAP)** [11852-139]

---

## SPECTROMETER VII

---

- 11852 3Y **IASI-NG development status** [11852-141]
- 11852 3Z **Instrumental development of NanoCarb, a new spectro-imaging sensor** [11852-142]

---

## LISA II

---

- 11852 40 **Laser-based satellite positioning system for space gravitational wave detector DECIGO**  
[11852-143]
- 11852 41 **Coherent detection of the light backscattered by an optical surface** [11852-144]
- 11852 42 **LISA optical metrology: tilt-to-pathlength coupling effects on the picometer scale** [11852-145]

---

## SATCOM II

---

- 11852 43 **Microwave photonic frequency generation and conversion unit design for Ka-band satellite payloads** [11852-146]
- 11852 44 **Photonic components for spacecraft fiber optic datalinks and free-space optical communications terminals** [11852-147]
- 11852 45 **High-power photoreceivers for large dynamic range: high frequency photonic RF links**  
[11852-148]
- 11852 46 **Photonics-based ultra-low phase noise X-band microwave generation** [11852-149]

---

## SCIENTIFIC & FP II

---

- 11852 47 **Studies on the mid-term effects of the double-modulation CPT clock** [11852-150]
- 11852 48 **In-flight calibration of Metis coronagraph on board of Solar Orbiter** [11852-151]

---

## C&C/OGSE

---

- 11852 4A **Space spectrograph design to calibration** [11852-153]
- 11852 4B **OGSE absolute radiometric calibration in VIS and NIR** [11852-154]

- 11852 4D **Optical alignment, characterization, and testing through image-based output beam analysis: application to Sentinel 5 OGSE** [11852-156]
- 11852 4E **Sentinel-5 OGSE: large aperture sun simulator** [11852-157]

---

#### **ATMOSPHERIC TURBULENCE MITIGATION TECHNIQUES**

---

- 11852 4G **Prediction of atmospheric turbulence by means of WRF model for optical communications** [11852-159]
- 11852 4H **Power and spectrum efficiencies of an optical satellite uplink with spatially diverse beams and incoherent combining** [11852-160]
- 11852 4I **System-level benefit of variable data rate in optical LEO direct-to-earth links** [11852-161]

---

#### **POSTER SESSION: TELESCOPE & LARGE OPTICS**

---

- 11852 4J **Towards the spatialization of ALPAO dms** [11852-162]
- 11852 4K **The full-SiC optics of MICROCARB** [11852-164]
- 11852 4L **Test of protected silver coating on aluminum samples of ARIEL main telescope mirror substrate material** [11852-165]
- 11852 4M **Thales SESO silver coatings for space programs** [11852-166]
- 11852 4N **Vibration and shock testing of a 50 mm aperture unimorph deformable mirror** [11852-167]
- 11852 4O **Application of TPA techniques to identify operational forces in optical payloads interfaces** [11852-168]
- 11852 4P **Development of low-density coatings for soft x-ray reflectivity enhancement for ATHENA and other missions** [11852-169]
- 11852 4Q **Material attributes that define performance and efficiency of spaceborne mirrors** [11852-170]
- 11852 4R **Better, faster, cheaper: Recent SCHOTT ZERODUR facilities are game-changing for high performance lightweight mirrors** [11852-171]
- 11852 4S **ZERODUR stability in space environments** [11852-172]
- 11852 4T **Silicon nitride for space optical applications** [11852-173]
- 11852 4U **An empirical approach for space-based mirrors to evaluate the extent of radiation compaction under expected environmental doses** [11852-174]

- 11852 4V **The fisheye of the comet interceptor's EnVisS camera** [11852-175]
- 11852 4W **Image processing for a formation flying synthetic aperture telescope** [11852-176]
- 11852 4Y **The unique field-of-view and focusing budgets of PLATO** [11852-178]
- 11852 4Z **Innovative aperture segmentations control image plane diffraction** [11852-179]
- 11852 50 **Methodology for the analysis of a thermo-mechanically deformed optical system** [11852-180]
- 11852 51 **Demonstrating the sub-nanometer sensitivity of a pyramid WaveFrontSensor for active space telescopes** [11852-181]

---

**POSTER SESSION: FIBER OPTICS & MICROPHOTONICS**

---

- 11852 52 **Microwave reference signal distribution on optical fibre within satellite payload** [11852-251]
- 11852 53 **Qualification of multi-fiber interconnect solutions for payload data processing** [11852-182]
- 11852 54 **The H2020-SPACE-SIPHODIAS project: space-grade opto-electronic interfaces for photonic digital and analogue very-high-throughput satellite payloads** [11852-183]
- 11852 55 **Miniaturised photonic front-end for the next generation of space SAR applications** [11852-184]

---

**POSTER SESSION: IMAGER & RADIOMETER**

---

- 11852 56 **Full-SiC derotator optics for METImage: detailed design and early model results** [11852-185]
- 11852 57 **The development and on-orbit calibration status of GOSAT-2 TANSO-CAI-2 instrument** [11852-186]
- 11852 58 **Design of a hyperspectral imager using COTS optics for small satellite applications** [11852-187]
- 11852 59 **A feasibility study for a compressive sensing imager in the medium infrared for hotspot detection** [11852-188]
- 11852 5A **Challenges during Metis-Solar Orbiter commissioning phase** [11852-189]
- 11852 5B **On-ground flat-field calibration of the Metis coronagraph onboard the Solar Orbiter ESA mission** [11852-190]

---

**POSTER SESSION: DETECTORS & FP TECHNOLOGIES**

---

- 11852 5C **CCD272-64 and GSENSE400BSI-GP CMOS quantum efficiency measurement in EUV and VUV** [11852-191]
- 11852 5D **WSO-UV mission WUVS instrument FUV-UV CCD detectors qualification campaign main results** [11852-192]
- 11852 5E **Radiation tests on the HAS2 image sensor with colour filter array for the JUICE Monitoring Cameras** [11852-193]
- 11852 5F **Proton-induced degradation of charge transfer efficiency on FLEX CCD detectors: measurement and impact on instrument performances** [11852-194]

---

**POSTER SESSION: OPTICAL AND QUANTUM COMMUNICATIONS**

---

- 11852 5G **The ESA project PIOTS: setting up a complete pilot line for the packaging of photonic integrated circuits for space applications** [11852-195]
- 11852 5H **A novel detection strategy for optical receivers with focal plane array** [11852-196]
- 11852 5I **Proton radiation assessment of COTS components of 100 Gb/s digital coherent transceiver for optical satellite communications** [11852-197]
- 11852 5J **Photon-efficient quantum key distribution using multiqubit time-bin encoding** [11852-198]
- 11852 5K **Performance analysis of polar-code transmission experiments over 7.8-km terrestrial free-space optical link using channel equalization** [11852-199]
- 11852 5L **Study on application of polar codes to information reconciliation in free-space quantum key distribution** [11852-200]
- 11852 5M **Dual wavelength optical system for multiple quantum communication transmitters in Cubesat platform** [11852-201]
- 11852 5N **Fine steering mirror based on piezo actuators: a point ahead mechanism (PAM30) for deep space optical communication module of the psyche mission** [11852-202]
- 11852 5O **Large stroke fast steering mirror for free-space optical communication** [11852-203]
- 11852 5P **Optimized power allocation strategies in hybrid optical satellite networks** [11852-204]
- 11852 5Q **Low-complexity optimization algorithm for ground network design in optical satellite networks** [11852-205]
- 11852 5R **A cost-effective ultra-high throughput space-based optical link** [11852-206]

- 11852 5S **Reaching GHz single photon detection rates with HgCdTe avalanche photodiodes detectors** [11852-207]
- 11852 5T **An optical wireless system replacing cabled connections for the data transmission in the AIT phase** [11852-208]
- 11852 5U **High-throughput optical wireless solutions for intra-satellite communications** [11852-209]
- 11852 5V **Free-space optical communication technologies will enable next generation of ultra high throughput satellite** [11852-210]
- 11852 5W **Characterisation of the optical channel GEO to ground: using five years of data from Alphasat TDP1 and T-AOGS for investigation of different conditions** [11852-211]
- 11852 5Y **Paving the way to daytime optical feeder links based on LGS assisted adaptive optics** [11852-213]

---

**POSTER SESSION: PASSIVE OPTICAL COMPONENTS**

---

- 11852 5Z **UV coatings by IAD and PARMS technology for Sentinel-5 mission** [11852-214]
- 11852 60 **Laser-induced damage and contamination testing for the next generation of LIDAR space optics** [11852-215]
- 11852 61 **Black coatings BSDF database** [11852-216]
- 11852 63 **Novel gratings for astronomical observations II** [11852-218]
- 11852 64 **Design and test of the optical fiber assemblies for the scalar magnetic field sensor aboard the JUICE mission** [11852-219]

---

**POSTER SESSION: SPECTROMETER**

---

- 11852 65 **Space optics instrument optimization and characterization with artificial intelligence** [11852-220]
- 11852 66 **FLEX low resolution spectrometer breadboard activities** [11852-221]
- 11852 67 **Sentinel-4: a geostationary imaging UVN spectrometer for air quality monitoring: integration and alignment of the instrument proto flight model** [11852-222]
- 11852 68 **Hyperspectral spectro-imager survey for state of art concept identification** [11852-223]
- 11852 69 **Hyperspectral innovation on instruments and technologies at the European Space Agency** [11852-224]



- 11852 6A **CUAVA InGaAs-based, Short Wavelength InfraRed (SWIR) instrument for atmospheric reconnaissance: preliminary design** [11852-225]
- 11852 6B **Setups for alignment and on-ground calibration and characterization of the EnMAP hyperspectral imager** [11852-226]

---

**POSTER SESSION: LIDARS & LIBS**

- 11852 6C **Imaging Lidar systems** [11852-227]
- 11852 6D **Frequency comb based absolute frequency reference design for future spaceborne multi species differential absorption lidar systems for green-house gases monitoring** [11852-228]
- 11852 6E **Characterization of liquid crystal on silicon-SLMs for in-situ laser beam steering to enable RAMAN imaging** [11852-229]
- 11852 6F **Development of a NIR-VIS-UV lidar echo emulator** [11852-330]
- 11852 6G **Combined coherent radar/lidar system on chip** [11852-231]

---

**POSTER SESSION: METROLOGY + SCIENTIFIC & FP INSTRUMENTS**

- 11852 6H **A calibration cover for multi-spectral space instruments** [11852-232]
- 11852 6I **Development of full-field deflectometry for characterization of free-form mirrors for space applications** [11852-233]
- 11852 6J **The STAR-CC-OGSE system for pre-flight sensor calibration** [11852-234]
- 11852 6L **Development of an efficient, highly uniform Sun Simulator for optical space instrument calibration** [11852-236]
- 11852 6M **Mission testing for improved reliability of CubeSats** [11852-237]
- 11852 6N **Differential common path interferometry for picometre surface metrology** [11852-238]
- 11852 6O **Main technical features and performance evaluation of a miniaturized test system for star trackers** [11852-239]
- 11852 6P **Formation flying performances simulator for the shadow position sensors of the ESA PROBA-3 mission** [11852-240]
- 11852 6Q **Laboratory testbed for the calibration and the validation of the shadow position sensor subsystem of the PROBA3 ESA mission** [11852-241]
- 11852 6R **Stable and precise optical bench for space applications** [11852-242]

**POSTER SESSION: LASERS**

---

- 11852 6S **GALACTIC: high performance Alexandrite crystals and coatings for high power space applications** [11852-243]
- 11852 6T **The MOONRISE: payload for mobile selective laser melting of lunar regolith** [11852-244]
- 11852 6U **Flight laser module characterization for the ExoMars Raman Laser Spectrometer under a potential depressurization** [11852-245]