PROCEEDINGS OF SPIE

Second International Conference on Energy, Power, and Electrical Technology (ICEPET 2023)

Mohd Shakir Md Saat Mamun Bin Ibne Reaz Editors

10–12 March 2023 Kuala Lumpur, Malaysia

Organized by China University of Petroleum (East China) (China)

Sponsored by
Universiti Malaysia Perlis (Malaysia)
AEIC—Academic Exchange Information Centre (China)

Published by SPIE

Volume 12788

Part One of Two Parts

Proceedings of SPIE 0277-786X, V. 12788

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Second International Conference on Energy, Power, and Electrical Technology (ICEPET 2023), edited by Mohd Shakir Md Saat, Mamun Bin Ibne Reaz, Proc. of SPIE Vol. 12788, 1278801 © 2023 SPIE · 0277-786X · doi: 10.1117/12.3008048

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in Second International Conference on Energy, Power, and Electrical Technology (ICEPET 2023), edited by Mohd Shakir Md Saat, Mamun Bin Ibne Reaz, Proc. of SPIE 12788, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510668270

ISBN: 9781510668287 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2023 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xvii Conference Committee

Part One

ENERGY DEVICE OPTIMIZATION AND SYSTEM PLANNING

12788 04	Power frequency modulation capacity demand assessment method considering new energy fluctuation [12788-171]
12788 05	Reliability analysis of micro-flow control valve for hydrogen supply system [12788-109]
12788 06	Study on the cooperation game of multiple entities in integrated energy systems in industrial parks [12788-136]
12788 07	Solar water desalination system based on machine learning [12788-45]
12788 08	A strategy for achieving near-zero carbon in industrial parks for facility agriculture based on two-level optimization of energy side and load side [12788-243]
12788 09	Evaluation of renewable energy prediction information for cyber-physical power system [12788-31]
12788 0A	Research on optimization of integrated energy system in industrial park based on user demand [12788-209]
12788 OB	Operation control strategy of the wind-solar-diesel-storage microgrid system based on multi-energy complementation [12788-213]
12788 0C	Effect of throttle pressure ratio on compressed air energy storage system [12788-1]
12788 0D	Performance comparison of single-stage/cascade heat pump for waste heat recovery of printing-dyeing industry [12788-156]
12788 OE	Study on thermal performance of peak shaving unit under different sources of heat storage steam [12788-36]
12788 OF	Techno-economic analysis of compact latent heating and cooling system for buildings [12788-157]
12788 0G	Research on the method of tapping potential for fracturing production of third class reservoirs in the second and third class synchronous drilling test area of Daqing oilfield Sazhong development zone [12788-224]

12788 OH	Study on perforating optimization design of simultaneous potential tapping test area for Class II and III oil reservoirs in Sazhong development zone of Daqing oilfield [12788-225]
12788 OI	Research on coordinated scheduling of integrated energy microgrid based on fuzzy control strategy [12788-3]
12788 OJ	Potential prediction of outer expansion and storage in transition zone [12788-218]
12788 OK	Effect of calcination temperature on the structure and electrochemical performance of single crystal Li-rich materials [12788-248]
12788 OL	Ru-doping to enhance electrochemical performance of co-free Li-rich layered cathode materials [12788-193]
12788 OM	Source-side integrated energy system construction potential assessment [12788-117]
12788 ON	Optimal reconstruction method of photovoltaic arrays based on improved mayfly algorithm [12788-140]
12788 00	Research on multi-objective energy storage double-layer planning method considering uncertainty of photovoltaic power generation [12788-46]
12788 OP	Vanadium energy storage technology research progress and industry development outlook [12788-79]
12788 0Q	Design of a multi-period coupled dispatching model for peak shaving market with the participation of energy storage considering power limitation [12788-185]
12788 OR	Design of a 600-kW distributed photovoltaic system [12788-212]
12788 OS	Distributed collaborative optimal dispatch of integrated energy systems considering stepped carbon trading [12788-71]
12788 OT	Research on photovoltaic system faults detection strategy based on memory network [12788-148]
12788 OU	A prediction model for suspended solids based on turbidity in coal mine water [12788-110]
12788 OV	Key technology for drilling and completing long open-hole horizontal wells in Yanchang oilfield [12788-181]
12788 OW	Application of 3D geological model in guiding horizontal wells in the Wuqi oilfield [12788-190]
12788 OX	Research on optimal configuration of distributed photovoltaic energy storage system for profitability improvement [12788-47]
12788 OY	Two-layer optimal configuration of distribution grid energy storage system considering

12788 OZ	Fast frequency response for centralized renewable energy source stations based on deep reinforcement learning [12788-126]
12788 10	Low-carbon economic scheduling of photovoltaic energy storage charging and discharging integrated system considering photovoltaic consumption demand [12788-141]
12788 11	Short-term photovoltaic power prediction model based on quadratic frequency domain decomposition algorithm for neural networks [12788-132]
12788 12	Emergency control strategy generation method considering active support capabilities for wind and PV [12788-161]
12788 13	Research on promoting distributed photovoltaic consumption transmission technology [12788-232]
12788 14	Research on the design conditions of a multi-span prestressed suspension photovoltaic bracket [12788-5]
12788 15	Research on multi agent operation optimization of integrated energy system considering electricity carbon trading [12788-230]
12788 16	Study on thermal management of lithium iron phosphate battery group cooled by composite phase change materials and delayed liquid cooling [12788-88]
12788 17	Running loss emission characteristics and monthly evolution pattern for light-duty vehicle [12788-233]
12788 18	Optimal economic dispatching of power-heat-gas integrated energy system based on carbon trading [12788-196]
12788 19	Optimized operation of electric thermal multi-energy flow coupling system under the solar thermal power station and carbon trading mechanism [12788-158]
12788 1A	Study on the optimal allocation of resources for regional integrated energy stations based on the interconnection of multiple operators $[12788-27]$
	ELECTRICAL EQUIPMENT ANALYSIS AND DISTRIBUTED GENERATION
12788 1B	Research on PCB thermal layout optimization strategy based on improved particle swarm optimization algorithm [12788-49]
12788 1C	Research on the evaluation method of the comprehensive construction effect of agricultural and light storage of power generation enterprises [12788-267]
12788 1D	A method based on YOLOv4 and classic image processing methods to detect defects about distance in strain clamps [12788-20]
12788 1E	Research of the dynamic heterogeneous redundancy at thread level [12788-2]
12788 1G	Design and verification of a kind of ECC IP core with prolongable bit width [12788-236]

12788 1H	Typical fault analysis and maintenance strategy research of CX pantograph network [12788-253]
12788 11	Research on data dimensionality reduction visualization method based on principal component analysis [12788-22]
12788 1J	Optimal design of an island microgrid with considering multi-group distributed generators [12788-33]
12788 1K	Layout optimization of Tianjin automobile charging station-based on POI data [12788-194]
12788 1L	Effect of convective heat transfer coefficient and bubble diameter on the performance of phase change cold energy storage by foam freezing [12788-153]
12788 1M	A quantitative assessment method for electric vehicle acceptance capacity considering orderly charging $\ [12788-172]$
12788 1N	Line loss calculation method of distributed photovoltaic access grid-based on deep learning [12788-228]
12788 10	Investigation on energy consumption test of electric vehicles under WLTC, partial WLTC, and CLTC-P test cycles [12788-91]
12788 1P	Electric bus charging load forecasting method-based on improved spectral clustering and IPSO-LSTM [12788-234]
12788 1Q	Electrolytic performance improvement of a nonpressurized proton exchange membrane water electrolyzer [12788-10]
12788 1R	Lightning protection design of photovoltaic power station building [12788-38]
12788 1S	Research on MPPT control of photovoltaic power generation under complex lighting conditions based on RBF neural network [12788-139]
12788 1T	Analysis of gas interference in the quantitative detection of SF6 decomposition component SO2 by laser absorption spectroscopy [12788-63]
12788 1U	Experimental study on indoor vertical temperature distribution characteristics of floor air supply system in summer [12788-16]
12788 1V	Using CNN-GRU-DNN hybrid method for remaining useful life prediction of lithium-ion batteries [12788-165]
12788 1W	Research on control strategy based on energy storage MMC-RPC topology [12788-223]
12788 1X	Research on maximum power point tracking algorithm of photovoltaic power generation based on improved atom search optimization algorithm [12788-4]
12788 1Y	Study on SOC estimation of lithium battery based on improved AUKF algorithm [12788-134]

12788 1Z	Simulation construction and analysis of offshore wind power AC/DC aggregation and transmission topology [12788-204]
12788 20	Study on the structure of cold plate for battery thermal management based on liquid cooling [12788-56]
12788 21	Automatic coal mining control system electrical fast transient burst test analysis [12788-187]
12788 22	PLC-based information aggregation and data compression for distributed PV access [12788-97]
12788 23	Data characterization of photovoltaic power plants by considering correlation [12788-48]
12788 24	Wind power subsidy mechanism based on improved bass diffusion model [12788-122]
12788 25	Wavelet neural network-based distributed photovoltaic grid-connected power prediction method [12788-90]
12788 26	Carbon emission monitoring model of digital power grid user side based on cloud platform [12788-116]
12788 27	Short-term wind power prediction based on ICSA-BiLSTM [12788-73]
12788 28	Research summary of high frequency ripple of lithium battery [12788-13]
12788 29	Method of substation differential power supply zoning based on grid division [12788-118]
12788 2A	Design of rooftop photovoltaic power generation system of a 100kW commercial complex [12788-184]
12788 2B	Advanced fuel cell technology and fuel cell engines [12788-221]
12788 2C	Ammonia as an alternative fuel: ignition delay characterization of methane/ammonia fuel blends $\left[12788\text{-}154\right]$
12788 2D	Repair method for abnormal loss of electrical low voltage measurement data [12788-124]
12788 2E	Wavelet-based denoising for wind turbine blades damage detections using audio signals [12788-183]
12788 2F	A new method for active distribution network island fault recovery and reconstruction considering distributed generation [12788-164]
12788 2G	Research on fusion modeling based on privacy computing technology [12788-135]
12788 2H	Research on distributed power generation cluster-based on edge control [12788-191]
12788 21	Research and application of distributed load monitoring and abnormal diagnosis in distribution network [12788-62]

12788 2J	Distribution network configuration optimization method with large amount of distributed power supply [12788-152]
12788 2K	Optimization design of flow distribution manifold structure in fuel cell engine cooling system [12788-144]
	ELECTROMAGNETIC COMPATIBILITY AND HIGH VOLTAGE INSULATION TECHNOLOGY
12788 2L	Study on the mechanism of transitional damage of hexapole electromagnetic orbital emitter [12788-130]
12788 2M	Study on influence of lightning arrester configuration on VFTO in 420kv GIS substation overvoltage in 420kv GIS substation transformation project [12788-271]
12788 2N	Smart substation construction scheme based on micropower communication and edge internet of things agent [12788-37]
12788 20	Design and simulation of a linear switched reluctance motor speed control system-based on current chopper in the low speed region [12788-199]
12788 2P	Evaluation and treatment of annular pressure in injection production wells of suqiao gas storage [12788-72]
12788 2Q	Model predictive control-based on Luenberger observer for stator excitation doubly salient synchronous motor [12788-168]
12788 2R	Research on customized construction of virtual power plant-based on balance control unit [12788-176]
12788 2S	Research on eddy current calculation and magnetic shielding design of transformer [12788-23]
12788 2T	Energy storage modeling technology for short-circuit current analysis [12788-251]
12788 2U	Analysis of fault traveling wave characteristics of flexible DC transmission line of ±400kV Rudong offshore wind power project [12788-229]
12788 2V	An active damping strategy of LCL-type PV grid-connected inverter based on improved capacitor current feedback [12788-113]
12788 2W	Seismic response and damping design analysis of 1000kV capacitive voltage transformer [12788-254]
12788 2X	Development of main transformer winding deformation detection instrument based on sweeping impedance method [12788-58]
12788 2Y	Based on the new single 13-level inverter IGBT open circuit fault analysis [12788-53]
12788 2Z	Analysis of the pulse frequency affections on the polarization voltage of the Li-ion battery for pulse charging [12788-180]

Part Two

12788 30	Construction of distribution transformer operation reliability prediction model based on big data [12788-211]
12788 31	A HCB_DPWM technology for suppressing current zero-crossing distortion of Vienna rectifier [12788-182]
12788 32	A calibration method for DC.comparator potentiometers [12788-167]
12788 33	Research on control of indoor temperature of transformer based on model prediction [12788-238]
12788 34	Simulation research on internal defects of composite insulator based on microwave reflection method [12788-52]
12788 35	A method for calculating the surface magnetic field of three core power cable [12788-8]
12788 36	Unified method of power grid spatio-temporal data based on Beidou grid code [12788-128]
12788 37	Buckling characteristics and safety analysis of tubing string in HTHP wells based on Abaqus [12788-255]
12788 38	Lightning disaster risk assessment based on machine learning [12788-83]
12788 39	Stability analysis of voltage-source inverter under weak grid [12788-6]
12788 3A	Sensitivity analysis of the impedance parameters of converters based on the Sobol method [12788-11]
12788 3B	Integrated design for iterative training in thermonuclear fusion modelling and simulation [12788-21]
12788 3C	Analysis of integrated circuit radiation emission measurement: TEM cell and wideband TEM cell method [12788-188]
12788 3D	Analysis and application of pressure gradient [12788-217]
12788 3E	Analysis of the influence of high voltage ride-through characteristics on transient stability of wind turbines [12788-203]
12788 3F	Optimal distribution of power grid load [12788-68]
12788 3G	Intelligent identification of segmental line losses in low-voltage networks under graphical consistency line variation relationship analysis [12788-80]
12788 3H	Two-step PV grid-connected inverter control parameter identification based on improved gray wolf algorithm [12788-114]

12788 3I	The sliding model control of dual-active-bridge converter with TPS modulation [12788-219]
12788 3J	Review of development and application of bidirectional LLC converter [12788-87]
12788 3K	Infrared detection of thermal faults inside transformers based on higher order harmonic detection and independent component analysis [12788-40]
12788 3L	An online measurement method of transformer capacity based on cyclic BP model [12788-57]
12788 3M	Study on the interval coordination voltage control strategy of power distribution network [12788-159]
12788 3N	Electromagnetic interference analysis of 1000KV UHV transmission line on airport instrument landing system [12788-125]
12788 30	Voltage fluctuation suppression strategy of DC bus based on improved linear active disturbance rejection control [12788-202]
12788 3P	Research on digital twin construction and application technology of relay protection equipment [12788-96]
	POWER QUALITY AND POWER DRIVE ANALYSIS
12788 3Q	Multi-source power data fusion method based on deep learning [12788-137]
12788 3R	Research and design of a battery optimization device based on 51 single chip microcomputer [12788-67]
12788 3R 12788 3S	Research and design of a battery optimization device based on 51 single chip microcomputer
	Research and design of a battery optimization device based on 51 single chip microcomputer [12788-67]
12788 3\$	Research and design of a battery optimization device based on 51 single chip microcomputer [12788-67] Ultra-short-term wind power prediction method based on attention mechanism [12788-86] Intelligent inspection technology of transmission line wide area cluster based on hybrid
12788 3S 12788 3T	Research and design of a battery optimization device based on 51 single chip microcomputer [12788-67] Ultra-short-term wind power prediction method based on attention mechanism [12788-86] Intelligent inspection technology of transmission line wide area cluster based on hybrid network [12788-98]
12788 3S 12788 3T 12788 3U	Research and design of a battery optimization device based on 51 single chip microcomputer [12788-67] Ultra-short-term wind power prediction method based on attention mechanism [12788-86] Intelligent inspection technology of transmission line wide area cluster based on hybrid network [12788-98] The power security risk early warning method based on semantic analysis [12788-227]
12788 3S 12788 3T 12788 3U 12788 3V	Research and design of a battery optimization device based on 51 single chip microcomputer [12788-67] Ultra-short-term wind power prediction method based on attention mechanism [12788-86] Intelligent inspection technology of transmission line wide area cluster based on hybrid network [12788-98] The power security risk early warning method based on semantic analysis [12788-227] Axial field disk type reluctance motor research based on fuzzy PI [12788-250]
12788 3S 12788 3T 12788 3U 12788 3V 12788 3W	Research and design of a battery optimization device based on 51 single chip microcomputer [12788-67] Ultra-short-term wind power prediction method based on attention mechanism [12788-86] Intelligent inspection technology of transmission line wide area cluster based on hybrid network [12788-98] The power security risk early warning method based on semantic analysis [12788-227] Axial field disk type reluctance motor research based on fuzzy PI [12788-250] PSD-BPA-based method for updating grid mode data [12788-266]

12788 40	Anomaly detection of electric energy meter data based on deep network [12788-92]
12788 41	Automatic wiring diagram verification method of smart substation based on plug and play [12788-205]
12788 42	NVH optimization of PMSM based on auxiliary slots in stator and rotor [12788-24]
12788 43	Electrical motor operated valve driven torque optimization [12788-257]
12788 44	Fast power dispatching method for offshore oil group power grid considering control resource dimension [12788-207]
12788 45	Research on the evolution method of digital twin parametric model of screw conveyor [12788-264]
12788 46	Maximum power point tracking under partial shading condition-based on Lévy flight-grey wolf optimization [12788-235]
12788 47	Study of AC-DC hybrid microgrid control strategy considering electric vehicle switching stations [12788-270]
12788 48	A hybrid power filter based on thyristor-controlled reactor and cascaded H bridges [12788-163]
12788 49	Direct torque control of six-phase permanent magnet synchronous motor with double Y shifted 30° [12788-51]
12788 4A	Research on power load pattern recognition based on clustering algorithm [12788-247]
12788 4B	Design and characteristic analysis of a two-degree-of-freedom fatigue loading system for wind turbine blades [12788-75]
12788 4C	Two-level VSC real-time simulation modeling method based on controlled source compensation [12788-111]
12788 4D	Research on multi-objective vehicle routing problem for a mixed fleet of electric and conventional vehicles [12788-170]
12788 4E	Local update and management strategy of three-dimensional digital model from infrastructure to operation inspection [12788-30]
12788 4F	EEMD-based power quality disturbance detection method [12788-138]
12788 4G	An end-to-end power knowledge extraction method based on convolutional neural networks and multi-headed attention mechanisms [12788-263]
12788 4H	Greedy algorithm-based power line carrier aggregation technique [12788-95]
12788 41	Modeling of colored background noise based on wavelet neural network [12788-94]

12788 4Z	Distribution network differential protection technology based on 5G communication and improved DTW [12788-99]
	SMART GRID AND AUTOMATION CONTROL LIGHT
12788 4Y	Research on flexibility transformation of 300MW heating unit [12788-100]
12788 4X	Features analysis and prediction of electric load based on clustering and XGBoost [12788-15]
12788 4W	Electric vehicle charging station load forecasting for companies based on travel characteristics [12788-29]
12788 4V	A method for calculating the average carbon emission factor of interconnected power grids considering green electricity trading [12788-151]
12788 4U	Knowledge graph-based real-time reliable credit management system for virtual power plant users [12788-173]
12788 4T	Numerical analysis of the thermal properties of heat sink with movable metal foams [12788-120]
12788 4S	Online monitoring model for terminal temperature of intelligent energy meters under limit confirmation [12788-150]
12788 4R	Mechanical parameter recognition of permanent magnet synchronous motor based on RBFNN algorithm [12788-112]
12788 4Q	ABFT: high-performance asynchronous Byzantine fault-tolerant consensus algorithm for electricity data metrology [12788-64]
12788 4P	NSGA-II algorithm-based optimization model for matching supply and demand of energy-using right products [12788-198]
12788 40	Experimental research on temperature characteristics of magnetic sensitive sensors [12788-272]
12788 4N	Development of more electric aircraft power supply system [12788-115]
12788 4M	Black box fault diagnosis method of power metering device based on digital filtering and EMD method [12788-214]
12788 4L	Short-term wind power prediction based on optimized BP neural network with improved ant lion optimization algorithm $[12788\text{-}142]$
12788 4K	Research on peak-shaving of electric vehicle auxiliary power grid considering electric vehicle charging and discharging parameters $[12788-119]$
12788 4J	On-line estimation method of sub-synchronous oscillation parameters based on environmental incentive data [12788-35]

12788 50	Intelligent dispatching control method for power grid operation and maintenance based on data center technology [12788-220]
12788 51	The path optimization strategy of variable speed AGV under congestion factors is considered [12788-206]
12788 52	An analysis of power grid alarm data with clustering algorithms and the associated processing model $[12788-76]$
12788 53	Flexible load aggregator optimization scheduling research based on improved seagull algorithm [12788-84]
12788 54	Power grid fault diagnosis method based on temporal convolutional network [12788-34]
12788 55	Study on the application of internal mode control in denitrification control system of thermal power units $[12788-242]$
12788 56	A non-destructive IWS and its application to a vehicle incorporating the bogie suspended gearless PMSM [12788-105]
12788 57	Primary frequency regulation control of doubly-fed wind turbine considering frequency characteristic of combined load [12788-241]
12788 58	Optimal energy supply control operation strategy for agricultural carbon neutral park based on orderly charge and discharge [12788-65]
12788 59	Research on microgrid scheduling considering customer demand response under time-of-use price mechanism $[12788\text{-}82]$
12788 5A	Substation location and capacity planning based on multi-source heterogeneous data and mutational imperialist competition algorithm [12788-143]
12788 5B	DBA-GAN: image generation of bolt defects in transmission lines based on different bolt attributes [12788-245]
12788 5C	Research on optimal scheduling of microgrid based on t-GSSA algorithm [12788-39]
12788 5D	DAE-LSTM neural network-based prediction model for segmental line loss rate of low-voltage power grid [12788-104]
12788 5E	Modeling and analysis of information automation in intelligent substation auxiliary monitoring system [12788-108]
12788 5F	Power system load prediction model based on dual attention mechanism gate recurrent unit neural network $[12788\text{-}12]$
12788 5G	Load optimization of campus distribution network based on multi-objective particle swarm optimization [12788-43]
12788 5H	Research on fault location method for distribution network based on traveling wave full waveform matching [12788-177]

12788 51	Method of grounding fault in 10-kV distribution network based on traveling wave theory [12788-189]
12788 5J	Distribution network fault zone location based on improved particle swarm algorithm [12788-197]
12788 5K	Ground fault detection method for distribution automation based on fault dictionary [12788-155]
12788 5L	BECDS: a secure blockchain-based electricity customer data storagescheme for smart grid [12788-9]
12788 5M	Application of intelligent dynamic monitoring technology in SAGD development [12788-32]
12788 5N	New energy consumption method based on robust optimization and uncertainty interval adaptive adjustment in electricity market [12788-28]
12788 50	Fault diagnosis algorithm of medium and low-voltage switches based on improved immune learning algorithm $[12788\text{-}237]$
12788 5P	A review of global sensitivity and its application in power systems [12788-145]
12788 5Q	Research on capacity optimization of grid-connected microgrid [12788-162]
12788 5R	Research on optimization model of power grid project investment decision considering transmission and distribution price [12788-274]
12788 5\$	Research on grid connection of ship shaft power generation system based on PS-VISC control [12788-133]
12788 5T	Research on an automatic diagnosis and isolation device for line faults [12788-201]
12788 5U	Research on anomaly identification of electric power metering device based on data driven model [12788-208]
12788 5V	High sensitivity longitudinal current differential protection for grounding faults in low resistance grounding distribution network $[12788\text{-}70]$
12788 5W	A new distribution network alert state adjustable potential assessment method based on improved isolated forest algorithm [12788-89]
12788 5X	Improved particle swarm-based multi-objective optimal scheduling method for main network $[12788\text{-}179]$
12788 5Y	Fault detection research of smart microgrid based on convolutional neural network [12788-41]
12788 5Z	Two-stage robust optimal scheduling of active distribution network [12788-44]
12788 60	Research on power regulation technology in the new power system [12788-77]

12788 61	Research on new power system network security protection technology [12788-259]
12788 62	A novel flexibility interval evaluation method for distribution systems considering random characteristics [12788-146]
12788 63	Fast identification method of distribution network flexible operation region based on reinforcement learning [12788-78]
12788 64	Smart energy-load matching strategy for distribution networks based on deep learning and K-means clustering algorithm [12788-200]
12788 65	A single-phase to ground fault protection method of the new distribution networks [12788-17]
12788 66	Time variant gain active disturbance rejection control for DC microgrid based on expert system [12788-85]

Conference Committee

Conference General Chairs

Sevia Mahdaliza Idrus Sutan Nameh, Universiti Teknologi Malaysia (UTM)(Malaysia)

Abdul Hasib Chowdhury, Bangladesh University of Engineering and Technology (Bangladesh)

Technical Program Committee Chair

Md. Mamun Bin Ibne Reaz, Universiti Kebangsaan Malaysia (Malaysia)

Local Organizing Chair

Mohd Shakir Md Saat, Universiti Teknikal Malaysia Melaka (Malaysia)

Publication Chair

Zengkai Liu, China University of Petroleum (East China) (China)

Local Committees

Banu Poobalan, Universiti Malaysia Perlis (Malaysia) **Muhammad Iqbal Hussain**, Universiti Malaysia Perlis (Malaysia) **Leong Kah Hon**, Universiti Tunku Abdul Rahman (Malaysia)

Technical Program Committees

Syed Abdul Rahman Kashif, University of Engineering and Technology (Pakistan)

Rakesh Patel, CVM University (India)

Afifah Shuhada Binti Rosmi, Universiti Malaysia Perlis (Malaysia)

Muhammad Junaid, China University of Mining and Technology (China)

Chaofei Gao, Beijing Information Science and Technology University (China)

Wang Nan, State Grid Liaoning Electric Power Company Ltd Research Institute (China)

Chen Hao, State Grid Liaoning Electric Power Company Ltd Research Institute (China)

Tian Ye, State Grid Liaoning Electric Power Company Ltd Research Institute (China)

Kejian Shi, State Grid Liaoning Electric Power Company Ltd Research Institute (China)

Shilong Huang, North China Electric Power University (China)
Wenyang Deng, South China University of Technology (China)
Shuai Li, University of Electronic Science and Technology of China, Zhongshan Institute (China)