## PROCEEDINGS OF SPIE

# Terahertz Technology and Applications IV

Laurence P. Sadwick Créidhe M. M. O'Sullivan Editors

26–27 January 2011 San Francisco, California, United States

Sponsored and Published by SPIE

Volume 7938

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Terahertz Technology and Applications IV*, edited by Laurence P. Sadwick, Créidhe M. M. O'Sullivan, Proceedings of SPIE Vol. 7938 (SPIE, Bellingham, WA, 2011) Article CID Number.

ISSN 0277-786X ISBN 9780819484758

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIE.org

Copyright © 2011, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/11/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

### **Contents**

Conference Committee

vii	Introduction
SESSION 1	THZ IMAGING, SPECTROSCOPY, AND INSTRUMENTATION
7938 02	Advancements in photomixing and photoconductive switching for THz spectroscopy and imaging (Invited Paper) [7938-01]  E. R. Brown, Wright State Univ. (United States) and Physical Domains, LLC (United States)
7938 03	New experimental methods in terahertz spectroscopy [7938-02] E. J. Slingerland, T. M. Goyette, R. H. Giles, Univ. of Massachusetts Lowell (United States); W. E. Nixon, United States Army, National Ground Intelligence Ctr. (United States)
7938 04	Encoding terahertz signatures into laser-induced plasma acoustic waves [7938-03] B. Clough, J. Liu, XC. Zhang, Rensselaer Polytechnic Institute (United States)
7938 05	Efficient material parameters estimation with terahertz time-domain spectroscopy [7938-04] O. S. Ahmed, McMaster Univ. (Canada); M. A. Swillam, Univ. of Toronto (Canada); M. H. Bakr, X. Li, McMaster Univ. (Canada)
7938 06	Terahertz imaging in dielectric media with quasi-Bessel beams [7938-05] Z. Zhang, T. Buma, Univ. of Delaware (United States)
7938 07	Comparison of GaAs and DAST electro-optic crystals for THz time domain spectroscopy using 1.55 µm fiber laser pulses [7938-06] M. Martin, J. Mangeney, P. Crozat, Institut d'Electronique Fondamentale, CNRS, Univ. Paris-Sud 11 (France); P. Mounaix, CPMOH, CNRS, Univ. Bordeaux 1 (France)
7938 08	Terahertz time-lapse imaging of hydration in physiological tissues [7938-20] D. B. Bennett, Z. D. Taylor, N. Bajwa, P. Tewari, A. Maccabi, S. Sung, Univ. of California, Los Angeles (United States); R. S. Singh, M. O. Culjat, Univ. of California, Los Angeles (United States) and Univ. of California, Santa Barbara (United States); W. S. Grundfest, Univ. of California, Los Angeles (United States); E. R. Brown, Wright State Univ. (United States)
SESSION 2	THZ MODELING AND SIMULATION
7938 09	The effects of various approximations on electron-electron scattering calculations in QCLs [7938-07] P. Slingerland, C. Baird, R. Giles, Univ. of Massachusetts Lowell (United States)
7938 OA	Semiconductor-coated deep subwavelength spoof surface plasmonic waveguide for THz and MIR applications [7938-08] R. Yang, W. Zhao, Rochester Institute of Technology (United States); R. A. Soref, Air Force Research Lab. (United States); Z. Lu. Rochester Institute of Technology (United States)

7938 OB	Optical frequency conductance model of terahertz/infrared emission and detection in semiconductors [7938-09] T. Szkopek, E. Ledwosinska, McGill Univ. (Canada)		
SESSION 3	THZ SOURCES, GENERATION, AND DETECTION		
7938 0C	THz lasing concepts based upon InAs/GaSb broken-gap heterostructures (Invited Paper) [7938-10] D. Woolard, U.S. Army Research Office (United States) and North Carolina State Univ. (United States); W. Zhang, North Carolina State Univ. (United States)		
7938 OE	THz thermal emission from a 1D photonic crystal [7938-12] I. A. Zimmerman, Z. Wu, H. Xin, R. Ziolkowski, The Univ. of Arizona (United States)		
7938 OF	Nb <sub>5</sub> N <sub>6</sub> bolometer operated at room temperature for detecting at 100 GHz [7938-13] L. Kang, X. H. Lu, J. Chen, C. H. Cao, W. W. Xu, B. B. Jin, P. H. Wu, Nanjing Univ. (China); Q. J. Yao, S. C. Shi, The Purple Mountain Observatory (China)		
SESSION 4	THZ MATERIALS AND CONFIGURATIONS		
7938 OH	Applications of holography in the millimeter-wave and terahertz region [7938-15] I. McAuley, J. A. Murphy, N. Trappe, R. Mahon, D. McCarthy, P. McLaughlin, National Univ. of Ireland, Maynooth (Ireland)		
7938 01	Electromagnetic crystal (EMXT)-based THz components [7938-16] Z. Wu, Stanford Linear Accelerator Ctr. (United States); WR. Ng, M. Gehm, H. Xin, The Univ. of Arizona (United States)		
7938 OJ	Modelling of horn antennas and detector cavities for the SAFARI instrument at THz frequencies [7938-17]  S. Doherty, N. Trappe, C. O'Sullivan, J. A. Murphy, G. Curran, National Univ. of Ireland, Maynooth (Ireland); P. Mauskopf, J. Zhang, Cardiff Univ. (United Kingdom); S. Withington, D. Goldie, D. Glowaka, Univ. of Cambridge (United Kingdom); P. Khosropanah, M. Ridder, M. Brujin, J. R. Gao, SRON Netherlands Institute for Space Research (Netherlands); D. Griffin, B. Swinyard, M. Ferlot, Rutherford Appleton Lab. (United Kingdom)		
7938 OK	Terahertz antiresonant reflecting hollow-core waveguides for sensing applications [7938-18] B. You, JY. Lu, National Cheng Kung Univ. (Taiwan); CY. Chan, CP. Yu, National Sun Yat-Sen Univ. (Taiwan); HZ. Chen, National Cheng Kung Univ. (Taiwan); TA. Liu, JL. Peng, Industrial Technology Research Institute (Taiwan)		
	POSTER SESSION		
7938 OL	Some aspects of far-infrared spectroscopy of explosive materials [7938-19] N. Palka, T. Trzcinski, Military Univ. of Technology (Poland)		
	Author Index		

#### **Conference Committee**

Symposium Chair

Liang-Chy Chien, Kent State University (United States)

Symposium Cochairs

Klaus P. Streubel, OSRAM GmbH (Germany)
E. Fred Schubert, Rensselaer Polytechnic Institute (United States)

Program Track Chair

James G. Grote, Air Force Research Laboratory (United States)

Conference Chairs

Laurence P. Sadwick, InnoSys, Inc. (United States)Créidhe M. M. O'Sullivan, National University of Ireland, Maynooth (Ireland)

#### Program Committee

Antao Chen, University of Washington (United States)
Robert H. Giles, University of Massachusetts Lowell (United States)
R. Jennifer Hwu, InnoSys, Inc. (United States)
John Anthony Murphy, National University of Ireland, Maynooth (Ireland)

Michael C. Wanke, Sandia National Laboratory (United States)

#### Session Chairs

- THz Imaging, Spectroscopy, and Instrumentation
   Laurence P. Sadwick, InnoSys, Inc. (United States)
   Michael C. Wanke, Sandia National Laboratories (United States)
- 2 THz Modeling and Simulation Tianxin Yang, Tianjin University (China) Laurence P. Sadwick, InnoSys, Inc. (United States)
- 3 THz Sources, Generation, and Detection Laurence P. Sadwick, InnoSys, Inc. (United States) Antao Chen, University of Washington (United States)

THz Materials and Configurations
 R. Jennifer Hwu, InnoSys, Inc. (United States)
 Robert H. Giles, University of Massachusetts Lowell (United States)

#### Introduction

The 2011 Terahertz Technology and Applications Conference was divided into four sessions reflecting specific categories as follows: Session 1: THz Imaging, Spectroscopy, and Instrumentation, Session 2: THz Modeling and Simulation, Sessions 3: THz Sources, Generation, and Detection, and Session 4: THz Materials and Configurations.

<u>Session 1</u> included an invited paper by Professor Elliott Brown covering advancements in photomixing and photoconductive switching for terahertz spectroscopy and imaging, and papers on some new experimental methods in terahertz spectroscopy, encoding terahertz signatures in laser induced plasma acoustic waves, efficient material parameters estimation with terahertz time domain spectroscopy, terahertz imaging of dielectric media with quasi-Bessel beams, comparison of GaAs and DAST electro-optic crystals for terahertz time domain spectroscopy, and terahertz time lapse videos of hydration in physiological tissues.

<u>Session 2</u> included papers on the effects of various approximations on the electron-electron scattering calculations in quantum cascade lasers, spoof surface plasmonic waveguides for terahertz and mid infrared applications, and optical frequency conductance modelling of terahertz/infrared emission and detection in quantum wells, quantum dots, and narrow gap semiconductors.

<u>Session 3</u> began with an invited paper by Dr. Dwight Woolard of the Army Research Office on terahertz lasing concepts based upon InAs/GaSb broken-gap heterostructures; unfortunately, due to bad weather conditions that gripped most of the United States Eastern region, Dr. Woolard was unable to attend the conference due to cancelled airline flights. Fortunately the paper associated with the talk is included in this proceedings. The other papes in this session include ones on a mechanically tunable terahertz modulator based on antiresonant reflecting hollow waveguides, terahertz emission from a 1-D photonic crystal, a novel room temperature Nb5N6 microbolometer for detecting signals in the terahertz region, and terahertz and millimeter-wave vacuum electronic sources.

<u>Session 4</u> began with a paper on the applications of holography in the millimeterwave and terahertz region, and included additional papers on electromagnetic crystal based terahertz components, modelling of detector cavities at terahertz frequencies and terahertz antiresonant reflecting hollow core waveguides for sensing applications.

Terahertz dynamics of ionic liquids from a combined dielectric relaxation, terahertz, and optical Kerr effect study, and included additional papers on electric coupling resonance variation in THz metamaterials, a floating gate

double quantum well far-infrared photoconductor, design and performance of reflective ultra broadband terahertz time-domain spectroscopy with air-biased-coherent-detection, and concluded with a paper on the design of hybrid GaAs waveguide emitters for generation of terahertz radiation based on phase-matched optical rectification process pumped by 1550-nm fiber lasers.

As in prior Terahertz Technology and Applications Conferences, these papers represent a cross section of much of the research work that is being pursued in the technically challenging terahertz spectral region.

In the prior four years of the Proceedings of this conference (Conferences 6472, 6893 7215, and 7601, respectively), we (including Dr. Kurt Linden) presented a list of recent technical articles describing significant advances in the terahertz technology. This year, for the interested reader, we also include a list that points to a rather extensive and growing database on the terahertz absorption characteristics of a large number of chemicals given on the website <a href="https://www.thzdb.org">www.thzdb.org</a>. That website, in turn, provides links to related terahertz technology database websites as shown in Table 1.

#### Table 1 List of terahertz technology database websites as found at www.thzdb.org

THz-BRIDGE Spectral Database http://www.frascati.enea.it/THz-BRIDGE/ NIST THz Spectral Database http://webbook.nist.gov/chemistry/thz-ir/ RIKEN THz Spectral Database http://www.riken.jp/THzdatabase/ THz Links from Rice University http://www-ece.rice.edu/~daniel/groups.html Terahertz Technology Forum http://www.terahertzjapan.com/lang\_english/index.html Terahertz Science & Technology Network http://www.thznetwork.org/ RIKEN Tera-Photonics Laboratory http://www.riken.go.jp/lab-www/tera/TP\_HP/index\_en.html Quantum Semiconductor Electronics Laboratory, University of Tokyo http://thz.iis.u-tokvo.ac.ip/top-e.html Teraherts Photonics Laboratory, Osaka University http://www.ile.osaka-u.ac.jp/research/THP/indexeng.html Solid State Spectroscopy Group, Kyoto University http://www.hikari.scphys.kyoto-u.ac.jp/e\_home.html Kawase Laboratory "Tera health", Nagoya University http://www.nuee.nagoya-u.ac.jp/labs/optlab/kawase/index.html NICT Terahertz Project http://act.nict.go.jp/thz/en/main\_e.html Laboratory of Terahertz Bioengineering, Tohoku University http://www.agri.tohoku.ac.ip/thz/ip/index e.htm Infrared and Raman Users Group http://www.irug.org/

In the last four years' introduction to SPIE Proceedings, Volumes 6472, 6893, 7215, 7601, respectively, two tables were included, one summarizing the more common terahertz radiation sources, and the other summarizing the more common terahertz detector types. For the interest of the general reader we again include these tables without updates other than to note that recent advancements in vacuum electronics BWOs coupled with solid state multipliers have now produced usable power above 2 THz and that devices such as quantum cascade lasers continue to make improvements that encroach upon established high power sources such as carbon dioxide lasers. Due to such advancements, any values listed in Tables 2 and 3 are likely to be bested by new records in a very short time period; however the sources and detectors listed in Tables 2 and 3 still comprise the majority of those used in the THz regime. Readers of this volume may send additions and enhancements to these tables so that future volumes can continue to provide readers with relevant information on the availability of terahertz sources and detectors. Such suggestions can be sent to sadwick@innosystech.com.

#### Table 2 Summary of common terahertz sources

THz source type	Details	Characteristics	
Synchrotron	* Coherent synchrotron produces very high	E-beam, very broadband source, limited instrument	
-	photon flux, including THz region	availability, very large size, 20 W pulsed	
Free electron laser	* Benchtop design at Univ. Essex, UK	Tunable over entire THz region, under development	
	Elec beam moves over alternate H-field regions	0.1 - 4.8 THz, 0.5 - 5 kW, 1 - 20 us pulses at 1 Hz	
Smith-Purcell emitters	* E-beam travels over metal grating surface,	Requires vacuum, has low efficiency	
Backward-wave oscillators	* Vacuum tube, requires homog H-field~10 kG	Tunable output possible. Under development and	
	"Carcinotron", room temperature, to 1.2 Thz	commercially available, 10 mW power level, <1 THz	
Mercury lamp	* Water cooled housing, low press. 1E-3 Torr	Sciencetech SPS-200,300, low power density	
	75-150 W lamp, broad emission	Low-cost, used in THz spectroscopy	
Optically pumped gas cell laser	* Grating-tuned CO2 laser and far-IR gas	> 100 mW, 0.3-10 THz, discrete lines, CW/pulsed	
	cell such as methane. Most mature laser.	Commercially avail - Coherent (\$400K - \$1M)	
Opt pump GaAs, p-InAs, Si, ZnTe,	* Mode locked Nd:YAG or Ti:sapphire laser	Imaging apparatus produced, 0.1 to 3 THz	
InGaAs (fiber laser pump), Ge	creates short across biased spiral antenna gap	Commercially available, CW uW range, \$50K-500K	
photoconducting (PC) switch	* Also As-doped Si, CO2 laser pump	6 THz stim emission from As, Liq He temp.	
Laser-induced air plasma	* Ti-saph laser induces air plasma	Remote THz generatiion possible, very low power	
		Possibility of power increase in multiple plasmas	
Photomixing of near-IR lasers	* Mixing tunable Ti-sapphire laser and diode	Tens of nW, tunable. Requires antenna pattern	
	laser in LT-grown GaAs photomixer.	Not commercial. GaP gave 480 mW @ 1.3 THz	
	* GaSe crystal, Nd:YAG/OPO difference freq	Tunable 58-3540um (5-0.1THz),209 W pulse 1.5THz	
	* Single 835 nm diode laser, external cavity	2-freq mix& 4-wave mixing, RT, sub-nW,0.3-4.2THz	
	* Diff-freq generation with 2 monolith QCLs	7.6 u & 8.7 u -> 5 THz, 60 nW puled output	
Electrically pumped Ge in H-field	* Electric field injects electrons, magnetic	Requires electric and magnetic fields Output up to	
	field splits hole levels for low-E transitions	hundres of mW, cryogenic cooling, 1.5 ~ 4 THz	
Electrically pumped Si:B or As	* Transitions between impurity levels	31 uW output at 8.1 THz, slightly polarized	
	100 x 200 um rectangle mesas, biased	Cryogenic cooling needed	
Electrically pulsed InGaAs RTD	* Harmonically generated by electrical pulses	0.6 uW, 1.02 THz harmonic from InGaAs/AIAs RTD	
	RTD integrated into slot antenna	pulsed at 300 Hz	
Direct multiplied mm waves	* Multiplied to low-THz region	Low power (uW level), available (VA Diodes)	
	up-multiplied from mm-wave	Coherent, heterodyne local oscillators in astronomy	
Parametric generators	* Q-switched Nd:YAG pumps MgO:LiNbO3	200 W pulsed power, room temp., 0.1-5 THz tunable	
	non-linear crystal, Phase matched GaAs, GaP	some commercially available ~ \$30K	
Quantum cascade (QC) laser	* First announced in 2002, semiconductor,	Operated at mW power, and up to 164K pulsed	
	AlGaAs/GaAs-based, MBE grown, 1.6 to 4 THz	THz not commercially available, require cryo-cooling	
Josephson junction cascades	Research stage	0.4-0.85 THz, microwatts	
Transistor	* InGaAs channel PHEMT with 35 nm gate	1.2 THz, development at Northrop Grumman	
	* InGaAs with 12.5 nm gate, 0.845 THz	Univ. III (Dec 2006)	
Grating-bicoupled plasmon-FET	* GaAs based double interdigitated grating	with 1.5um laser illum., Tohoku/Hokkaido Univ.	

Table 3 Summary of common terahertz radiation detectors

THz detector type	Details	Characteristics	
Si bolometer	* Most sensitive (10 pW Hz1/2) THz detector	Responsivity 2E9V/W,NEP=1E-17 WHz1/2,100 mK	
	at liquid He temp., slow response time	Requires liquid He dewar, commercially avail.	
Superconducting hot elec bolom	* Highest sensitivity	Requires cooling to 0.3 K, NEP=1E-17 WHz1/2	
	Fast (1 us) response time	Commercially available, expensive, bulky	
Pyroelectric detectors	* Slow response t, 220 nW sensitiv at 24 Hz	Room temp operation, commercially available,	
	Requires pulsed signals or mechanical chopper	Low cost, imagers available ~ \$10K	
Schottky diodes	* ~ 1 THz cutoff frequency	Commercially available ((VA Diodes) with corner ref.	
	Fast response, but low THz sensitivity	Room temp operation, good for mixers	
PC dipole antennas	* signal gen across biased spiral antenna gap	Analogous to optically pumped THz PC switch but	
	Short pulsed detection only	in detection mode. Commercially available	
Antenna coupled inter-subband	* 4-terminal phototransistor, 1.6 THz	Under development UCSB	
III-V HEMT & Si FET to 300K	* HEMT with 250 nm gate	20 K, 50 mV/W at 420 GHz, still in development	
	plasma wave-based detection	Univ research, Si NEP to 1E-10 W/Hz1/2 at 300 K	
Quantum dot photon detector	* Demo-photon counting terahertz microscopy	erahertz microscopy Under development, 1E-19 W = 100 photons/sec,	
	imaging, requires 0.3 K temp, research only	Tokyo Univ.	

Laurence P. Sadwick Créidhe M. M. O'Sullivan