# Translational Biophotonics: Diagnostics and Therapeutics

Zhiwei Huang Lothar D. Lilge Editors

20–24 June 2021 Online Only, Germany

Sponsored by The Optical Society (United States) SPIF

Published by SPIE

**Volume 11919** 

Proceedings of SPIE-OSA Biomedical Optics, 1605-7422, V. 11919

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Translational Biophotonics: Diagnostics and Therapeutics, edited by Zhiwei Huang, Lothar D. Lilge, Proc. of SPIE-OSA Vol. 11919, 1191901 ⋅ © 2021 OSA-SPIE CCC code: 1605-7422/21/\$21 ⋅ doi: 10.1117/12.2625679

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in *Translational Biophotonics: Diagnostics and Therapeutics*, edited by Zhiwei Huang, Lothar D. Lilge, Proc. of SPIE-OSA 11919, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 1605-7422

ISSN: 2410-9045 (electronic)

ISBN: 9781510647046

ISBN: 9781510647053 (electronic)

Copublished by

#### SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIE.org

### The Optical Society

2010 Massachusetts Ave., N.W., Washington, D.C., 20036 USA Telephone +1 202 223 8130 (Eastern Time) · Fax +1 202 223 1096 osa ora

Copyright © 2021 Society of Photo-Optical Instrumentation Engineers (SPIE) and The Optical Society

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

# **Contents**

## BEYOND THE VISIBLE SPECTRUM: RAMPING UP THE RADIANT EXPOSURE

11919 02	Arterial pressure responses of a rat to laser stimulation of the vagus nerve using infrared irradiation in continuous-wave mode [11919-1]
11919 03	Micro-lens arrays (MLA)-assisted fractional photothermal therapy for effective cancer treatment [11919-2]
11919 04	Laser coagulation of brain tissue at 1480 nm and 1940 nm wavelengths [11919-3]
11919 05	A novel method to estimate temperature depth profile using thermography [11919-4]
11919 06	Laser assisted restorative mineralization of dental enamel [11919-5]
11919 07	Fiber-based fluorescence and reflection measurements during laser lithotripsy [11919-6]
11919 08	Quantitative evaluations on EUS-guided laser ablation in ex-vivo and in-vivo porcine pancreas [11919-7]
11919 09	Ex-vivo model experimental and simulation results suggesting effective and superficial mucosal photothermal ablation at 1505 nm [11919-8]
	DIAGNOSTIC IMAGING I
11919 0A	DIAGNOSTIC IMAGING I  Intraoperative assessment of patient bone viability using texture analysis of dynamic contrast-enhanced fluorescence imaging [11919-9]
11919 OA 11919 OB	Intraoperative assessment of patient bone viability using texture analysis of dynamic contrast-
	Intraoperative assessment of patient bone viability using texture analysis of dynamic contrast- enhanced fluorescence imaging [11919-9]
11919 OB	Intraoperative assessment of patient bone viability using texture analysis of dynamic contrast-enhanced fluorescence imaging [11919-9]  Fast antibiotic susceptibility testing via holographic imaging [11919-10]  Hyperspectral imaging for perfusion assessment of the skin with convolutional neuronal
11919 OB	Intraoperative assessment of patient bone viability using texture analysis of dynamic contrast-enhanced fluorescence imaging [11919-9]  Fast antibiotic susceptibility testing via holographic imaging [11919-10]  Hyperspectral imaging for perfusion assessment of the skin with convolutional neuronal networks [11919-11]  Smartphone-based multimodal tethered capsule endoscopic platform for white-light, narrow-
11919 OB	Intraoperative assessment of patient bone viability using texture analysis of dynamic contrast-enhanced fluorescence imaging [11919-9]  Fast antibiotic susceptibility testing via holographic imaging [11919-10]  Hyperspectral imaging for perfusion assessment of the skin with convolutional neuronal networks [11919-11]  Smartphone-based multimodal tethered capsule endoscopic platform for white-light, narrow-band, and fluorescence/autofluorescence imaging [11919-12]

11919 0G	Investigation on hyperspectral imaging derived indices for perfusion monitoring [11919-15]
11919 OH	Multimodal imaging of snap-frozen AD human brain tissue [11919-16]
11919 01	Intraoperative resting state functional connectivity based on RGB imaging [11919-17]
11919 OJ	Fluorescence-based handheld imaging device for in-vivo detection of oral precancer [11919-18]
	DIAGNOSTIC SPECTROSCOPY
11919 OK	Using diffuse reflectance spectroscopy probe tracking to identify non-tumour and tumour tissue in upper gastrointestinal specimens [11919-19]
11919 OL	Detection of amelanotic melanoma on the basis of NIR autofluorescence features [11919-20]
11919 OM	Accurate diagnosis of prostate cancer via infrared spectroscopy of breath [11919-21]
11919 ON	Optical scattering as an early marker of apoptosis during chemotherapy and antiangiogenic therapy in murine models of prostate and breast cancer [11919-22]
11919 00	Two-wavelength excitation spectroscopy for non-invasive detection of the iron deficiency indicator zinc protoporphyrin IX [11919-23]
11919 OP	Vasculature-based biomarkers and segmentation from hyperspectral images of murine peritonitis model [11919-24]
11919 0Q	Multiple wavelength excitation 5-ALA induced PpIX fluorescence spectroscopy in guided neurosurgery for improving glioma classification [11919-25]
11919 OR	Nonlinear spectroscopy for Fabry disease characterization based on cardiomyocytes [11919-26]
	EVERYTHING ABOUT THE BRAIN
11919 OS	Optical determination of superficial and deeper tissue biochemistry and microstructure for delineation and early detection of colorectal cancer [11919-27]
11919 OT	Hybrid diffuse optics for bedside measurements of cerebral hemodynamics in a large cohort of stroke patients [11919-28]
11919 OU	Assessment of the Alzheimer progression with multiwavelength Stokes polarimetry [11919-29]
11919 OV	A laser Doppler system for long-term recording of cerebral microcirculation in the neurointensive care unit [11919-30]

11919 OW	A multipurpose integrated preclinical device for the treatment of glioblastoma [11919-31]
11919 OX	Dynamics of cerebral cortex blood flow and tissue abnormalities induced by acute respiratory disorders [11919-32]
11919 OY	Retardance map of brain white matter: a potential game changer for the intra-operative navigation during brain tumor surgery [11919-33]
11919 OZ	Three-dimensional holographic projection of brain tumor progression [11919-34]
	MICROSCOPY
11919 10	Translation of third and second harmonic generation microscopy into the clinic for the assessment of fresh lung tumor tissue [11919-35]
11919 11	Assessing pain in a noninvasive manner by measuring changes in the microcirculation [11919-36]
11919 12	Digital histo-biophotonics: embossed topographic depolarization mapping of tissue samples [11919-37]
11919 13	Nonlinear multicontrast microscopy with texture analysis for colon cancer diagnostics [11919-38]
11919 14	Three-dimensional virtual histology in unprocessed resected tissues with photoacoustic remote sensing (PARS) microscopy and optical coherence tomography [11919-39]
11919 15	Novel techniques for embryo microsurgery based on femtosecond lasers for applications in assisted reproductive technologies [11919-40]
11919 16	Automated analysis of polarimetric images for the diagnostics of gastric biopsies [11919-41]
	NEW DIRECTIONS AND NEW INDICATIONS
11919 17	HEMOCOVID-19 study: an international clinical study to evaluate microvascular and endothelial impairments in severe COVID-19 patients using near-infrared spectroscopy [11919-42]
11919 18	Phase-sensitive optical coherence elastography with a 3.2 MHz FDML-laser using focused airpuff tissue indentation [11919-43]
11919 19	VASCOVID: an integrated platform to evaluate endothelial and microvascular impairment in severe COVID-19 patients [11919-44]
11919 1A	Towards highly-sensitive point-of-care diagnostics with common-path interferometric dielectric nanostructures [11919-45]

11919 1B	Screening of viral growth kinetic and drug inhibition of HSV-1 infected human cells by surface plasmon resonance method [11919-46]
11919 1C	Enhancing contrast of in-vivo human retinal ganglion cells with multi-offset adaptive optics scanning laser ophthalmoscope [11919-47]
	OCT AND OTHER TECHNIQUES
11919 1D	Swept-sources for OCT are perceived due to two-photon vision [11919-48]
11919 1E	1.6 MHz FDML OCT for intraoperative imaging in neurosurgery [11919-49]
11919 1F	Towards an opto-thermo-acoustic (OTA)-based diagnostic tool to delineate adjacent normal from cancerous tissue for cancer margin assessment [11919-50]
11919 1G	Quantification of radiation-induced microvasculature changes using optical coherence tomography and dynamic contrast enhanced MRI [11919-51]
11919 1H	Assessment of muscular sustained fatigue: a TD-NIRS and sEMG study [11919-52]
11919 11	Crystalline lens curvature and thickness obtained with a slit-scanning system: preliminary results [11919-53]
	PHOTODYNAMIC THERAPY
11919 1J	PHOTODYNAMIC THERAPY  Fluorescence and optoacoustics monitoring of tumor treatment with novel agents for combined photodynamic and chemotherapy [11919-54]
11919 1J 11919 1K	Fluorescence and optoacoustics monitoring of tumor treatment with novel agents for
	Fluorescence and optoacoustics monitoring of tumor treatment with novel agents for combined photodynamic and chemotherapy [11919-54]
11919 1K	Fluorescence and optoacoustics monitoring of tumor treatment with novel agents for combined photodynamic and chemotherapy [11919-54]  Red and blue light in photodynamic therapy with chlorin-based photosensitizers [11919-55]  Development of fluorescence cystoscope system for extension of diagnosis depth in 5-
11919 1K 11919 1L	Fluorescence and optoacoustics monitoring of tumor treatment with novel agents for combined photodynamic and chemotherapy [11919-54]  Red and blue light in photodynamic therapy with chlorin-based photosensitizers [11919-55]  Development of fluorescence cystoscope system for extension of diagnosis depth in 5-aminolevulinic acid mediated photodynamic diagnosis of bladder cancer [11919-56]  Antibiofilm activity of photodynamic therapy with a novel dual photosensitizer incorporated
11919 1K 11919 1L 11919 1M	Fluorescence and optoacoustics monitoring of tumor treatment with novel agents for combined photodynamic and chemotherapy [11919-54]  Red and blue light in photodynamic therapy with chlorin-based photosensitizers [11919-55]  Development of fluorescence cystoscope system for extension of diagnosis depth in 5-aminolevulinic acid mediated photodynamic diagnosis of bladder cancer [11919-56]  Antibiofilm activity of photodynamic therapy with a novel dual photosensitizer incorporated mesoporous silica nanoparticle and laser system [11919-57]
11919 1K 11919 1L 11919 1M 11919 1N	Fluorescence and optoacoustics monitoring of tumor treatment with novel agents for combined photodynamic and chemotherapy [11919-54]  Red and blue light in photodynamic therapy with chlorin-based photosensitizers [11919-55]  Development of fluorescence cystoscope system for extension of diagnosis depth in 5-aminolevulinic acid mediated photodynamic diagnosis of bladder cancer [11919-56]  Antibiofilm activity of photodynamic therapy with a novel dual photosensitizer incorporated mesoporous silica nanoparticle and laser system [11919-57]  Dual-wavelength fluorescence imaging of chlorin-based photosensitizers [11919-58]  Investigation on treatment light transmission changes during IPDT in comparison to T1

vi

11919 1Q	Quantitative measurement of low-concentration analytes using Raman spectroscopy during droplet evaporation for therapeutic drug monitoring [11919-61]
11919 1R	Determination of spatially offset Raman spectroscopy geometry suitable for human hand bone quality assessment [11919-62]
11919 15	Stimulated Raman scattering microscopy reveals silicone in breast tissue [11919-63]
11919 IT	Lab-on-fiber SERS optrodes for biological target detection [11919-64]
	POSTER SESSION I
11919 1U	Multispectral retinography in healthy adult population [11919-65]
11919 1V	Application of Raman spectroscopy for the detection of colored tattoo inks in tissues: preliminary phantom study [11919-66]
11919 IW	Simultaneous blood perfusion and fluorescence lifetime measurements in skin of healthy volunteers [11919-67]
11919 1X	Novel random laser-based probe of Huntington disease in cell cultures [11919-68]
	3
	<b>3</b> 2001 2000 2000 2000 2000 2000 2000
	POSTER SESSION II
11919 1Y	
11919 1Y 11919 1Z	POSTER SESSION II  Effect of pre- and post- device calibration on physiological parameters for single fiber
	POSTER SESSION II  Effect of pre- and post- device calibration on physiological parameters for single fiber reflectance measurements [11919-69]
11919 1Z	Effect of pre- and post- device calibration on physiological parameters for single fiber reflectance measurements [11919-69]  Brightness controller optimization for the digital diaphanoscopy system [11919-70]  Influence of the body position on skin blood microcirculation measured by wearable laser
11919 1Z 11919 20	POSTER SESSION II  Effect of pre- and post- device calibration on physiological parameters for single fiber reflectance measurements [11919-69]  Brightness controller optimization for the digital diaphanoscopy system [11919-70]  Influence of the body position on skin blood microcirculation measured by wearable laser Doppler sensors [11919-71]  Rehabilitation monitoring after bed rest in elderly: TD-NIRS and sEMG preliminary study
11919 1Z 11919 20 11919 21	POSTER SESSION II  Effect of pre- and post- device calibration on physiological parameters for single fiber reflectance measurements [11919-69]  Brightness controller optimization for the digital diaphanoscopy system [11919-70]  Influence of the body position on skin blood microcirculation measured by wearable laser Doppler sensors [11919-71]  Rehabilitation monitoring after bed rest in elderly: TD-NIRS and sEMG preliminary study [11919-72]  Fluorescence lifetime optical biopsy of the hepatocellular carcinoma in murine model

## **POSTER SESSION III**

11919 25	Flow controlled air puff generator towards in-situ brain tumor detection based on MHz optical coherence elastography [11919-76]
11919 26	Development of a miniature chip-on-tip intraocular endoscope [11919-77]
11919 27	Synthesis, microstructure, and optical properties of Ag <sub>3</sub> Sn nanoparticles for plasmonic sensing applications [11919-78]
11919 28	Benefit of extending near-infrared wavelength range of diffuse reflectance spectroscopy for colorectal cancer detection using machine learning [11919-79]
11919 29	Optimization of tissue classification for colorectal cancer detection using support vector machines and diffuse reflectance spectroscopy [11919-80]
11919 2A	Multispectral endoscopic setup for real time pathology detection [11919-81]
11919 2B	Commissioning of a 3D optical imaging system for surface-guided breast radiation therapy [11919-82]
11919 2C	Diagnostics of periodontitis using the Raman spectroscopy method [11919-83]
11919 2D	Estimation of spectral characteristics of dentin materials during their demineralization [11919-84]
11919 2E	Noble metal nanoparticles modified by cyanines and stilbenes for enhanced signal optical tomography and hyperthermal therapy [11919-85]
11919 2F	GPU-accelerated inverse adding-doubling method for analysis of skin hyperspectral images [11919-86]
11919 2G	A real-time evaluation of microfluidic-assisted laser treatment of poly-microbial biofilms [11919-87]
11919 2H	Field portable grin-lens based micro-endoscopic system with oblique-illumination for cancer screening [11919-88]
11919 21	Enhanced photodynamic action with chlorin e6 and indocyanine green incorporated mesoporous silica nanoparticles against prostate cancer cells [11919-89]
11919 2J	Photothermal fiber optic probes for thermal therapy [11919-90]
11919 2K	Optical transmission feedback for infrared laser sealing of blood vessels [11919-91]
11919 2L	Numerical analysis on ex-vivo second harmonic generation images of collagen structure of unstained basal cell carcinoma sections [11919-92]