PROCEEDINGS OF SPIE

Eighth International Conference on Energy System, Electricity, and Power (ESEP 2023)

Hazlie Mokhlis Pierluigi Siano Editors

24–26 November 2023 Wuhan, China

Organized by Huazhong University of Science and Technology (China)

Sponsored by AEIC Academic Exchange Information Centre (China)

Published by SPIE

Volume 13159

Part One of Three Parts

Proceedings of SPIE 0277-786X, V. 13159

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Eighth International Conference on Energy System, Electricity, and Power (ESEP 2023), edited by Hazlie Mokhlis, Pierluigi Siano, Proc. of SPIE Vol. 13159, 1315901 © 2024 SPIE · 0277-786X · doi: 10.1117/12.3032647

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in Eighth International Conference on Energy System, Electricity, and Power (ESEP 2023), edited by Hazlie Mokhlis, Pierluigi Siano, Proc. of SPIE 13159, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510679795

ISBN: 9781510679801 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2024 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xxv Conference Committee

Part One

| SESSION 1 | INTEGRATED ENERGY PLANNING AND PHOTOVOLTAIC POWER GENERATION TECHNOLOGY |
|-----------|---|
| 13159 02 | Evaluation and analysis of distributed photovoltaic carrying capacity under large urban power grid [13159-471] |
| 13159 03 | Optimization of economic and technical aspects in solar-biogas hybrid rural microgrids based on multiple energy storage methods [13159-470] |
| 13159 04 | A magnetic field signal-based method for diagnosing the degree of corrosion in the grounding network of a substation [13159-121] |
| 13159 05 | Research on unstructured data storage in large-scale grid edge cloud for cross-region networking [13159-333] |
| 13159 06 | CEEMDAN-LSTM-RF-RBF short-term wind power forecast based on incomplete data [13159-243] |
| 13159 07 | Integrated power and gas system from biomass based on water electrolysis and CO ₂ methanation [13159-407] |
| 13159 08 | Photovoltaic power prediction model based on EMD-KPCA-GRU [13159-193] |
| 13159 09 | Correlation analysis of meteorological factors on daily solar photovoltaic power generation [13159-454] |
| 13159 OA | A planning approach of distributed photovoltaic and energy storage based on improved genetic membrane computing [13159-446] |
| 13159 OB | Research on wind power prediction based on machine learning [13159-83] |
| 13159 OC | Research on carbon flow tracking method for distributed energy stations based on power grid trends [13159-325] |
| 13159 0D | A short-term prediction model for photovoltaic power forecasting based on CEEMDAN-CS-LSTM [13159-394] |
| 13159 OE | Design of dynamic monitoring algorithm for energy big data with double carbon target [13159-397] |

| 13159 OF | Short-term power prediction of the photovoltaic power generation on the basis of the AOA-DELM [13159-133] |
|----------|---|
| 13159 OG | Two-stage regulation strategy of virtual power plant in electric energy markets [13159-245] |
| 13159 01 | Multi-objective optimal scheduling of wind-photoelectric-storage virtual power plants considering demand response [13159-100] |
| 13159 OJ | Design and implementation of substation data configuration software based on BS/CS architecture [13159-3] |
| 13159 OK | Optimal cooperative operation of renewable energy to hydrogen distribution based on master-slave game [13159-158] |
| 13159 OL | Extensive power generation prediction research based on LSTM [13159-284] |
| 13159 OM | Research on the impact of large-scale renewable energy power generation on relay protection [13159-360] |
| 13159 ON | Application and development of lead-carbon battery in electric energy storage system [13159-137] |
| 13159 00 | Application of building attached photovoltaic (BAPV) in UHVDC converter station: a case study of Zhongning ±800kV converter station [13159-198] |
| 13159 OP | Reliability evaluation of energy storage SCADA system considering cyber attacks [13159-72] |
| 13159 OQ | Self-switching method of energy storage operation mode of microgrid considering power fluctuation and energy storage life [13159-218] |
| 13159 OR | Medium and long term prediction of carbon emissions from thermal power generation based on grey correlation and PB neural network algorithm [13159-276] |
| 13159 OS | The fuzzy planning of the investment and cost for distributed generation in novel power system [13159-43] |
| 13159 OT | Short term PV power generation prediction based on wavelet transform and LSTM [13159-433] |
| 13159 OU | Planning methods for high penetration renewable energy systems considering flexibility requirements [13159-444] |
| 13159 OV | Research on active safety monitoring and early warning system for lithium ion battery energy storage power stations based on wireless sensor networks [13159-358] |
| 13159 OW | Research on operation optimization of rural hybrid renewable energy systems based on Nash bargaining [13159-364] |
| 13159 OX | Substation misoperation prevention method based on improved convolutional neural network [13159-51] |

| 13159 OY | An electric energy peer-to-peer trading strategy considering an in-situ energy storage sharing model for electric vehicle exchange electricity stations [13159-282] |
|----------|---|
| 13159 OZ | A distributed low-carbon dispatch model for regional multi-integrated energy microgrids considering carbon trading [13159-461] |
| 13159 10 | A transaction-driven architecture of intelligent integrated energy management system [13159-114] |
| 13159 11 | Research on medium and short term prediction of regional photovoltaic power generation based on fuzzy support vector machine [13159-369] |
| 13159 12 | Improvement of source network load and storage regulation capacity based on CCG and ADMM algorithm solving models [13159-214] |
| 13159 13 | Photovoltaic power prediction method based on CNN-BIGRU-ATTENTION model [13159-288] |
| 13159 14 | Research on renewable energy incremental classification model based on ensemble learning algorithm [13159-386] |
| 13159 15 | Research on power sharing strategy of cloud energy storage market based on Stackelberg model [13159-45] |
| 13159 16 | Optimizing grid-tied photovoltaic inverters with MPPT and neutral point voltage balancing technique [13159-31] |
| 13159 17 | Research on layout method of monitoring camera in non-direct-view area of substation [13159-453] |
| 13159 18 | No blind spot three-dimensional trajectory planning of unmanned aerial vehicle for substation inspection based on digital twinning [13159-324] |
| 13159 19 | Two-layer optimal allocation method for alternative energy storage on power grid side considering auxiliary service requirements [13159-259] |
| 13159 1A | Multi-objective optimal allocation model of hybrid energy storage capacity based on generation, transmission and consumption demand [13159-263] |
| 13159 1B | Stochastic optimization of hybrid energy storage considering wind power and photovoltaic correlation to smooth fluctuation [13159-135] |
| 13159 1C | Research and application of MPPT for photovoltaic power generation based on IPSO algorithm [13159-176] |
| 13159 1D | Research on multi-objective coordinated control strategy of DC direct-mounted energy storage system [13159-19] |
| 13159 1E | Research on optimization configuration of distributed generation (DG) based on power supply reliability [13159-207] |
| 13159 1F | Prediction method and simulation study of port photovoltaic power generation output power [13159-23] |

| 13159 1G | Research on grid planning considering hydrogen energy storage [13159-174] |
|--|---|
| 13159 1H | Multi-modal transformer-based wind power prediction by utilizing heterogeneous sources [13159-302] |
| 13159 11 | Fault characteristics analysis of distributed energy storage distribution network considering low voltage ride through [13159-439] |
| 13159 1J | Research on synergetic support technology of bolts and anchor cables in Guandi mine roadway [13159-129] |
| 13159 1K | Research on interface standardization platform based on trans-regional data acquisition of substation [13159-115] |
| 13159 1L | Research on power grid planning considering composite energy storage model [13159-229] |
| 13159 1M | Substation flood control risk prediction based on improved neural network [13159-300] |
| 13159 1N | A short-term power prediction of photovoltaic based on SSA-DBN [13159-220] |
| 13159 10 | Analysis and research on coupling characteristics of wind-photovoltaic power generation and load under typical scenarios [13159-326] |
| 13159 1P | Research on network security situation awareness technology for new energy power plants [13159-455] |
| | [10.00] |
| SESSION 2 | |
| SESSION 2 | MINERAL RESOURCE EXPLOITATION AND ENERGY SYSTEM MANAGEMENT |
| SESSION 2 13159 1Q | |
| | MINERAL RESOURCE EXPLOITATION AND ENERGY SYSTEM MANAGEMENT |
| 13159 1Q | MINERAL RESOURCE EXPLOITATION AND ENERGY SYSTEM MANAGEMENT Simulation of leakage inspection of dams based on flow field method [13159-12] |
| 13159 1Q 13159 1R | MINERAL RESOURCE EXPLOITATION AND ENERGY SYSTEM MANAGEMENT Simulation of leakage inspection of dams based on flow field method [13159-12] Research and application of distributed task scheduling for smart energy services [13159-110] |
| 13159 1Q 13159 1R 13159 1S | MINERAL RESOURCE EXPLOITATION AND ENERGY SYSTEM MANAGEMENT Simulation of leakage inspection of dams based on flow field method [13159-12] Research and application of distributed task scheduling for smart energy services [13159-110] Pinch analysis of No.5 combined station of northwest oilfield [13159-281] An integrated energy system scheduling method based on SSA-BI-GRU multivariate load |
| 13159 1Q 13159 1R 13159 1S 13159 1T | MINERAL RESOURCE EXPLOITATION AND ENERGY SYSTEM MANAGEMENT Simulation of leakage inspection of dams based on flow field method [13159-12] Research and application of distributed task scheduling for smart energy services [13159-110] Pinch analysis of No.5 combined station of northwest oilfield [13159-281] An integrated energy system scheduling method based on SSA-BI-GRU multivariate load forecasting [13159-283] Global sensitivity analysis of energy consumption factors of building envelope structure for |
| 13159 1Q 13159 1R 13159 1S 13159 1T 13159 1U | MINERAL RESOURCE EXPLOITATION AND ENERGY SYSTEM MANAGEMENT Simulation of leakage inspection of dams based on flow field method [13159-12] Research and application of distributed task scheduling for smart energy services [13159-110] Pinch analysis of No.5 combined station of northwest oilfield [13159-281] An integrated energy system scheduling method based on SSA-BI-GRU multivariate load forecasting [13159-283] Global sensitivity analysis of energy consumption factors of building envelope structure for high-rise office buildings in different climate zones [13159-165] |

| 13159 1Y | Research on strategic optimization method for conventional and new energy sources in oilfield development [13159-171] |
|----------|---|
| 13159 1Z | Geochemical characteristics of west Yan9 crude oil in Jingbian oil production plant, Ordos Basin [13159-321] |
| 13159 20 | Study on numerical simulation technology for improving efficiency of electric bag filter [13159-379] |
| 13159 21 | On-site accelerated test method and platform for reliability evaluation of online monitoring devices for dissolved gas in insulating oil [13159-65] |
| 13159 22 | Numerical prediction of erosion damage in sandy foam extraction fluid of gas extraction pipeline [13159-286] |
| 13159 23 | Analysis and research on technical characteristics of pilot-operated pressurizer safety valves [13159-384] |
| 13159 24 | Decomposition of carbon emission factors in china's power industry: considering transmission and distribution [13159-75] |
| 13159 25 | Structure and model of wind-solar hydrogen storage system [13159-249] |
| 13159 26 | Coordinated planning of networked intelligent buildings and integrated energy systems in parks based on Metaheuristic algorithms [13159-134] |
| 13159 27 | Simulation analysis of thunderstorm activity law of wind farm station based on cumulative probability fitting of lightning current amplitude [13159-382] |
| 13159 28 | Multi-objective optimization scheduling model of oxygen system in steel enterprises [13159-268] |
| 13159 29 | Risk analysis method for balancing positive and negative backup gaps in distributed new energy grids based on historical load peak and valley values and big data [13159-354] |
| 13159 2A | Comparison of accuracy of online monitoring equipment for dissolved gas in transformer oil [13159-267] |
| 13159 2B | Influence of the shape of the tank head of the oil storage unit on the impact of sloshing [13159-178] |
| 13159 2C | Research on variable time scheduling of power supply load in hybrid power grid considering wind-solar correlation [13159-429] |
| 13159 2D | Machine learning-based prediction of perovskite material photovoltaic conversion efficiency grades [13159-357] |
| 13159 2E | Integrated energy system operation optimization considering edge computing and demand response [13159-24] |
| 13159 2F | Study on optimal scheduling of energy system considering supply-demand coordination to promote wind power integration [13159-304] |

| 13159 2G | Evaluation of hydraulic oil operation status based on dynamic weights and improved deterioration degree [13159-212] |
|----------|---|
| 13159 2H | The effect of polyvalent ions on the output performance of RED stack [13159-428] |
| 13159 21 | Study on the initial corrosion characteristics of pure copper in Shenyang soil under direct current interference current [13159-442] |
| 13159 2J | Analysis of influence of concentration difference in solution dehumidification system based on solution recirculation structure [13159-6] |
| 13159 2K | Regional power system balance with the consideration of uncertain new energy output: evidence from Jiangsu [13159-388] |
| 13159 2L | Research on safety protection of maintenance operation of multi-circuit transmission lines on the same tower [13159-308] |
| 13159 2M | Combining deep learning with R-CDT for solar defect recognition [13159-46] |
| 13159 2N | Carbon emission flow analysis of new power system considering the uncertainty of new energy sources [13159-417] |
| 13159 20 | Aggregation frequency regulation strategy for wind and solar storage systems considering inertia adaptation [13159-277] |
| 13159 2P | Study on hydrogen energy storage and transport mode under various hydrogen production sources [13159-109] |
| 13159 2Q | Progress in the study of the constitutive relationship of porcelain casing materials under different strain rate loading [13159-425] |
| 13159 2R | Effect of impurity ions on the efficiency of reverse electrodialysis power generation in denitrification wastewater [13159-291] |
| 13159 2S | An energy data cross-domain flow traceability system based on blockchain [13159-301] |
| 13159 2T | Research on the synchronous control performance of COD and heavy metals in accident oil pool of substation by MgAl-LDOs [13159-67] |
| 13159 2U | Based on one-dimensional optimization of marine dual-fuel engine intake piping system [13159-264] |
| 13159 2V | Design of multi-level energy management system for servo equipment with distributed energy storage [13159-34] |
| 13159 2W | Optimization of region energy system operation considering part-load characteristics of fuel cells [13159-372] |
| 13159 2X | The low-carbon economic optimization scheduling of business park integrated energy system [13159-130] |

| 13159 2Y | Operation evaluation of BIPV public building photovoltaic system based on data analysis: case study on a high-speed railway station [13159-32] |
|-----------|--|
| 13159 2Z | Economic operation optimization of energy system in industrial park considering the guidance of energy consumption behavior [13159-256] |
| 13159 30 | Multi-source-load complementary planning considering of new energy consumption cost [13159-303] |
| 13159 31 | Research on electromagnetic power quality comprehensive treatment device applied to traction power supply system of high-speed railway [13159-317] |
| 13159 32 | The mechanism of production enhancement by radial water jet drilling-deep acidizing combination measures in thin-poor physical properties reservoirs [13159-315] |
| 13159 33 | Low-carbon scheduling of park-level integrated energy systems considering carbon trading mechanisms and demand response [13159-398] |
| 13159 34 | Experimental study on the characteristics of natural ester oil pool fire in transformer room [13159-118] |
| 13159 35 | Dielectric properties of epoxy/paper composites in the different temperature environment [13159-345] |
| 13159 36 | Design of low permeability reservoir development program in Lamaidean oilfield [13159-313] |
| 13159 37 | New energy output control program based on short circuit ratio indicator of new energy multi- station and enhancement measures [13159-298] |
| 13159 38 | Real-time monitoring method for field operation of new energy power generation production based on mobile Internet [13159-465] |
| 13159 39 | The method of calculating the line loss ratio of distributed grid-connected station area by using PCA-GRNN [13159-393] |
| SESSION 3 | THERMODYNAMIC APPLICATION AND ELECTROTHERMAL DEVICE SIMULATION |
| 13159 3B | Study of combined pump-driven thermosyphon loops in data centers [13159-294] |
| 13159 3C | Development of digital model and analyzation system for typical faults of low voltage DC system [13159-449] |
| 13159 3D | Effect of fuel injection parameters on the performance of a biodiesel engine [13159-240] |
| 13159 3E | Research on defrost characteristics of cascading high temperature air source heat pumps [13159-424] |
| 13159 3F | Quantification model of carbon emission reduction benefits based on dynamic carbon emission factor [13159-92] |

| 13159 3G | The design and adaptive control strategy of cascade hydraulic energy storage and generating system of WEC [13159-339] |
|----------|---|
| 13159 3H | Real-time load monitoring of air conditioning based on electrical characteristics and twintower neural network [13159-148] |
| 13159 31 | Drag reduction and aero heating prevention of a combined configuration of opposing jet and backward jet for hypersonic vehicles at different angles of attack [13159-343] |
| 13159 3J | Study on the performance of evaporative condensing fluorine pump air conditioning system for data center [13159-337] |

Part Two

| 13159 3K | Design and optimization of hydrogen fuel cell [13159-235] |
|----------|---|
| 13159 3L | Simulation of characteristic gas diffusion of air switchgear [13159-181] |
| 13159 3M | Research on integrated application of deep level energy-saving technology for supercritical 600MW steam turbine [13159-88] |
| 13159 3N | A low-carbon evaluation method for urban "source-network-load-storage" integrated power system [13159-127] |
| 13159 30 | Research on the modification of PVDF-HFP gel electrolyte [13159-260] |
| 13159 3P | Heating performance analysis of solar assisted ground source heat pump in Northern Jiangsu, China [13159-175] |
| 13159 3Q | Research on coupling trading mechanism of carbon-green certificate electricity market based on system dynamics [13159-375] |
| 13159 3R | LAGP solid-state electrolyte for electric double layer gating of In ₂ O ₃ field-effect transistors [13159-230] |
| 13159 3S | Utilization of temperature measurement technology in the supervision of power equipment [13159-143] |
| 13159 3T | Cooling water optimal scheduling for cooling chain system in nuclear power plant [13159-82] |
| 13159 3U | Research and experiment on standard oil treatment device for chromatographic analysis based on transformer status detection [13159-290] |
| 13159 3V | Review of dedicated mechanical subcooling methods for transcritical CO $_2$ refrigeration and heat pump cycles $[13159-199]$ |
| 13159 3W | Insulation degradation characteristics of the superhydrophobic insulation coatings simultaneously polluted by organic and inorganic pollutants [13159-56] |

| 13159 3X | Modelling of unmanned aerial vehicle power battery considering temperature hysteresis effect and capacity loss [13159-63] |
|----------|--|
| 13159 3Y | Research on performance analysis methods of heat source tower heat pump and air source heat pump in typical scenarios [13159-319] |
| 13159 3Z | Infrared detection method for foreign objects in disc suspension insulators based on real-time semantic segmentation [13159-391] |
| 13159 40 | Remaining useful life prediction of lithium-ion battery based on discrete wavelet transform and GRU neural network [13159-262] |
| 13159 41 | A flux leakage self-excited drive virtual parallel battery balancing circuit and method [13159-76] |
| 13159 42 | Mechanism analysis of the influence of the strength of the receiving end AC system on the stability of MMC-HVDC system [13159-52] |
| 13159 43 | Two phase flow evaporative cooling technology for wind turbine cabin group [13159-287] |
| 13159 44 | Heat transfer characteristics of single-phase spray cooling on the back of tilted photovoltaic panel [13159-247] |
| 13159 45 | Modelling of biodiesel chemical kinetics using decoupling methodology [13159-244] |
| 13159 46 | Research on the impact of operating condition changes on the equilibrium point of plug-in hybrid electric vehicle (PHEV) in charge-depleting stage [13159-418] |
| 13159 47 | Reliability analysis of emergency boron injection system based on dynamic flowgraph methodology [13159-18] |
| 13159 48 | Control strategy of central air-conditioning cooling system based on twin model game [13159-436] |
| 13159 49 | Numerical simulation study of optimization and layout of groundwater source heat pump extraction well group based on FEFLOW [13159-392] |
| 13159 4A | Stress analysis and temperature rise calculation of dry bushing spring contact finger structure under electric-thermal-force multi-field coupling [13159-179] |
| 13159 4B | Study on heat storage and heat release performance of casing heat pipe heat exchanger coupled phase change backfill body [13159-103] |
| 13159 4C | Short term heat load forecasting method based on deep belief network [13159-140] |
| 13159 4D | Research on noise reduction of improving electromagnetic structure [13159-285] |
| 13159 4E | Investigation of comprehensive performance evaluation method for fuel cell vehicles based on AHP [13159-311] |
| 13159 4F | Discussion on the development prospects of hydrogen fuel cell vehicles for mining [13159-150] |

| 13159 4G | Efficient inverted green perovskite light-emitting diodes with high-quality perovskite film [13159-53] |
|----------|--|
| 13159 4H | Modeling a lithium-ion power battery based on a Hammerstein-ARMAX model [13159-352] |
| 13159 41 | Transformer top oil temperature prediction based on VMD and optimized BiGRU model [13159-7] |
| 13159 4K | Simulation study of corrosion under thermal insulation based on focused emission array [13159-57] |
| 13159 4L | Simulation study on low-speed oil-water two-phase flow based on thermal constant power [13159-54] |
| 13159 4M | Research on corrosion detection method of pipeline under thermal insulation with heat trace wire [13159-35] |
| 13159 4N | An improved downscaling process using computational fluid dynamics for dynamic thermal rating optimisation on overhead lines [13159-162] |
| 13159 40 | Analysis of wind and thermal power joint generation company's participation in electric-carbon market [13159-55] |
| 13159 4P | Optimal configuration of wind, photovoltaic and hydrogen storage system considering the whole life cycle [13159-44] |
| 13159 4Q | Three-dimensional computational fluid dynamic model construction using real meteorologica and terrain data [13159-160] |
| 13159 4R | Dependence of output efficiency on connection angle for microcavity with output waveguide [13159-409] |
| 13159 4S | Loss calculation and fluid-thermal field-coupled analysis of bridge arm reactor [13159-456] |
| 13159 4T | Design of embedded temperature generator system based on ARM [13159-451] |
| 13159 4U | Research on carbon dioxide emission factor of regional power grid based on new power system [13159-71] |
| 13159 4V | Design and implementation of network security shooting range for Three Gorges shore power [13159-265] |
| 13159 4W | Design of downhole high temperature power supply with wide range of input voltage [13159-21] |
| 13159 4X | Economic scheduling of electro-thermal energy systems considering molten salt thermal storage involved in thermo-electrolytic coupling [13159-370] |
| 13159 4Y | Research on computer vision-based electrical energy measurement equipment recognition and thermal anomaly detection methods [13159-334] |

| 13159 4Z | Noise suppression method for permanent downhole DC carrier communication system [13159-28] |
|-----------|--|
| 13159 50 | Effect of high-pressure feedwater bypass system on BEST cycle performance of ultra- supercritical double reheat unit [13159-166] |
| 13159 51 | Investigation on the formation mechanism of PAHs in F-76 and HRD-76 alternative fuels using compression ignition diesel engines: a simulation study [13159-29] |
| 13159 52 | Research on the development and noise reduction characteristics of eco-friendly gas insulated transformer [13159-332] |
| 13159 53 | Research on energy-saving optimizations of integrated photovoltaic skylight forms in commercial building atriums among severe cold and cold climate regions [13159-227] |
| SESSION 4 | DIGITAL CIRCUIT SIMULATION AND ELECTROMAGNETIC SENSING ANALYSIS |
| 13159 54 | Parameter sensitivity of full-order flux observers for induction motors [13159-161] |
| 13159 55 | Abnormal state diagnosis method of current transformer based on wide area measurement [13159-104] |
| 13159 56 | Compensation circuits and coupling coils for electric vehicle wireless charging systems [13159-163] |
| 13159 57 | Vulnerable link diagnosis of distribution network based on line voltage stability [13159-223] |
| 13159 58 | Sequence-impedance-based modelling of grid-connected inverter considering AC-side and AC-DC frequency coupling effects [13159-97] |
| 13159 59 | Coordinated suppression strategy for over voltage of voltage source converter at receiving end of cascaded hybrid DC transmission system under AC power grid fault [13159-238] |
| 13159 5A | Fault diagnosis methods of transformer based on dissolved gas detection in oil by gas chromatography [13159-344] |
| 13159 5B | Classifying transformer winding deformation type by combination of FRA polar plot texture feature and multiple SVM classifiers [13159-463] |
| 13159 5C | Distributed fixed-time secondary voltage control for time-delayed microgrid via sampled-data control [13159-203] |
| 13159 5D | Enhanced transient stability method of grid-forming voltage source converters based on the generalized droop control [13159-116] |
| 13159 5E | Coil optimization of an E-type magnetic coupling mechanism based on SS resonant circuits [13159-159] |
| 13159 5F | A new fault diagnosis method for power transformers [13159-233] |

| 13159 5G | Cable laying technology for power distribution projects: take 500KV ultra-high voltage cable as an example [13159-85] |
|-----------|---|
| 13159 5H | Wind power gearbox fault diagnosis of BP neural network based on improved Sparrow algorithm [13159-266] |
| 13159 51 | Seismic analysis of 110kV capacitor bank in high altitude area [13159-74] |
| 13159 5J | Research on optimizing circuit topology to improve phase margin [13159-400] |
| 13159 5K | Dynamic combined prediction method for error state of capacitor voltage transformer based on elastic net regression [13159-69] |
| 13159 5L | Detection method of abnormal operation state of electrical equipment based on PLC technology [13159-402] |
| 13159 5M | Edge intelligent-based data processing method for high-frequency information acquisition in low-voltage substation area [13159-50] |
| 13159 5N | Research on the location of secondary loop of UHVDC station based on digital twin [13159-440] |
| 13159 50 | Voltage control of the IGBT module based on a linear active disturbance rejection control parallel observer [13159-64] |
| 13159 5P | Prediction of temperature rise in disc-type transformer windings by dimensional analysis [13159-381] |
| 13159 5Q | Reactive power and voltage evaluation method at the access point of wind power plant [13159-305] |
| 13159 5R | Application of three-level inverter with improved SVPWM algorithm in off-grid system [13159-131] |
| 13159 5\$ | SiC MOSFET crosstalk characterization and drive circuitry design approach [13159-396] |
| 13159 5T | Fault diagnosis of power cables based on wavelet transform and CNN-informer [13159-216] |
| 13159 5V | Analysis of the correlation between the impedance value of line surge arresters' grounding electrode and the withstand lightning voltage of insulator strings under shielding failure [13159-123] |
| 13159 5W | Research on cable pipe size measurement technology based on sonar sensor [13159-467] |
| 13159 5X | A deep-learning-based approach for cable duct recognition [13159-310] |
| 13159 5Y | An RLC circuit simulation design for nuclear pulse shaping [13159-273] |
| 13159 57 | Research on antimization of flux observer based on double high-pass filter method [13159-261] |

| 13159 60 | Research on a brushless DC motor control method based on double chopping width modulation [13159-443] |
|----------|--|
| 13159 61 | Partial discharge diagnosis method for electrical equipment based on PSO-GRNN [13159-438] |
| 13159 62 | Research of a multi-frequency resonance risk warning method for 10kV lines based on characteristic index database [13159-38] |
| 13159 63 | Analysis of high-voltage circuit breaker closing and opening action characteristics [13159-435] |
| 13159 64 | Research on identification and detection of foreign body intrusion for overhead lines [13159-96] |
| 13159 65 | Multi-stage voltage calculation method for grid faults with wind turbines integration [13159-68] |
| 13159 66 | Power equipment defect detection method based on CenterNet [13159-188] |
| 13159 67 | Object detection based on sparse representation model for power safety supervision [13159-191] |
| 13159 68 | Review on fault diagnosis of power transformer [13159-367] |
| 13159 69 | Propagation characteristics simulation of weak signals of electrical and optical state parameters inside GIS equipment [13159-423] |
| 13159 6A | Research on microgrids grid-connected inverter system based on improved PLL [13159-292] |
| 13159 6B | Application of portable intelligent individual soldier inspection device based on mobile terminal in UHV equipment management [13159-16] |
| 13159 6C | Research on overvoltage suppression technology for the rectifier side grid of HVDC system [13159-241] |
| 13159 6D | Design of adjustable voltage power supply based on buck [13159-27] |
| 13159 6E | Transformer fault diagnosis method based on Gramian angular field and graph convolution network [13159-147] |
| 13159 6F | Research on battery condition evaluation method based on big data of battery electric vehicles [13159-426] |
| 13159 6G | Study of local faults in cables based on input impedance spectra [13159-111] |
| 13159 6H | Study on the influence of semi-conductive layer on near-infrared spectrum of cable insulation [13159-328] |
| 13159 61 | Distributed voltage control of active distribution network based on global sensitivity and ADAM [13159-33] |

| 13159 6J | Circuit simulation of synchronous motor port characteristics based on DSCC inverter module [13159-416] |
|----------|--|
| 13159 6K | Design of high voltage and high power supply for aerospace based on LLC resonant converter [13159-141] |
| 13159 6L | Modified simulation of classical J-A model based on finite element simulation model of current transformer [13159-48] |
| 13159 6M | Research on simulation modeling of closed-loop double core fluxgate sensor [13159-13] |
| 13159 6N | Simulation modeling and measurement performance research of fluxgate sensor based on Ansys and Multisim [13159-404] |
| 13159 60 | Research on the measurement performance of wide-range current transformer based on zero-flux principle [13159-403] |
| 13159 6P | Error state prediction method of current transformer based on improved VMD-BP neural network [13159-22] |
| 13159 6Q | Transformer fault diagnosis method based on ATT-CNN-Bi-LSTM [13159-374] |
| 13159 6R | Mechanism analysis and solutions to tap-changers frequent action problem of Gaoling back-to-back HVDC [13159-336] |
| 13159 6S | Optimal scheduling of electric vehicle battery swapping station based on sparrow search algorithm [13159-297] |
| 13159 6T | Analysis of frequent alarms for commutation failure prevention of a ±800kV inverter station [13159-186] |
| 13159 6U | Study on ferromagnetic resonance characteristics and suppression measures of electromagnetic voltage transformer [13159-329] |
| 13159 6V | Analysis of fuse failure of voltage transformer in a small resistance grounding system [13159-413] |
| 13159 6W | Base station optimization based on optimal operating voltage [13159-189] |
| 13159 6X | Settlement monitoring for ultra-long GIS equipment based on weak fiber Bragg grating sensing [13159-39] |
| 13159 6Y | Research on cable fault detection method based on attenuation compensation technology [13159-460] |
| 13159 6Z | Overvoltage management of SF6 circuit breaker switching for 66kV parallel capacitor bank based on ATP-EMTP [13159-330] |
| 13159 70 | Research on transformer parameter identification method [13159-295] |

| 13159 71 | Research on suspended remote-control high-voltage test discharge grounding device [13159-5] |
|----------|---|
| 13159 72 | A power data transmission method between dual processors based on SPI communication [13159-410] |
| 13159 73 | Research on distribution terminal voltage frequency tracking method based on DFT phase difference method [13] 59-475] |

Part Three

| SESSION 5 | SMART GRID AND POWER SYSTEM MODELING |
|-----------|---|
| 13159 74 | Research on improved consensus based on multivirtual power plant trading system [13159-228] |
| 13159 75 | Interaction model of virtual power plant based on multichain architecture [13159-152] |
| 13159 76 | Bayesian adaptive fault diagnosis of transmission lines based on Kalman filtering [13159-132] |
| 13159 77 | Benefit evaluation and improvement methods for power grid infrastructure projects [13159-10] |
| 13159 78 | Research on risk management methods for power operation data oriented to multi scenario data [13159-427] |
| 13159 79 | User electricity load classification portrait based on multidimensional feature analysis [13159-280] |
| 13159 7A | Analysis of real-time line-transformer relationship in distribution network based on line segmentation [13159-299] |
| 13159 7B | A method and system for integrated maintenance of distribution line diagram and model data [13159-142] |
| 13159 7C | Research on grid structure and equipment combination mode to improve the reliability of intelligent distribution network power supply [13159-177] |
| 13159 7D | Power trading model of PV-ESS considering reserve market bidding mechanism [13159-448] |
| 13159 7E | Research on optimization strategy of main network maintenance scheduling based on regional power demand [13159-371] |
| 13159 7F | Regularity and characteristics of ice coating galloping of overhead transmission lines in west coast of Bohai Sea [13159-314] |
| 13159 7G | Load forecasting method for power users based on capacity constraints and historical data characteristics of connected equipment [13159-377] |

| 13159 7H | A model for renewable-based power system simulation in the context of electricity trading market [13159-452] |
|----------|--|
| 13159 71 | Short term load forecasting method based on local shape similarity and SVR [13159-70] |
| 13159 7J | A novel economic dispatch method of virtual power plants for carbon reduction by source-load collaboration [13159-250] |
| 13159 7K | Research on mathematical model and technology of power data privacy protection for active distribution networks adapting to large scale of distributed power sources [13159-385] |
| 13159 7L | Analysis method of power grid operation weakness based on knowledge graph [13159-180] |
| 13159 7N | Research on fault localization methods of shipboard power networks [13159-81] |
| 13159 70 | Frequency and impedance adaptive power line communication for 10kV medium voltage distribution networks [13159-437] |
| 13159 7P | Research on centralized distribution network protection scheme based on split hierarchical architecture [13159-217] |
| 13159 7Q | Study on the induced electrical characteristics of adjacent transmission lines [13159-307] |
| 13159 7R | Study on the potential of virtual power plants based on LEAP model: a case study of a northern city [13159-206] |
| 13159 7S | Unit commitment model with limited switches and shallow depth of charge and discharge [13159-322] |
| 13159 7T | Optimization configuration method for reactive power compensation device in power grid with distributed generations [13159-42] |
| 13159 7U | Identifying critical nodes in the power grid via deep learning methods [13159-15] |
| 13159 7V | Evaluation method for active distribution network fault handling process based on key node information matrix [13159-58] |
| 13159 7W | Application of a class of density peak clustering algorithm in short-term smart grid [13159-156] |
| 13159 7X | Research on power system applications based on ChatGPT [13159-119] |
| 13159 7Y | Low-complexity primary synchronization signal timing synchronization algorithm in power wireless private networks [13159-126] |
| 13159 7Z | Novel Priority Evaluation Method of Dynamic Dispatching Based on Distribution Network Data [13159-258] |
| 13159 80 | Research on high-voltage large-user intensive wiring mode based on new power system [13159-355] |

| 13159 81 | Design of security protection framework for power grid cloud application API based on zero trust [13159-9] |
|----------|---|
| 13159 82 | A flexibility assessment method for power system considering demand side adjustable resources [13159-232] |
| 13159 83 | Optimal placement of phasor measurement unit in active distribution network for line loss diagnosis [13159-316] |
| 13159 84 | A method for distribution network cluster partition based on improved snake optimization algorithm [13159-434] |
| 13159 85 | Day-ahead economic optimal scheduling of microgrids based on improved particle swarm optimization algorithm [13159-62] |
| 13159 86 | Analysis of the connotation characteristics and technical indicators of the digital transformation in distribution network under the new power system [13159-459] |
| 13159 87 | Simulation study of transient stability of power system under fault conditions [13159-108] |
| 13159 88 | Enhanced YOLOv8 algorithm for large-scale multi-object detection and its application in defect detection in power systems [13159-26] |
| 13159 89 | Key technology of replacing insulators for 500kV transmission line with electric operation [13159-157] |
| 13159 8A | Shandong power grid on the thermal power unit frequency modulation of the two types of assessment indicators in detail [13159-61] |
| 13159 8B | Master-slave game-based optimal operation of microgrids containing customer-owned photovoltaics [13159-95] |
| 13159 8C | Research on short term power system load forecasting method based on improved VMD and LSTM [13159-376] |
| 13159 8D | Microgrid fault diagnosis based on whale optimization algorithm optimizing BP neural networ [13159-136] |
| 13159 8E | Novel topology identification method for distribution network based on graph database [13159-255] |
| 13159 8F | Novel stochastic analysis method for transmission line tower reliability based on small displacement system [13159-476] |
| 13159 8G | Temperature field analysis of power cable intermediate connector based on finite element [13159-90] |
| 13159 8H | Collaborative optimization method of electric heavy truck cluster participating in energy-frequency market [13159-86] |
| 13159 81 | Distribution network disaster prevention planning considering extreme weather [13159-338] |

| 13159 8J | A novel random optimal scheduling of virtual power plant with multiple wind farms [13159-254] |
|-----------|---|
| 13159 8K | Three-dimensional digital application of new power system operation and control [13159-466] |
| 13159 8L | Research on the characteristics of power supply and demand balance and supply guarantee strategies in new power system [13159-412] |
| 13159 8M | Study on the development of electricity demand forecasting system under the carbon neutral goal [13159-411] |
| 13159 8N | Research on power grid investment capacity prediction model based on multiple method combination [13159-271] |
| 13159 80 | Sensitivity study for finite element analysis on wind distribution surrounding transmission line corridors with consideration of turbulent flow [13159-155] |
| 13159 8Q | Optimization of time-sharing over-current protection setting value for distribution network with decentralized access of distributed power supply [13159-226] |
| 13159 8R | Research on intelligent distribution terminal based on adaptive access [13159-351] |
| 13159 8\$ | A reinforcement learning scheduling method for power system based on data-driven pretraining [13159-224] |
| 13159 8T | Plug and play method and implementation for low voltage distribution Internet of Things [13159-408] |
| 13159 8U | Research on key technologies of low-pressure natural gas energy metering system [13159-77] |
| 13159 8V | Research on load forecasting and power balancing methods for highly flexible distribution networks [13159-356] |
| 13159 8W | Research on the application of sliding mode control in fault tolerance of PMSM drive system [13159-270] |
| 13159 8X | Game study of power system reconstruction planning after extreme disaster [13159-172] |
| 13159 8Y | Research on power network planning considering complex load model [13159-236] |
| 13159 8Z | Research on power grid overall planning based on branch bound algorithm [13159-477] |
| SESSION 6 | ELECTRICAL AUTOMATION AND MECHANICAL CONTROL TECHNOLOGY |
| 13159 90 | Research on reliability of motor controller for electric aircraft [13159-272] |
| 13159 91 | Design of the EPS motor automation test system [13159-184] |

| 13159 92 | Passive control technology of flexible DC transmission converter based on improved Ant Lion algorithm [13159-99] |
|----------|---|
| 13159 93 | Charging load prediction of electric vehicle based on Monte Carlo method [13159-219] |
| 13159 94 | An approach of hybrid power and propulsion system design and performance comparison or a long-range compound-wing unmanned aerial vehicle [13159-187] |
| 13159 95 | Optimal scheduling method of flexible load in smart parks based on improved particle swarm optimization algorithm [13159-208] |
| 13159 96 | A method and practice for automatic installation of parallel groove clamps in distribution networks [13159-327] |
| 13159 97 | Design and in-depth investigation of SOFC with a novel flow-mode based on cross-flow [13159-346] |
| 13159 98 | Design and simulation of bi-directional DC/DC converter for compound power supply of electric workover rig [13159-98] |
| 13159 99 | Impact analysis of increasing purification flow rate of the CPR1000 unit [13159-146] |
| 13159 9A | Research on temperature-controlled load control strategy considering users' breach [13159-105] |
| 13159 9B | PID motor control system based on ACO-BP neural network [13159-201] |
| 13159 9C | A Res-UNet model for transmission segmentation based on attention mechanism [13159-73] |
| 13159 9D | Damping torque online correction strategy for wind turbine drivetrain testing facility based on torque feedback from device under test [13159-122] |
| 13159 9E | Time series production simulation based on second-order cone programming with cycle condition [13159-167] |
| 13159 9F | Research on aerial alignment method of guided projectiles based on INS/radar command combination [13159-120] |
| 13159 9G | A current regulator for model predictive control based on Laguerre function applied for permanent magnet synchronous motor [13159-79] |
| 13159 9H | Modeling and simulation of three level dual active half bridge based on PI control [13159-4] |
| 13159 91 | Human electrocution recognition method based on residual network [13159-221] |
| 13159 9J | Application of IGBT in electric vehicle motor control [13159-405] |
| 13159 9K | Research on AC fault ride through strategy for LCC-VSC based on trigger angle clamp control [13159-197] |

| 13159 9L | Intelligent prediction of capacity margin in different time periods based on wavelet analysis [13159-20] |
|-----------|--|
| 13159 9M | Unsupervised learning based failure modes occurrence measurement method of hydroturbine [13159-359] |
| 13159 9N | Fault severity classification based on information flow and support vector machines [13159-139] |
| 13159 90 | Event-triggered control for obstacle avoidance in second-order nonlinear multi-agent systems with directed graph [13159-164] |
| 13159 9P | Energy optimization in the design and well layout of Shengjing Shopping Mall in Tiexi District, Shenyang City [13159-149] |
| 13159 9Q | Design of sludge lancing equipment for HPR1000 steam generator [13159-395] |
| 13159 9R | Characterization of NH ₃ emissions from light-duty passenger cars [13159-102] |
| 13159 9\$ | Novel abnormal data correction method based on GA-RBF neural network considering power balance [13159-246] |
| 13159 9T | Improved slip mode control of boost type PFC converter strategy study [13159-421] |
| 13159 9U | Research on HEV multi-agent control based on working condition recognition [13159-36] |
| 13159 9V | Direct torque control technology of permanent magnet synchronous motor [13159-47] |
| 13159 9W | Optimization control strategy for DAB DC-DC converter with TPS control [13159-40] |
| 13159 9X | Research on the impact of VSG control Parameters on active power response characteristics of direct-drive wind turbines [13159-25] |
| 13159 9Y | Active disturbance rejection control of multi-area load frequency based on improved sparrow search algorithm [13159-362] |
| 13159 9Z | Research on off-line identification of asynchronous motor parameters [13159-154] |
| 13159 A0 | Convolutional neural network-based edge detection technique for thermal images of electrical equipment [13159-113] |
| 13159 A1 | Research on boiler test and combustion optimization control after low-nitrogen burner transformation [13159-8] |
| 13159 A2 | Wind disturbance control of Multiplexed Survey Telescope prototype based on active disturbance rejection control [13159-41] |
| 13159 A3 | Design of magnetic coupling mechanism for contactless power transmission system on ships [13159-153] |

| 13159 A4 | Research on multi-type demand response user profile based on improved k-means clustering algorithm [13159-80] |
|----------|---|
| 13159 A5 | A novel target design and path planning model for regional peak carbon dioxide emissions [13159-419] |
| 13159 A6 | Research and application of data on demand penetration retrieval based on DL/T860CMS standard [13159-91] |
| 13159 A7 | Research and design of terminal block cover abnormal position detection device [13159-457] |
| 13159 A8 | Novel anomaly distribution network data feature recognition method based on double convolutional neural [13159-257] |
| 13159 A9 | Privacy-preserving multiparty power data sharing based on generative adversarial network [13159-11] |
| 13159 AA | Dual power automatic fast switching [13159-89] |
| 13159 AB | Multi-VPP multicentralized collaborative co-governance model based on DPoS consensus mechanism [13159-17] |
| 13159 AC | Analysis of fire prevention and control system of natural gas station based on intelligent monitoring [13159-293] |
| 13159 AD | Research on two-stage V2G optimal scheduling strategy for electric vehicles considering scheduling priority [13159-202] |
| 13159 AE | Research on the application technology of UAV in restoring electricity in residential area [13159-373] |
| 13159 AF | A lightweight YOLOv5 model for small insulator defect detection [13159-60] |
| 13159 AG | Research on regional air conditioning load aggregation model and control strategy [13159-368] |
| 13159 AH | A reliable Manchester encoding and decoding method applied to optical modules [13159-195] |
| 13159 AI | On-line detection method of insulator zero-value fault based on image features and YOLOv3 algorithm [13159-366] |
| 13159 AJ | Research on fuzzy active disturbance rejection control of PMSM [13159-480] |
| 13159 AK | Research on application of big data and machine learning in emergency power restoration in residential areas [13159-378] |
| 13159 AL | Equivalent impedance modeling and control parameters effect analysis of DFIG [13159-169] |
| 13159 AM | System architecture and coordinated control strategy of meshed AC/DC distribution grid based on active power filter [13159-183] |

| 13159 AN | Optimization strategy of base station energy consumption based on predictive control [13159-185] |
|----------|--|
| 13159 AO | Design and research of magnet synchronous motor for hybrid UAV [13159-239] |
| 13159 AP | Design of pipeline geological risk assessment and early warning system based on Beidou satellite [13159-464] |
| 13159 AQ | Research on measurement and control method based on asynchronous socket [13159-472] |

Conference Committee

Conference Chairs

Kai Yang, Huazhong University of Science and Technology (China) **Pierluigi Siano**, University of Salerno (Italy)

Publication Chair

Hazlie Mokhlis, University of Malaya (Malaysia)

Program Committee Chair

Mohan Lal Kolhe, Universitetet i Agder (Norway)

Organizing Committee

Figen Balo, Firat Üniversitesi (Turkey)

Saad A. EL-Syaed Hamad, Zagazig University (Egypt)

Monica Siroux, INSA Strasbourg, Université de Strasbourg (France)

Zicheng Liu, Huazhong University of Science and Technology (China)

Farhad Shahnia, Murdoch University (Australia)

Jiang Zeng, South China University of Technology (China)

Xiaojun Lu, Huazhong University of Science and Technology (China)

Pang Ying Han, Multimedia University (Malaysia)

Marco Ho, The Chinese University of Hong Kong (Hong Kong, China)

Lihui Wang, Tianjin Modern Vocational Technology College (China)

Rajeev Tiwari, University of Petroleum and Energy Studies (India)

Ian K. T. Tan, Multimedia University (Malaysia)

Zixia Sang, State Grid Hubei Economic Research Institute Wuhan (China)

Yuchao Ma, China Electric Power Research Institute (China)

Yujing Hu, State Grid Hunan Electric Power Company Ltd. Research Institute (China)

Weike Liu, State Grid Hunan Electric Power Company Ltd. Research Institute (China)

Peng Wang, Hebei University of Engineering (China)

Technical Program Committee

Hari Charan Nannam, Vel Tech Technical University (India) Pawan Sharma, UiT Norges Arktiske Universitet, Narvik (Norway) Krishna Murari Pandey, The University of Toledo (United States) Subho Paul, Washington State University (United States) Hongcai Zhang, University of Macau (Macau, China) **Zhaobin Du**, South China University of Technology (China)

Jiang Zeng, South China University of Technology (China)

Pang Ying Han, Multimedia University (Malaysia)

Marco Ho, The Chinese University of Hong Kong (Hong Kong, China)

Lihui Wang, Tianjin Modern Vocational Technology College (China)

Rajeev Tiwari, University of Petroleum and Energy Studies (India)

Ian K. T. Tan, Multimedia University (Malaysia)

Zixia Sang, State Grid Hubei Economic Research Institute Wuhan (China)

Yuchao Ma, China Electric Power Research Institute (China)

Yujing Hu, State Grid Hunan Electric Power Company Ltd. Research Institute (China)

Weike Liu, State Grid Hunan Electric Power Company Ltd. Research Institute (China)

Peng Wang, Hebei University of Engineering (China)