

# PROCEEDINGS OF SPIE

## ***Advanced Sensor Systems and Applications III***

**Yun-Jiang Rao**  
**Yanbiao Liao**  
**Gang-Ding Peng**  
*Editors*

**12–14 November 2007**  
**Beijing, China**

*Sponsored by*  
SPIE • COS—Chinese Optical Society

*Cooperating Organizations*

OSJ—Optical Society of Japan • OSK—Optical Society of Korea • Australian Optical Society • Optical Society of Singapore • Beijing Institute of Technology (China) • Beijing University of Posts and Telecommunication (China) • Peking University (China) • Tsinghua University (China) • Zhejiang University (China) • Changchun University of Science and Technology (China) • University of Shanghai for Science and Technology (China) • Shanghai Jiao Tong University (China) • Tianjin University (China) • Nankai University (China) • Shanghai Institute of Optics and Fine Mechanics (China) • Changchun Institute of Optics and Fine Mechanics (China) • Institute of Semiconductors (China) • Institute of Optics and Electronics (China) • Shanghai Institute of Technical Physics (China) • China Instrument and Control Society • China Solid State Lighting Research and Industry Alliance • Optoelectronics Technology Committee, COS (China)

*Supporting Organizations*

CAST—China Association for Science and Technology (China) • NNSF—National Nature Science Foundation (China) • The Ministry of Science and Technology (China)

*Published by*  
SPIE

**Volume 6830**

Proceedings of SPIE, 0277-786X, v. 6830

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Advanced Sensor Systems and Applications III*, edited by Yun-Jiang Rao, Yanbiao Liao, Gang-Ding Peng, Proceedings of SPIE Vol. 6830 (SPIE, Bellingham, WA, 2007) Article CID Number.

ISSN 0277-786X  
ISBN 9780819470058

Published by

**SPIE**

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2008, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at [copyright.com](http://copyright.com). Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/08/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE**   
Digital Library

[SPIDigitalLibrary.org](http://SPIDigitalLibrary.org)

---

**Paper Numbering:** Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

# Contents

xi	<i>Conference Committee</i>
ix	<i>Symposium Committees</i>

---

## SESSION 1 FIBER GRATING SENSORS

---

- 6830 02 **Recent developments of Bragg gratings in PMMA and TOPAS polymer optical fibers (Invited Paper)** [6830-135]  
D. J. Webb, Aston Univ. (United Kingdom); K. Kalli, Higher Technical Institute (Cyprus); K. Carroll, C. Zhang, Aston Univ. (United Kingdom); M. Komodromos, Frederick Research Ctr. (Cyprus); A. Argyros, M. Large, Univ. of Sydney (Australia); G. Emiliyanov, O. Bang, E. Kjaer, Technical Univ. of Denmark (Denmark)
- 6830 03 **Highly sensitive liquid level sensor based on etched fiber Bragg grating** [6830-61]  
B. Yun, N. Chen, Y. Cui, Southeast Univ. (China)
- 6830 04 **An in-line in-fibre ring cavity multi-parameter sensor with a tuneable refractive index response** [6830-111]  
P. Childs, I. Leung, A. C. L. Wong, G.-D. Peng, Univ. of New South Wales (Australia)
- 6830 05 **Bend insensitive long-period gratings written with a CO<sub>2</sub> laser in fiber with parabolic-index cladding** [6830-48]  
F. Todorov, Institute of Photonics and Electronics (Czech Republic) and Czech Technical Univ. in Prague (Czech Republic); M. Chomát, D. Berková, J. Čtyroký, V. Matějec, I. Kašík, Institute of Photonics and Electronics (Czech Republic); J. Dunovský, A. Jančárek, Czech Technical Univ. in Prague (Czech Republic)
- 6830 06 **Experimental study of the thermal properties of Moiré long period gratings** [6830-10]  
P. Childs, Univ. of New South Wales (Australia); K. Gao, CETC No. 23 Research Institute (China); G.-D. Peng, Univ. of New South Wales (Australia)
- 6830 07 **Fiber grating current array based on tunable fiber laser** [6830-90]  
Y. Guo, J. Huo, P. Li, M. Jiang, Y. Zhang, T. Wang, Jilin Univ. (China)
- 6830 09 **Numerical investigation on the multi-channel waveguide-based surface plasmon resonance sensor using the rigorous coupled-wave analysis** [6830-137]  
J. Park, H. Kim, B. Lee, Seoul National Univ. (South Korea)

---

## SESSION 2 FIBER INTERFEROMETRIC AND DISTRIBUTED SENSORS

---

- 6830 0B **PGC demodulating scheme based on CORDIC algorithm for interferometric optical fiber sensor** [6830-77]  
Z. Jing, M. Zhang, L. Wang, K. Yin, Y. Liao, Tsinghua Univ. (China)

- 6830 OD **PCF-based Fabry-Perot refractive-index sensor (Invited Paper)** [6830-46]  
Y. J. Rao, Chongqing Univ. (China) and Univ. of Electronic Science & Technology of China (China); M. Deng, Chongqing Univ. (China)
- 6830 OE **A 3D model for analyzing thermal transient effects in fiber gyro coils** [6830-34]  
M. Li, T. Liu, Y. Zhou, J. Jiang, L. Hou, J. Wang, Tianjin Univ. (China); X. S. Yao, Tianjin Univ. (China) and General Photonics Corp. (USA)
- 6830 OF **Distributed fiber optic crack sensor for concrete structures** [6830-119]  
W. Zhang, Shijiazhuang Railway Institute (China) and Institute of Semiconductors (China); J. Dai, H. Xu, B. Sun, Y. Du, Shijiazhuang Railway Institute (China)
- 6830 OG **Analysis on polarization state of the distributed optical fiber sensor based on Sagnac/Mach-Zehnder interference structure** [6830-123]  
J. Wu, W. Chen, J. Tan, Y. Xie, Chongqing Univ. (China)
- 6830 OI **The use of BOTDR to evaluate the thermal effects on fiber residual strain of optical fiber cables** [6830-39]  
Y. Lu, C. Li, L. Wang, X. Zhang, Nanjing Univ. (China)

---

### SESSION 3 FIBER-OPTIC AND LASER SENSING

---

- 6830 OJ **Perimeter security system based on fiber optic disturbance sensor** [6830-57]  
T. Lan, C. Zhang, L. Li, G. Luo, C. Li, Beijing Univ. of Aeronautics and Astronautics (China)
- 6830 OK **Nonlinearity correction method study of orthogonal polarized laser interference signal based on DSP technique** [6830-79]  
X. Wang, J. Yang, Z. Liu, L. Yuan, Harbin Engineering Univ. (China)
- 6830 OL **Rapid and quantitative measuring of telomerase activity using an electrochemiluminescent sensor** [6830-131]  
X. Zhou, D. Xing, D. Zhu, L. Jia, South China Normal Univ. (China)
- 6830 OM **A low cost relative humidity sensor fabricated by coating optical fused fiber coupler with sol-gel material** [6830-71]  
F. Pang, P. Xu, M. Wang, X. Zeng, Z. Chen, T. Wang, Shanghai Univ. (China)
- 6830 OO **A pupil-scanning device for the measurement of sensor focus on large aperture tracking telescopes** [6830-118]  
D. A. Imrie, S. D. Fantone, J. Zhang, D. Orband, Optikos Corp. (USA)
- 6830 OP **Aerial remote sensing automatic control system for UAV** [6830-89]  
P. Gao, L. Yan, H. Zhao, Peking Univ. (China) and Beijing Key Lab. of Spatial Information Integration & Its Application (China)

---

### POSTER SESSION

---

- 6830 OR **The PGC demodulation of fiber optic interferometer utilizing unstable multimode DBR fiber laser** [6830-03]  
L. Ma, H. Luo, M. Ni, Y. Hu, National Univ. of Defense Technology (China)

- 6830 0S **The influence of pump power on the spectral peak shift of whispering gallery modes** [6830-04]  
J. Wang, F. Yuan, Beijing Univ. of Technology (China); L. Wang, Xingtai Medical College (China); M. Wang, Beijing Univ. of Technology (China)
- 6830 0V **Study on weigh-in-motion system based on chirped fiber gratings** [6830-09]  
D. Zhang, D. Guo, W. Li, Y. Li, A. Wu, K. Yao, D. Jiang, Wuhan Univ. of Technology (China)
- 6830 0W **Processing techniques for compensating for multiple scattering in TDM and other spectrally shadowed multiplexing systems** [6830-12]  
P. Childs, G.-D. Peng, Univ. of New South Wales (Australia)
- 6830 0Y **A highly precise fiber sensor by use of counting demodulation** [6830-18]  
S. He, H. Li, S. Hu, W. Liu, K. Yu, Beijing Univ. of Technology (China)
- 6830 0Z **A novel Sagnac fiber sensor** [6830-19]  
W. Liu, S. He, S. Hu, T. Guo, K. Yu, Beijing Univ. of Technology (China)
- 6830 10 **Multiplexing technique using amplitude-modulated chirped fibre Bragg gratings with applications in two-parameter sensing** [6830-20]  
A. C. L. Wong, P. A. Childs, G.-D. Peng, Univ. of New South Wales (Australia)
- 6830 11 **A fiber-optic hydrophone with an acoustic filter** [6830-21]  
Z. Wang, Y. Hu, Z. Meng, M. Ni, H. Luo, National Univ. of Defense Technology (China)
- 6830 13 **Research on the acceleration responsivity of the fiber-optic air-backed mandrel hydrophones** [6830-23]  
K. Yin, M. Zhang, L. Wang, T. Ding, H. Zhou, Y. Liao, Tsinghua Univ. (China)
- 6830 15 **Ground target detection, classification, and sensor fusion in distributed fiber seismic sensor network** [6830-27]  
H. Xing, F. Li, H. Xiao, Y. Wang, Y. Liu, Institute of Semiconductors (China)
- 6830 16 **Ring fiber-optic sensor systems** [6830-28]  
Q. Zhuang, J. Wang, S. Meng, B. Lei, J. Lin, Huaqiao Univ. (China)
- 6830 17 **The application of the FFT algorithm associated with CZT in the demodulation of Fabry-Perot pressure sensors** [6830-31]  
X. Dai, M. Wang, Y. Ben, Nanjing Normal Univ. (China)
- 6830 18 **Fabrication of temperature-insensitive chirped fiber grating pressure sensor** [6830-32]  
M. Jiang, W. Zhang, L. Jin, C. Liu, Q. Zhang, Y. Liu, B. Liu, Nankai Univ. (China)
- 6830 19 **High-performance multiplexed vibration sensor system based on fiber lasers** [6830-35]  
H. Xiao, Y. Wang, F. Li, Y. Liu, Institute of Semiconductors (China)
- 6830 1A **Two-core optical fiber and its sensing characteristics** [6830-38]  
X. Wang, S. Zhao, L. Yuan, Harbin Engineering Univ. (China)
- 6830 1B **A novel fibre-optic system for methane detection** [6830-42]  
X. Wu, Y. Wang, L. Chen, X. Huang, Yanshan Univ. (China)

- 6830 1C **Self-mixing Doppler effect in an EDFR laser and its application to particle size measurement** [6830-43]  
M. Liu, Nanjing Normal Univ. (China) and Hohai Univ. (China); M. Wang, Nanjing Normal Univ. (China)
- 6830 1D **Hydrogen peroxide sensor using laser grade dye Rhodamine B** [6830-52]  
A. Pattanaik, P. D. Sahare, Univ. of Delhi (India); M. Nanda, Defence Research & Development Organisation (India)
- 6830 1E **Dynamic light intensity detection system of aerodrome assistance light** [6830-54]  
J. Gao, Civil Aviation Univ. of China (China); J. Song, Northeast Dianli Univ. (China); Z. Yu, F. Chen, X. Shi, Q. Gao, Civil Aviation Univ. of China (China)
- 6830 1G **Study of spectrum flattening of ASE fiber source based on long period fiber grating** [6830-58]  
H. Yue, Z. Ou, Z. Dai, Y. Liu, Univ. of Electronic Science and Technology of China (China)
- 6830 1H **Research on the sensing characteristic of blazed fiber Bragg grating** [6830-62]  
Z. Tong, W. Zhang, Tianjin Univ. of Technology (China); B. Liu, Nankai Univ. (China); M. Zhang, Tianjin Univ. of Technology (China); G. Kai, X. Dong, Nankai Univ. (China); R. Wan, Tianjin Univ. of Technology (China)
- 6830 1I **The sensitivity of fiber Bragg grating based chemical sensor** [6830-63]  
Z. Meng, B. Yan, X. Sang, C. Yu, K. Wang, D. Xu, Beijing Univ. of Posts and Telecommunications (China)
- 6830 1J **Study on multispectral mode of multi-mode airborne digital camera system** [6830-64]  
X. Liu, Q. Jiao, Institute of Remote Sensing Applications (China) and Graduate Univ. of Chinese Academy of Sciences (China); J. Fang, Beijing Institute of Technology (China); B. Zhang, Ctr. for Earth Observation and Digital Earth (China); L. Zheng, Q. Tong, Institute of Remote Sensing Applications (China)
- 6830 1K **The influence of Fabry-Perot tunable filter on dynamic strain sensing system** [6830-65]  
K. Liu, Tianjin Univ. (China); W. Jing, Tianjin Univ. (China) and Univ. of New South Wales (Australia); T. Liu, Y. Zhang, D. Jia, H. Zhang, Tianjin Univ. (China); G.-D. Peng, Univ. of New South Wales (Australia)
- 6830 1L **AWG eletro-optical wavelength demodulation system without temperature effect** [6830-66]  
X. Wan, B. Peng, H. Jin, Zhejiang Normal Univ. (China)
- 6830 1M **Study on location of analog source of optical fiber acoustic emission** [6830-74]  
Y. Liang, J. Liu, L. Mu, Harbin Engineering Univ. (China)
- 6830 1N **Study on demodulation algorithm of fiber optic Fabry-Perot sensors based on spectrum adjusting** [6830-75]  
W. Zhang, Shijiazhuang Railway Institute (China) and Institute of Semiconductors (China); J. Dai, B. Sun, Y. Du, Shijiazhuang Railway Institute (China)

- 6830 1P **FBG sensor network in Qinghai-Tibet railway monitoring system** [6830-82]  
W. Zhang, Shijiazhuang Railway Institute (China) and Institute of Semiconductors (China); J. Dai, B. Sun, Y. Du, Shijiazhuang Railway Institute (China)
- 6830 1Q **Applications of fiber optic sensors in concrete structural health monitoring** [6830-85]  
J. Dai, Shijiazhuang Railway Institute (China); W. Zhang, Shijiazhuang Railway Institute (China) and Institute of Semiconductors (China); B. Sun, Y. Du, Shijiazhuang Railway Institute (China)
- 6830 1S **Principle of linear phase retrieval wave-front sensor and experiment research** [6830-88]  
M. Li, Institute of Optics and Electronics (China) and Graduate School of Chinese Academy of Sciences (China); X.-Y. Li, W.-H. Jiang, Institute of Optics and Electronics (China)
- 6830 1U **Research on wave plate error of polarized laser interferometer** [6830-93]  
L. Duan, J. Yang, Z. Liu, L. Yuan, Harbin Engineering Univ. (China)
- 6830 1V **Long cavity length composite cavity fibre laser with single longitudinal mode and narrow linewidth** [6830-94]  
I. Leung, P. A. Childs, G.-D. Peng, Univ. of New South Wales (Australia)
- 6830 1W **Strain related characteristics of composite cavity fibre lasers** [6830-96]  
I. Leung, A. C. L. Wong, G.-D. Peng, Univ. of New South Wales (Australia)
- 6830 1X **Laser interferometer nanometer vibration measurement experiment based on LabVIEW workbench** [6830-97]  
B. Liu, J. Yang, Z. Liu, L. Yuan, Harbin Engineering Univ. (China)
- 6830 21 **Direct and simultaneous detection of temperature and strain using combined Brillouin and Raman backscatters in single mode fiber** [6830-109]  
H. Xia, H. Mu, Y. Yang, BeiHang Univ. (China); D. Sun, Anhui Institute of Optics & Fine Mechanics (China)
- 6830 22 **Mean wavelength stable SFS with variable parameter control technology** [6830-112]  
J. Guo, T. Shen, G. Zhao, Y. Yang, BeiHang Univ. (China)
- 6830 23 **FBG load cell technology and WIM application** [6830-116]  
W. Li, B. Jiang, Wuhan Univ. of Technology (China); Q. Zhang, PLA Communication Command Academy (China); F. Zhu, Wuhan Univ. of Technology (China)
- 6830 24 **Kerr effect in a passive optical ring-resonator gyroscope using a hollow-core photonic-band fiber** [6830-124]  
X. Yu, Tsinghua Univ. (China) and Heilongjiang Univ. (China); Y. Liao, M. Zhang, Q. Shi, Tsinghua Univ. (China); Y. Yu, Heilongjiang Univ. (China); D. Li, Tsinghua Univ. (China)
- 6830 25 **Flow velocity measurements using self-mixing effect inside a single-mode VCSEL with polymer optical fiber** [6830-127]  
R. Zheng, H. Gui, C. Gu, C. Chen, J. Yan, T. Zhao, F. Yang, H. Ming, Univ. of Science and Technology of China (China)

- 6830 26 **Application of CMOS APS star tracker with large FOV in attitude and angular velocity determination** [6830-128]  
D. Lu, Changchun Institute of Optics, Fine Mechanics and Physics (China) and Graduate School of the Chinese Academy of Sciences (China); G. Jin, Graduate School of the Chinese Academy of Sciences (China); S. Wang, Changchun Institute of Optics, Fine Mechanics and Physics (China) and Graduate School of the Chinese Academy of Sciences (China); T. Chen, Graduate School of the Chinese Academy of Sciences (China)
- 6830 27 **A novel biosensor for rapid identification of high temperature resistant species** [6830-130]  
L. Zhang, D. Xing, X. Zhou, South China Normal Univ. (China)
- 6830 28 **Determination of damages of photosynthetic metabolism caused by herbicides using a delayed fluorescence technique** [6830-132]  
L. Zhang, D. Xing, X. Zhou, Q. Li, South China Normal Univ. (China)
- 6830 2A **Analysis of effects of energy and pulse width on underwater Lidar system** [6830-138]  
M. Wang, Y. Zheng, K. Yang, M. Xia, J. Rao, Huazhong Univ. of Science and Technology (China)
- 6830 2B **Design of a low-noise Er-doped-fiber-amplifier (EDFA) for fiber hydrophone system** [6830-140]  
L. Yi, Z. Meng, Z. Hu, Y. Hu, National Univ. of Defense Technology (China)
- 6830 2C **Novel devices and sensors based on microstructured optical fibers** [6830-146]  
W. Jin, L. M. Xiao, The Hong Kong Polytechnic Univ. (Hong Kong China); K. S. Hong, The Hong Kong Polytechnic Univ. (Hong Kong China) and Korean Advanced Institute of Science and Technology (South Korea); Y. B. Liao, The Hong Kong Polytechnic Univ. (Hong Kong China) and Tsinghua Univ. (China)

*Author Index*

# Conference Committee

## *Conference Chairs*

**Yun-Jiang Rao**, University of Electronic Science and Technology of China (China)

**Yanbiao Liao**, Tsinghua University (China)

**Gang-Ding Peng**, University of New South Wales (Australia)

## *Program Committee*

**Xiaoyi Bao**, University of Ottawa (Canada)

**Ian M. Bassett**, University of Sydney (Australia)

**Weimin Chen**, Chongqing University (China)

**Kin S. Chiang**, City University of Hong Kong (Hong Kong China)

**K. T. V. Graftan**, City University (United Kingdom)

**David Jackson**, University of Kent (United Kingdom)

**Wei Jin**, Hong Kong Polytechnic University (Hong Kong China)

**Kyriacos Kalli**, Higher Technical Institute (Cyprus)

**ByoungHo Lee**, Seoul National University (South Korea)

**Tongyu Liu**, Intelligent Sensor Systems Ltd. (United Kingdom)

**Jinping Ou**, Harbin Institute of Technology (China)

**David D. Sampson**, University of Western Australia (Australia)

**Ping Shum**, Nanyang Technological University (Singapore)

**Okihito Sugihara**, Tohoku University (Japan)

**Hwa Yaw Tam**, Hong Kong Polytechnic University (Hong Kong China)

**K. Thyagarajan**, Indian Institute of Technology (India)

**David Webb**, Aston University (United Kingdom)

**Reinhardt Willsch**, Institute for Physical High Technology (Germany)

**Shizhuo S. Yin**, The Pennsylvania State University (USA)

**Libo Yuan**, Harbin Engineering University (China)

**Lin Zhang**, Aston University (United Kingdom)

## *Session Chairs*

1 Fiber Grating Sensors

**Yun-Jiang Rao**, University of Electronic Science and Technology of China (China)

2 Fiber Interferometric and Distributed Sensors

**David Webb**, Aston University (United Kingdom)

3 Fiber-optic and Laser Sensing

**Yanbiao Liao**, Tsinghua University (China)



# Symposium Committees

## *General Chairs*

**Brian Culshaw**, University of Strathclyde (United Kingdom)  
**Bingkun Zhou**, Tsinghua University (China) and COS—Chinese Optical Society (China)

## *General Cochairs*

**Arthur Chiou**, National Yang-Ming University (Taiwan, China)  
**Mitsuo Takeda**, University of Electro-Communications (Japan)  
**Chungli Bai**, Chinese Academy of Sciences (China)  
**Seung-Han Park**, Yonsei University (South Korea)  
**Zhizhan Xu**, Shanghai Institute of Optics and Fine Mechanics (China)  
**Jianlin Cao**, China Ministry of Science and Technology (China)  
**Junhao Chu**, Shanghai Institute of Technical Physics (China)  
**Jingming Kuang**, Beijing Institute of Technology (China)  
**Xiaomin Ren**, Beijing University of Posts and Telecommunications (China)  
**Dingbo Kuang**, Shanghai Institute of Technical Physics (China)  
**Guozheng Yang**, Institute of Physics (China)

## *Honorary Chairs*

**Daheng Wang**, Chinese Academy of Sciences (China)  
**Guoqiang Mu**, Nankai University (China)

## *Technical Program Chair*

**Songlin Zhuang**, Shanghai University of Science and Technology (China)

## *Technical Program Cochairs*

**Xun Hou**, Xian Institute of Optics and Precision Mechanics (China)  
**Qian Mao**, Wuhan Research Institute of Posts and Telecommunications (China)  
**Xu Liu**, Zhejiang University (China)

## *Local Organizing Committee Chair*

**Shusen Xie**, Fujian Normal University (China)

## *Local Organizing Committee Cochairs*

**Guoqiang Ni**, Beijing Institute of Technology (China)  
**Qihuang Gong**, Peking University (China)  
**Ying Gu**, PLA General Hospital (China)  
**Huilin Jiang**, Changchun University of Science and Technology (China)

*General Secretary*

**Guoqiang Ni**, Beijing Institute of Technology (China)

*Administrative Vice General Secretary*

**Boyu Ding**, Beijing Institute of Technology (China)

*Vice General Secretaries*

**Hanyi Zhang**, Tsinghua University (China)

**Ya Cheng**, Shanghai Institute of Optics and Fine Mechanics (China)

**Zhongwei Fan**, Academy of Opto-electronics (China)

**Jianxin Chen**, Fujian Normal University (China)

**Lan Wu**, Zhejiang University (China)

**Shaowen Wang**, COS—Chinese Optical Society (China)

**Yuejin Zhao**, Beijing Institute of Technology (China)

**Chongxiu Yu**, Beijing University of Posts and Telecommunication (China)

**Jun Ruan**, China Solid State Lighting Research and Industry Alliance  
(China)

*Local Organizing Committee Members*

**Kangnan Qi**, Beijing Optical Society (China)

**Chunqing Gao**, Beijing Institute of Technology (China)

**Tiegen Liu**, Tianjin University (China)

**Lanxing Shao**, Shanghai Optical Society (China)

**Zaixuan Zhang**, Chinese Jiliang University (China)

**Hongda Chen**, Institute of Semiconductors (China)

**Baosheng Liu**, Beijing Optical Society (China)

**Xin Wang**, Hubei Optical Society (China)

**Lin Zhai**, COS—Chinese Optical Society (China)

**Zhiqiang Zhu**, East China Normal University (China)

**Lei Xu**, Fudan University (China)

**Hezhou Wang**, Zhongshan University (China)

**Zhiming Yi**, Ofstar Tech Company, Ltd., Shenzhen (China)