Coherence Domain Optical Methods and Optical Coherence Tomography in Biomedicine XII

Joseph A. Izatt James G. Fujimoto Valery V. Tuchin Editors

21–23 January 2008 San Jose, California, USA

Sponsored and Published by SPIE

Volume 6847

Proceedings of SPIE, 1605-7422, v. 6847

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in Coherence Domain Optical Methods and Optical Coherence Tomography in Biomedicine XII, edited by Joseph A. Izatt, James G. Fujimoto, Valery V. Tuchin, Proceedings of SPIE Vol. 6847 (SPIE, Bellingham, WA, 2008) Article CID Number.

ISSN 1605-7422 ISBN 9780819470225

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIE.org

Copyright © 2008, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 1605-7422/08/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

Contents

- xi Conference Committee
- xiii Introduction

SESSION 1 OPHTHALMIC/DENTAL OCT

- 6847 04 **Keratometry and corneal topography using multiple delay element OCT** [6847-03] L. Plesea, A. Gh. Podoleanu, Univ. of Kent (United Kingdom)
- 6847 05 Segmentation of the retinal pigment epithelium by polarization sensitive optical coherence tomography [6847-04]
 C. K. Hitzenberger, E. Götzinger, M. Pircher, B. Baumann, Medical Univ. of Vienna (Austria);
 S. Michels, W. Geitzenauer, U. Schmidt-Erfurth, General Hospital and Medical Univ. of

Vienna (Austria)

 6847 07 Fixed partial dentures investigated by optical coherent tomography [6847-06]
 C. Sinescu, M. Negrutiu, C. Todea, Victor Babeş Univ. of Medicine and Pharmacy of Timişoara (Romania); M. Hughes, F. Tudorache, A. Gh. Podoleanu, Univ. of Kent (United Kingdom)

SESSION 2 CATHETER/ENDOSCOPIC OCT

- 6847 08 In vivo endomicroscopy using three-dimensional optical coherence tomography and Fourier domain mode locked lasers [6847-07]
 D. C. Adler, Y. Chen, Massachusetts Institute of Technology (USA); R. Huber, Massachusetts Institute of Technology (USA) and Ludwig-Maximilians-Univ. München (Germany);
 J. Schmitt, LightLab Imaging, Inc. (USA); J. Connolly, Beth Israel Deaconess Medical Ctr. (USA); J. G. Fujimoto, Massachusetts Institute of Technology (USA)
- 6847 0C Imaging fibre bundles for Fizeau-based optical coherence tomography [6847-11] G. F. Sarantavgas, H. D. Ford, R. P. Tatam, Cranfield Univ. (United Kingdom)

SESSION 3 RETINAL FUNCTIONAL IMAGING

- 6847 0G In vivo retinal blood flow measurement by Fourier domain Doppler optical coherence tomography [6847-15]
 Y. Wang, O. Tan, D. Huang, Doheny Eye Institute and Keck School of Medicine, Univ. of Southern California (USA)
- 6847 01 Automatic retinal blood flow calculation using spectral domain optical coherence tomography [6847-17]
 H. Wehbe, M. Ruggeri, S. Jiao, G. Gregori, C. A. Puliafito, Univ. of Miami Miller School of Medicine (USA)

6847 0J Retinal blood flow measurement by using optical coherence tomography [6847-18]
 S. Makita, Univ. of Tsukuba (Japan); T. Fabritius, Univ. of Tsukuba (Japan) and Tokyo Medical Univ. (Japan); M. Miura, Univ. of Oulu (Finland) and Univ. of Tsukuba (Japan); T. Yatagai, Y. Yasuno, Univ. of Tsukuba (Japan)

SESSION 4 FOURIER DOMAIN OCT: NEW TECHNOLOGY

- 6847 0M
 60 MHz A-line rate ultra-high speed Fourier-domain optical coherence tomography
 [6847-21]
 K. Ohbayashi, D. Choi, H. Hiro-Oka, H. Furukawa, R. Yoshimura, M. Nakanishi, K. Shimizu,
 Kitasato Univ. (Japan)
- 6847 0N Linear wave-number spectrometer for spectral domain optical coherence tomography [6847-22]

G. V. Gelikonov, V. M. Gelikonov, P. A. Shilyagin, Institute of Applied Physics (Russia)

6847 00 Multi-channel Fourier domain OCT system with superior lateral resolution for biomedical applications [6847-23]

J. Holmes, S. Hattersley, Michelson Diagnostics Ltd. (United Kingdom); N. Stone,

- F. Bazant-Hegemark, H. Barr, Gloucestershire Royal Hospital (United Kingdom)
- 6847 OR Narrowband wavelength selective detector applicable SD-OCT based on Fabry-Perot tunable filter and balanced photoreceiver [6847-26]
 T. J. Eom, V. A. Tougbaev, B.-A. Yu, W. Shin, Y. L. Lee, D.-K. Ko, Gwangju Institute of Science and Technology (South Korea); C.-S. Kim, E. J. Jung, J. S. Park, M. Y. Jeong, Pusan National Univ. (South Korea); E. S. Choi, Chosun Univ. (South Korea)

SESSION 5 NOVEL TECHNIQUES

6847 0S Miniature optical coherence tomography system based on silicon photonics [6847-27] E. Margallo-Balbás, Electronic Instrumentation Lab. (Netherlands); G. Pandraud, Kavli Institute of Nanoscience (Netherlands); P. J. French, Electronic Instrumentation Lab. (Netherlands)

6847 0U Investigations of OCT imaging performance using a unique source providing several spectral wavebands [6847-29]
 R. Cernat, G. M. Dobre, I. Trifanov, L. Neagu, A. Bradu, M. Hughes, A. Gh. Podoleanu, Univ. of Kent (United Kingdom)

6847 0W Optical coherence tomography in material deformation by using short pulse laser irradiation [6847-31]
 E. S. Choi, W. Kwak, Y. Shin, Chosun Univ. (South Korea); Y. Kim, Gwangju Institute of Science and Technology (South Korea); W. Jung, Y.-C. Ahn, Z. Chen, Univ. of California/Irvine (USA); E. J. Jeong, C.-S. Kim, Pusan National Univ. (South Korea)

6847 0X Dispersion-assisted measurement of the refractive index and thickness by hybrid interferometer [6847-32]
 S. Kim, J. Na, M. J. Kim, B. H. Lee, Gwangju Institute of Science and Technology (South Korea)

SESSION 6 FOURIER DOMAIN SWEPT SOURCE OCT

6847 0Z Programmable high speed (~1MHz) Vernier-mode-locked frequency-swept laser for OCT imaging [6847-34]

M. Kourogi, Y. Kawamura, Optical Comb, Inc. (Japan); Y. Yasuno, Univ. of Tsukuba (Japan); H. Oyaizu, H. Miyao, K. Imai, Optical Comb, Inc. (Japan)

- 6847 10 Spectrally balanced detection for OFDI [6847-35]
 Y. Chen, D. M. de Bruin, C. Kerbage, J. F. de Boer, Harvard Medical School (USA) and Wellman Ctr. for Photomedicine, Massachusetts General Hospital (USA)
- 6847 11 Large optical power margin of signal light in OFDR-OCT by using semiconductor optical amplifier [6847-36]
 K. Asaka, NTT Corp. (Japan)
- 6847 12 High speed broadband Fourier domain mode locked swept source with multiple SOAs [6847-37]
 J. Zhang, Beckman Laser Institute (USA) and Univ. of California, Irvine (USA); M. Y. Jeon, Chung Nam National Univ. (South Korea); Z. Chen, Beckman Laser Institute (USA) and Univ. of California, Irvine (USA)
- 6847 13 Single-mode 140 nm swept light source realized by using SSG-DBR lasers [6847-38] N. Fujiwara, R. Yoshimura, K. Kato, H. Ishii, F. Kano, Y. Kawaguchi, Y. Kondo, NTT Corp. (Japan); K. Ohbayashi, Kitasato Univ. (Japan); H. Oohashi, NTT Corp. (Japan)

SESSION 7 FULL-FIELD, PHASE, AND EXTENDED FOCUS IMAGING

- 6847 17 **Single-shot full-field OCT based on four quadrature phase-stepped interferometer** [6847-43] M. S. Hrebesh, Y. Watanabe, Yamagata Univ. (Japan); R. Dabu, National Institute for Laser, Plasma and Radiation Physics (Romania); M. Sato, Yamagata Univ. (Japan)
- 6847 18 **Dynamic focusing with radial gratings for in vivo high resolution imaging** [6847-44] L. Liu, N. Chen, National Univ. of Singapore (Singapore)

SESSION 8 NOVEL CONTRAST MECHANISMS

6847 19 Spectral-domain magnetomotive OCT imaging of magnetic nanoparticle biodistribution [6847-45]
 A. L. Oldenburg, V. Crecea, S. A. Rinne, R. Rezaeipoor, E. J. Chaney, Univ. of Illinois at

Urbana-Champaign (USA); S. A. Boppart, Univ. of Illinois at Urbana-Champaign (USA) and Mills Breast Cancer Institute, Carle Foundation Hospital (USA)

6847 1A Fourier domain pump-probe optical coherence tomography: hemoglobin imaging at 830 nm [6847-46]

B. E. Applegate, D. Jacob, Texas A&M Univ. (USA); J. A. Izatt, Duke Univ. (USA)

6847 1B Thermoelastic optical Doppler tomography of biological tissues [6847-47]
 Q. Wang, Y.-C. Ahn, C. Kim, L. Yu, W. Jia, B. Rao, Z. Chen, Beckman Laser Institute (USA);
 H. K. Chiang, Yang-Ming Univ. (Taiwan)

- 6847 1D Visible-light OCT spectrometer for microvascular oximetry [6847-49] S. V. Gangnus, S. J. Matcher, Univ. of Sheffield (United Kingdom)
- 6847 1E Quantifying permeability of glucose in normal and atherosclerotic pig aorta in vitro using optical coherence tomography [6847-50]
 M. G. Ghosn, E. Carbajal, N. Befrui, Univ. of Houston (USA); V. V. Tuchin, Saratov State Univ. (Russia); K. V. Larin, Univ. of Houston (USA) and Saratov State Univ. (Russia)

SESSION 9 DOPPLER AND POLARIZATION-SENSITIVE OCT

- 6847 1 J Polarization-sensitive swept-source optical coherence tomography with continuous polarization modulation [6847-55]
 M. Yamanari, S. Makita, T. Yatagai, Y. Yasuno, Univ. of Tsukuba (Japan)
- 6847 1K Flow velocity analysis with joint spectral and time domain OCT [6847-56]
 M. Szkulmowski, M. Wojtkowski, A. Szkulmowska, A. Kowalczyk, Nicolaus Copernicus Univ. (Poland)
- 6847 1M Simultaneous analysis of extinction and flow velocity with joint spectral and time domain OCT [6847-58]
 M. Wojtkowski, M. Szkulmowski, T. Bajraszewski, A. Szkulmowska, A. Kowalczyk, Nicolaus Copernicus Univ. (Poland)

SESSION 10 FOURIER-DOMAIN OCT: IMAGE ENHANCEMENT

6847 1N Simple technique for full-range complex spectral domain optical coherence tomography [6847-59]

B. Baumann, M. Pircher, E. Götzinger, C. K. Hitzenberger, Medical Univ. of Vienna (Austria)

Full range 1-um spectral domain optical coherence tomography by using electro-optical phase modulator [6847-64]
 T. Fabritius, Univ. of Tsukuba (Japan) and Univ. of Oulu (Finland); S. Makita, M. Yamanari, Univ. of Tsukuba (Japan); R. Myllylä, Univ. of Oulu (Finland); T. Yatagai, Y. Yasuno, Univ. of Tsukuba (Japan)

SESSION 11 IN VIVO IMAGING APPLICATIONS

- 6847 1V In vivo imaging and vibration measurement of Guinea pig cochlea [6847-67] N. Choudhury, F. Chen, J. Zheng, Oregon Health & Science Univ. (USA); A. L. Nuttall, Oregon Health & Science Univ. (USA) and Univ. of Michigan (USA); S. L. Jacques, Oregon Health & Science Univ. (USA)
- 6847 1W Versatile confocal/optical coherence tomography system for embryonic developmental imaging [6847-68]
 A. Bradu, L. Ma, J. Bloor, A. Podoleanu, Univ. of Kent (United Kingdom)
- 6847 1Y **Dynamic analysis of eccrin sweat glands on human fingertips by optical coherence tomography** [6847-70] M. Haruna, M. Ohmi, Y. Ueda, A. Yamada, H. Saigusa, Osaka Univ. (Japan)

SESSION 12 OCT SIGNAL AND IMAGE PROCESSING

6847 21	Alignment of intravascular optical coherence tomography movies affected by non-
	uniform rotation distortion [6847-73]
	G. van Soest, J. G. Bosch, Erasmus Univ. Medical Ctr. (Netherlands); A. F. W. van der Steen,
	Erasmus Univ. Medical Ctr. (Netherlands) and Interuniversity Cardiology Institute of The

Netherlands (Netherlands)

- 6847 24 On the speckle size in optical coherence tomography [6847-76] G. Lamouche, C.-E. Bisaillon, S. Vergnole, J. P. Monchalin, National Research Council Canada (Canada)
- 6847 25 Local variations in bone mineral density: a comparison of OCI versus x-ray micro-CT [6847-77] N. Ugryumova, J. Stevens-Smith, A. Scutt, S. J. Matcher, Univ. of Sheffield (United Kingdom)

- 6847 26 Gouy phase shift in Fourier-domain optical coherence tomography [6847-78]
 - G. Lamouche, S. Vergnole, M. L. Dufour, B. Gauthier, National Research Council Canada (Canada)

POSTER SESSION .

6847 2A	Numerical method for compensating the retinal shadows of optical coherence tomography images [6847-81] T. Fabritius, Univ. of Tsukuba (Japan) and Univ. of Oulu (Finland); S. Makita, Univ. of Tsukuba (Japan); Y. Hong, Korea Advanced Institute of Science and Technology (South Korea); R. Myllylä, Univ. of Oulu (Finland); T. Yatagai, Y. Yasuno, Univ. of Tsukuba (Japan)
6847 2B	Speckle reduction method for optical coherence tomography using interval type II fuzzy set [6847-82] P. Puvanathasan, K. Bizheva, Univ. of Waterloo (Canada)
6847 2C	Use of cosine tapered window to improve dynamic range of OCT without loss of resolution [6847-83] H. Hiro-Oka, D. Choi, H. Furukawa, R. Yoshimura, K. Ohbayashi, Kitasato Univ. (Japan); T. Wakabayashi, Teikyo Univ. (Japan)
6847 2D	Spectral density and tissue perfusion from speckle contrast measurements [6847-84] O. B. Thompson, M. K. Andrews, Industrial Research Ltd. (New Zealand)
6847 2F	Side-imaging lensed photonic crystal fiber probe [6847-86] H. Y. Choi, S. Y. Ryu, J. Na, B. H. Lee, IB. Sohn, YC. Noh, J. Lee, Gwangju Institute of Science and Technology (South Korea)
6847 2G	Doppler optical coherence tomography measurements in discretely swept optical frequency domain imaging [6847-87] R. Yoshimura, H. Hiro-Oka, D. Choi, H. Furukawa, Kitasato Univ. (Japan); N. Fujiwara, NTT Corp. (Japan); K. Ohbayashi, Kitasato Univ. (Japan)

- 6847 2K Axial-lateral parallel time domain OCT with an optical zoom lens and high order diffracted lights at 830 nm [6847-92]
 Y. Watanabe, Y. Takasugi, M. Sato, Yamagata Univ. (Japan)
- 6847 2L All-fiber probe for optical coherence tomography [6847-93]
 S. Y. Ryu, H. Y. Choi, J. Na, W. J. Choi, B. H. Lee, Gwangju Institute of Science and Technology (South Korea)
- 6847 2M Spectral domain optical coherence tomography using a microchip laser-pumped photonic crystal fiber supercontinuum source [6847-94] Q. Zhao, T. Buma, Univ. of Delaware (USA)
- 6847 2N Broadband superluminescent light-emitting device at 840 nm with high performance stability [6847-95] V. Laino, L. Occhi, P. Navaretti, C. Velez, EXALOS AG (Switzerland)
- 6847 20 Measurement of sinusoidal flow oscillations in a glass capillary tube using phase-resolved DOCT [6847-96]
 C. Blake, J. Edmunds, L. Shelford, J. Moger, Univ. of Exeter (United Kingdom); S. J. Matcher, Univ. of Sheffield (United Kingdom)
- 6847 2P SGDBR single-chip wavelength tunable lasers for swept source OCT [6847-97]
 D. Derickson, M. Bernacil, A. DeKelaita, B. Maher, S. O'Connor, California Polytechnic State Univ. (USA); M. N. Sysak, L. Johanssen, Univ. of California/Santa Barbara (USA)
- 6847 2Q Measurement of the three-dimensional point-spread function in an optical coherence tomography imaging system [6847-98]
 P. H. Tomlins, P. Woolliams, M. Tedaldi, A. Beaumont, C. Hart, National Physical Lab. (United Kingdom)
- 6847 2R Real-time video-rate harmonically detected Fourier domain optical coherence tomography [6847-99]
 A. B. Vakhtin, K. A. Peterson, D. J. Kane, Southwest Sciences, Inc. (USA)
- 6847 25 Optimal source bandwidth for pass-through photon-based trans-illumination interferometry [6847-100]
 P. Vacas-Jacques, M. Strojnik, G. Paez, Ctr. de Investigaciones en Óptica (Mexico)
- Enhancement of Fourier domain optical coherence tomography images using discrete Fourier transform method [6847-101]
 T. H. Chow, S. Gulam Razul, B. K. Ng, Nanyang Technological Univ. (Singapore); G. Ho, Institute of Bioengineering and Nanotechnology (Singapore); C. B. A. Yeo, Nanyang Technological Univ. (Singapore)
- 6847 2V Penetration depth of optical frequency domain imaging at wavelengths of 1310 nm and 1550 nm [6847-103]
 H. Furukawa, D. Choi, H. Hiro-Oka, R. Yoshimura, M. Nakanishi, K. Shimizu, K. Ohbayashi, Kitasato Univ. (Japan)

- 6847 2W Common path swept-source OCT interferometer with artifact removal [6847-104] S. Vergnole, G. Lamouche, M. L. Dufour, B. Gauthier, National Research Council Canada (Canada)
- 6847 2Y
 In vivo 3-D imaging of gastrointestinal tracts by use of an endoscopic swept source optical coherence tomography with a microelectromechanical endoscopic rotational probe [6847-106]
 J. Zhang, J. Su, Beckman Laser Institute (USA) and Ctr. for Biomedical Engineering, Univ. of California, Irvine (USA); K. Chang, Univ. of California Irvine Medical Ctr. (USA);
 Z. Chen, Beckman Laser Institute (USA) and Ctr. for Biomedical Engineering, Univ. of California, Irvine (USA);
 M. Chang, Univ. of California Irvine Medical Ctr. (USA);
 Chen, Beckman Laser Institute (USA) and Ctr. for Biomedical Engineering, Univ. of California, Irvine (USA)
- 6847 30 In vitro 3D articular cartilage imaging using endoscopic spectral domain optical coherence tomography (SD-OCT) with a GRIN (gradient index) lens rod based probe [6847-108]
 T. Xie, Y. Ahn, Z. Chen, G. Peavy, Beckman Laser Institute (USA)

6847 31 Spectrometer based Fourier domain optical coherence tomography of the mouse retina [6847-109]

J. Xu, M. H. Khorasani, J. N. B. Koo, M. V. Sarunic, Simon Fraser Univ. (Canada)

Imaging treated brain aneurysms in vivo using optical coherence tomography [6847-110]
 J. Su, Univ. of California, Irvine (USA) and Beckman Laser Institute and Medical Clinic (USA);
 M. S. Mathews, Beckman Laser Institute and Medical Clinic (USA) and Univ. of California,
 Irvine (USA); C. I. Nwagwu, A. Edris, B. V. Nguyen, M. Heidari, M. E. Linskey, Univ. of
 California, Irvine (USA); Z. Chen, Univ. of California, Irvine (USA) and Beckman Laser Institute

Author Index

Conference Committee

Symposium Chairs

James G. Fujimoto, Massachusetts Institute of Technology (USA) R. Rox Anderson, Wellman Center for Photomedicine, Massachusetts General Hospital (USA) and Harvard School of Medicine (USA)

Program Track Chairs

Tuan Vo-Dinh, Duke University (USA) Anita Mahadevan-Jansen, Vanderbilt University (USA)

Conference Chairs

Joseph A. Izatt, Duke University (USA) James G. Fujimoto, Massachusetts Institute of Technology (USA) Valery V. Tuchin, Saratov State University (Russia)

Program Committee

Peter Eskil Andersen, Danmarks Tekniske Universiteit (Denmark)
 Stephen A. Boppart, University of Illinois at Urbana-Champaign (USA) and Mills Breast Cancer Institute, Carle Foundation Hospital (USA)
 Zhongping Chen, Beckman Laser Institute (USA)

Johannes F. de Boer, Wellman Center for Photomedicine, Massachusetts General Hospital (USA) and Harvard School of Medicine (USA)

Wolfgang Drexler, Cardiff University (United Kingdom)
Christoph K. Hitzenberger, Medizinische Universität Wien (Austria)
Rainer Andreas Leitgeb, École Polytechnique Fédérale de Lausanne (Switzerland)
Xingde Li, University of Washington (USA)
Adrian Gh. Podoleanu, University of Kent (United Kingdom)
Andrew M. Rollins, Case Western Reserve University (USA)
Natalia Mihilovna Shakhova, Institute of Applied Physics (Russia)

Guillermo J. Tearney, Massachusetts General Hospital (USA) Ruikang K. Wang, Oregon Health and Science University (USA) Maciej Wojtkowski, Nicolaus Copernicus University (Poland)

Session Chairs

- Ophthalmic/Dental OCT
 Joseph A. Izatt, Duke University (USA)
- 2 Catheter/Endoscopic OCT James G. Fujimoto, Massachusetts Institute of Technology (USA)
- 3 Retinal Functional Imaging Johannes F. de Boer, Wellman Center for Photomedicine, Massachusetts General Hospital (USA) and Harvard School of Medicine (USA)
- 4 Fourier Domain OCT: New Technology Maciej Wojłkowski, Nicolaus Copernicus University (Poland)
- 5 Novel Techniques Xingde Li, University of Washington (USA)
- Fourier Domain Swept Source OCT
 Zhongping Chen, Beckman Laser Institute (USA)
- 7 Full-Field, Phase, and Extended Focus Imaging Rainer Andreas Leitgeb, École Polytechnique Fédérale de Lausanne (Switzerland)
- 8 Novel Contrast Mechanisms Stephen A. Boppart, University of Illinois at Urbana-Champaign (USA) and Mills Breast Cancer Institute, Carle Foundation Hospital (USA)
- 9 Doppler and Polarization-Sensitive OCT
 Christoph K. Hitzenberger, Medizinische Universität Wien (Austria)
- 10 Fourier-Domain OCT: Image Enhancement Wolfgang Drexler, Cardiff University (United Kingdom)
- In Vivo Imaging Applications
 Peter Eskil Andersen, Danmarks Tekniske Universiteit (Denmark)
- 12 OCT Signal and Image Processing Valery V. Tuchin, Saratov State University (Russia)

Introduction

These proceedings are from the Coherence Domain Optical Methods and Optical Coherence Tomography in Biomedicine XII Conference, held January 21– 23, 2008 at the SPIE Photonics West Symposium in San Jose, California. This year's conference featured 111 oral and poster presentations from leading national and international research groups.

The conference was organized into several sessions including: Fourier Domain OCT: New Technology; Fourier Domain Swept Source OCT; Fourier-Domain OCT: Image Enhancement; Full-Field, Phase, and Extended Focus Imaging; Doppler and Polarization-Sensitive OCT; Novel Techniques; Novel Contrast Mechanisms; OCT Signal and Image Processing; Catheter/Endoscopic OCT; Ophthalmic/Dental OCT; Retinal Functional Imaging; *In Vivo* Imaging Applications; and a poster session with 32 presentations. As usual, a predominant fraction of the papers focused on optical coherence tomography – basic research, instrumentation, and applications.

This year, there were significant advances in Fourier Domain OCT Imaging (three sessions, New Technology, Swept Source OCT, and Image Enhancement, with 20 oral and six poster presentations) with discussion of 60 MHz A-line rate ultra-high speed FD OCT, multi-channel system with superior lateral resolution, K-space linear Fourier domain and programmable high-speed (~1MHz) Vernier mode-locked frequency-swept lasers, single-mode 140 nm swept light source realized by using SSG-DBR lasers, as well as techniques for full-range complex spectral domain OCT.

Extended focus Fourier domain optical coherence microscopy and fluorescence lifetime imaging, dispersion free low coherence interferometry, depth-encoded spectral domain phase microscopy for simultaneous multi-site nanoscale displacement measurements, real-time high-resolution optical coherence microscopy with binary-phase spatial filters, single-shot full-field OCT based on four quadrature phase-stepped interferometer, and dynamic focusing OCT with radial gratings for *in vivo* high-resolution imaging were presented and discussed in six papers in the session on Full-Field, Phase, and Extended Focus Imaging.

Six oral presentations in the session on Doppler and Polarization-Sensitive OCT reported advanced technologies for *in vivo* quantification of volumetric cerebrovascular blood perfusion in mice through intact skin by optical microangiography, for enhanced performance in phase-resolved Doppler OCT, for flow velocity analysis and calibration. New approaches in polarization-sensitive OCT, such as polarization-sensitive swept-source OCT with continuous polarization modulation, were also discussed in this and the poster session. The session on Novel Techniques contained six oral papers and was devoted to further development of OCT components and whole systems, such as a miniature OCT system based on silicon photonics, Fourier domain low coherence transillumination computed tomography, OCT systems based on unique source providing several spectral wavebands, superconducting single-photon detectors, and hybrid interferometer.

The Novel Contrast Mechanisms session contained eight oral presentations and discussed OCT imaging of distribution of magnetic nanoparticles, pump-probe OCT for hemoglobin imaging at 830 nm, measurement of the hemoglobin oxygen saturation and microvascular oximetry, thermoelastic optical Doppler tomography of tissues, quantifying permeability of glucose in skin *in vivo*, motility contrast imaging of tumor response to anti-mitotic cancer drugs, and usage of gold nanoshells for increasing contrast and functional information in OCT imaging.

Various OCT processing modalities were discussed in eight papers in the session on OCT Signal and Image Processing, including clustering of spectroscopic OCT images for contrast enhancement, segmentation, and diagnosis, automated calculation of fiber orientation from 3-D cardiac OCT volumes, alignment of intravascular OCT movies affected by non-uniform rotation distortion, denoising of OCT images, real-time signal processing using field programmable gate arrays, speckle size quantification, a comparison of OCT versus x-ray micro CT, and defining of Gouy phase shift in FD OCT.

The Catheter/Endoscopic OCT session contained six papers and discussed recent achievements in *in vivo* OCT endomicroscopy, 3-D comprehensive microscopy and design of balloon catheter optics for OCT imaging of the human esophagus, catheter-based high-speed polarization sensitive frequency domain imaging, design of imaging fiber bundles for Fizeau based OCT, and subsurface and Doppler spectrally encoded endoscopy.

Three sessions, Ophthalmic/Dental OCT, Retinal Functional Imaging, and *In Vivo* Imaging Applications, with 18 papers were devoted to biomedical studies using various OCT technologies. These studies included *in vivo* high-speed OCT and motion corrected simultaneous SLO/OCT imaging of the human retina, keratometry and cornea topography, segmentation of the retinal pigment epithelium by PS OCT, modeling of light scattering from retinal photoreceptors and their *in vivo* optical probing. A few papers presented advanced researches of human retinal blood flow. One paper described non-invasive optical detection of functionally stimulated neural activity in the limulus compound eye. Two papers were devoted to embryonic developmental imaging, including a highthroughput longitudinal imaging of the embryonic heart. One paper has shown an *in vivo* imaging and vibration measurement of guinea pig cochlea. Real-time OCT for the intraoperative microscopic assessment of surgical margins in breast cancer and successful monitoring of the evolution of oral cancerous tissue were also demonstrated. Dynamic analysis of eccrine sweat glands of human fingertips was also presented in this session.

The poster session contained 32 papers on the major above-mentioned topics.

A short course for engineers, scientists, and clinicians, SC312 - Principles and Applications of Optical Coherence Tomography by James Fujimoto, accompanied the conference.

All submissions were fully peer reviewed. Authors were requested to submit a three-page summary of their paper. The program committee evaluated the submissions for technical content and assigned a numerical score to each paper. The selection of the papers as oral presentations, posters, or non-acceptance was based upon the program committee score. Although this process was time consuming, we felt that it was important for the conference. Many participants felt that the technical quality and novelty of the papers had increased as the result of peer review. The peer review also provided a fairer assessment of the submitted papers. We have had very positive feedback and a record number of submissions and attendees (see photo) this year.

The conference chairs would like to thank the members of the technical program committee for their help in organizing the conference. We sincerely appreciate the support of SPIE and the conference staff. Finally, we would like to thank all of the conference attendees and manuscript authors for their contributions and participation that helped to make this meeting a success.

> Joseph A. Izatt James G. Fujimoto Valery V. Tuchin